

## Transaction in Own Shares



RNS Number : 0889W

Vodafone Group Plc

15 August 2022

15 August 2022

Vodafone Group Plc ('**Vodafone**')

ISIN Code: GB00BH4HKS39

### Transaction in Own Shares

Vodafone announces that it has purchased the following number of its ordinary shares of 20<sup>20/21</sup> US cents on Exchange (as defined in the Rules of the London Stock Exchange) from Goldman Sachs International ('**Goldman Sachs**') as part of its buy-back programme announced on 9 March 2022 (the '**Programme**'). The sole purpose of this Programme is to reduce the issued share capital of Vodafone to partially offset the increase in the issued share capital as a result of the maturing of the second tranche of a two-tranche mandatory convertible bond ('**MCB**') issued by Vodafone in March 2019.

Date of purchase:	15 August 2022
Number of ordinary shares of 20 <sup>20/21</sup> US cents each purchased:	4,022,252
Highest price paid per share (pence):	122.28
Lowest price paid per share (pence):	120.84
Volume weighted average price paid per share (pence):	121.25

Vodafone intends to hold the purchased shares in treasury. Following the purchase of these shares, Vodafone holds 949,307,198 of its ordinary shares in treasury and has 27,868,856,080 ordinary shares in issue (excluding treasury shares).

As part of the Programme, Goldman Sachs purchases Vodafone (213800TB53ELEUKM7Q61) ordinary shares and sells such shares to Vodafone. In connection with the above purchases, on 15 August 2022 Goldman Sachs (as principal) elected to purchase 4,022,252 Vodafone ordinary shares to sell to Vodafone. A schedule of individual trades carried out by Goldman Sachs on 15 August 2022 is set out below.

### Schedule of purchases - aggregate information

Trading venue	Volume weighted average price (pence per share)	Aggregated volume
XLON	121.25	4,022,252

### Schedule of purchases - individual transactions

Transaction Time	Trading Venue	Number of Shares	Price Per Share (GBP)	Transaction Reference Number
08:00:18 AM	XLON	2981	121.98	598753417364264
08:06:03 AM	XLON	3400	122.04	598753417365128
08:07:19 AM	XLON	2709	122.14	598753417365279

08:07:19 AM	XLON	3418	122.14	598753417365280
08:07:21 AM	XLON	29	122.12	598753417365281
08:07:21 AM	XLON	2700	122.12	598753417365282
08:07:21 AM	XLON	5468	122.12	598753417365283
08:08:01 AM	XLON	4080	122.28	598753417365414
08:08:03 AM	XLON	19	122.28	598753417365419
08:08:03 AM	XLON	25	122.28	598753417365418
08:08:07 AM	XLON	1341	122.18	598753417365432
08:08:07 AM	XLON	3953	122.18	598753417365434
08:08:07 AM	XLON	5706	122.18	598753417365435
08:08:07 AM	XLON	7800	122.18	598753417365431
08:08:10 AM	XLON	2709	122.18	598753417365454
08:08:10 AM	XLON	3418	122.18	598753417365453
08:08:10 AM	XLON	12498	122.18	598753417365445
08:08:13 AM	XLON	4942	122.06	598753417365462
08:08:14 AM	XLON	2075	122.18	598753417365467
08:08:20 AM	XLON	2232	122.18	598753417365483
08:08:20 AM	XLON	2709	122.18	598753417365485
08:08:20 AM	XLON	3200	122.18	598753417365484
08:08:20 AM	XLON	3418	122.18	598753417365486
08:09:00 AM	XLON	6949	122.20	598753417365566
08:09:00 AM	XLON	8840	122.20	598753417365565
08:09:02 AM	XLON	323	122.20	598753417365576
08:09:02 AM	XLON	1766	122.20	598753417365577
08:09:12 AM	XLON	1766	122.20	598753417365594
08:09:12 AM	XLON	3300	122.20	598753417365595
08:09:46 AM	XLON	1766	122.20	598753417365730
08:09:46 AM	XLON	3300	122.20	598753417365731
08:10:00 AM	XLON	3200	122.26	598753417365763
08:11:05 AM	XLON	3400	122.22	598753417365976
08:11:05 AM	XLON	12198	122.24	598753417365973
08:11:10 AM	XLON	428	122.22	598753417365979

08:11:54 AM	XLON	573	122.22	598753417366095
08:11:54 AM	XLON	12000	122.22	598753417366094
08:12:36 AM	XLON	21	122.14	598753417366201
08:12:41 AM	XLON	27	122.14	598753417366210
08:12:41 AM	XLON	1553	122.14	598753417366211
08:13:45 AM	XLON	13907	122.10	598753417366315
08:14:39 AM	XLON	13240	122.10	598753417366369
08:16:23 AM	XLON	3616	122.10	598753417366588
08:16:34 AM	XLON	3483	122.10	598753417366631
08:17:27 AM	XLON	6534	122.12	598753417366693
08:18:00 AM	XLON	3339	122.06	598753417366725
08:18:00 AM	XLON	3339	122.06	598753417366730
08:19:16 AM	XLON	421	122.04	598753417366890
08:19:16 AM	XLON	12000	122.04	598753417366889
08:20:01 AM	XLON	752	122.08	598753417366960
08:20:01 AM	XLON	3934	122.08	598753417366961
08:20:02 AM	XLON	513	122.08	598753417366964
08:20:02 AM	XLON	2709	122.08	598753417366963
08:20:02 AM	XLON	3324	122.08	598753417366965
08:20:02 AM	XLON	3418	122.08	598753417366962
08:20:37 AM	XLON	2463	122.04	598753417367052
08:20:37 AM	XLON	7025	122.04	598753417367051
08:26:02 AM	XLON	8148	122.24	598753417367712
08:30:19 AM	XLON	3818	121.98	598753417368621
08:31:18 AM	XLON	917	121.80	598753417368765
08:32:09 AM	XLON	752	121.74	598753417368946
08:32:52 AM	XLON	10964	121.78	598753417369021
08:32:52 AM	XLON	13679	121.78	598753417369017
08:35:09 AM	XLON	3401	121.88	598753417369267
08:35:09 AM	XLON	4069	121.88	598753417369265
08:35:09 AM	XLON	8676	121.88	598753417369285
08:35:11 AM	XLON	3015	121.84	598753417369299

08:35:11 AM	XLON	7178	121.84	598753417369300
08:35:57 AM	XLON	1	121.82	598753417369389
08:35:57 AM	XLON	4009	121.82	598753417369382
08:37:32 AM	XLON	238	121.78	598753417369681
08:37:32 AM	XLON	3100	121.78	598753417369680
08:37:50 AM	XLON	2038	121.90	598753417369766
08:37:50 AM	XLON	2551	121.90	598753417369767
08:37:50 AM	XLON	2746	121.90	598753417369768
08:37:50 AM	XLON	3418	121.90	598753417369765
08:37:50 AM	XLON	15650	121.90	598753417369769
08:37:50 AM	XLON	499	121.92	598753417369773
08:37:50 AM	XLON	1851	121.92	598753417369774
08:37:50 AM	XLON	2200	121.92	598753417369772
08:37:50 AM	XLON	2746	121.92	598753417369771
08:37:50 AM	XLON	3418	121.92	598753417369770
08:37:51 AM	XLON	2604	121.84	598753417369778
08:37:51 AM	XLON	3856	121.84	598753417369779
08:38:11 AM	XLON	5483	121.82	598753417369813
08:38:11 AM	XLON	7589	121.82	598753417369812
08:38:11 AM	XLON	11927	121.82	598753417369816
08:38:14 AM	XLON	896	121.74	598753417369821
08:39:29 AM	XLON	10952	121.86	598753417370066
08:39:30 AM	XLON	30	121.90	598753417370091
08:39:40 AM	XLON	2500	121.86	598753417370099
08:39:40 AM	XLON	2551	121.86	598753417370100
08:39:40 AM	XLON	2746	121.86	598753417370101
08:39:40 AM	XLON	13600	121.86	598753417370102
08:39:40 AM	XLON	157	121.88	598753417370104
08:39:40 AM	XLON	2551	121.88	598753417370103
08:39:45 AM	XLON	2551	121.88	598753417370127
08:39:45 AM	XLON	13600	121.88	598753417370126
08:39:48 AM	XLON	3507	121.84	598753417370130

08:39:48 AM	XLON	2551	121.86	598753417370133
08:39:48 AM	XLON	2746	121.86	598753417370131
08:39:48 AM	XLON	3217	121.86	598753417370134
08:39:48 AM	XLON	3418	121.86	598753417370132
08:40:04 AM	XLON	441	121.80	598753417370179
08:40:04 AM	XLON	1156	121.80	598753417370176
08:40:04 AM	XLON	1590	121.80	598753417370177
08:40:04 AM	XLON	3100	121.80	598753417370175
08:40:04 AM	XLON	11863	121.80	598753417370178
08:40:04 AM	XLON	13852	121.82	598753417370168
08:40:47 AM	XLON	1047	121.76	598753417370289
08:40:47 AM	XLON	3418	121.76	598753417370288
08:40:52 AM	XLON	705	121.76	598753417370293
08:41:09 AM	XLON	4713	121.72	598753417370315
08:41:09 AM	XLON	13468	121.72	598753417370313
08:41:52 AM	XLON	2604	121.66	598753417370442
08:41:52 AM	XLON	11707	121.66	598753417370443
08:43:36 AM	XLON	275	121.74	598753417370752
08:43:36 AM	XLON	2551	121.74	598753417370751
08:43:36 AM	XLON	3359	121.74	598753417370750
08:44:53 AM	XLON	943	121.82	598753417370913
08:44:53 AM	XLON	2746	121.82	598753417370914
08:44:53 AM	XLON	6015	121.82	598753417370915
08:46:29 AM	XLON	4374	121.78	598753417371310
08:46:30 AM	XLON	673	121.78	598753417371320
08:46:30 AM	XLON	1177	121.78	598753417371321
08:46:48 AM	XLON	980	121.78	598753417371372
08:46:48 AM	XLON	6966	121.78	598753417371373
08:46:48 AM	XLON	13468	121.78	598753417371374
08:47:52 AM	XLON	707	121.70	598753417371489
08:47:52 AM	XLON	106	121.72	598753417371491
08:47:52 AM	XLON	3201	121.72	598753417371490

08:47:52 AM	XLON	5287	121.72	598753417371488
08:50:11 AM	XLON	7738	121.48	598753417371839
08:50:12 AM	XLON	707	121.48	598753417371845
08:50:12 AM	XLON	3418	121.48	598753417371844
08:52:41 AM	XLON	2637	121.54	598753417372095
08:52:41 AM	XLON	2721	121.54	598753417372096
08:52:58 AM	XLON	13565	121.50	598753417372136
08:55:42 AM	XLON	373	121.48	598753417372432
08:55:42 AM	XLON	5931	121.48	598753417372431
09:02:54 AM	XLON	1662	121.26	598753417373332
09:02:54 AM	XLON	3658	121.26	598753417373333
09:13:03 AM	XLON	1837	121.24	598753417375025
09:13:03 AM	XLON	2038	121.24	598753417375024
09:22:01 AM	XLON	8259	121.26	598753417376555
09:25:02 AM	XLON	2604	121.32	598753417376883
09:25:02 AM	XLON	3002	121.32	598753417376884
09:28:18 AM	XLON	2604	121.32	598753417377265
09:28:18 AM	XLON	11528	121.32	598753417377266
09:29:22 AM	XLON	5948	121.26	598753417377553
09:29:35 AM	XLON	3320	121.22	598753417377606
09:32:50 AM	XLON	4506	121.18	598753417377902
09:34:04 AM	XLON	695	121.08	598753417378127
09:34:04 AM	XLON	3418	121.08	598753417378128
09:34:04 AM	XLON	4860	121.08	598753417378133
09:34:04 AM	XLON	704	121.10	598753417378130
09:34:04 AM	XLON	2551	121.10	598753417378131
09:34:04 AM	XLON	3418	121.10	598753417378129
09:34:04 AM	XLON	27540	121.10	598753417378132
09:34:04 AM	XLON	5245	121.14	598753417378099
09:34:05 AM	XLON	48	121.08	598753417378135
09:34:05 AM	XLON	546	121.08	598753417378134
09:34:07 AM	XLON	19	121.08	598753417378141

09:35:04 AM	XLON	10813	121.14	598753417378233
09:35:14 AM	XLON	7353	121.14	598753417378247
09:35:19 AM	XLON	6089	121.14	598753417378262
09:35:20 AM	XLON	2709	121.14	598753417378289
09:35:39 AM	XLON	1913	121.14	598753417378309
09:35:39 AM	XLON	2709	121.14	598753417378310
09:35:39 AM	XLON	3418	121.14	598753417378311
09:36:05 AM	XLON	2709	121.10	598753417378354
09:36:05 AM	XLON	3418	121.10	598753417378355
09:36:05 AM	XLON	1766	121.12	598753417378359
09:36:05 AM	XLON	2551	121.12	598753417378358
09:36:05 AM	XLON	2709	121.12	598753417378356
09:36:05 AM	XLON	3391	121.12	598753417378360
09:36:05 AM	XLON	3418	121.12	598753417378357
09:36:05 AM	XLON	1852	121.14	598753417378361
09:36:05 AM	XLON	2038	121.14	598753417378364
09:36:05 AM	XLON	2354	121.14	598753417378367
09:36:05 AM	XLON	2551	121.14	598753417378365
09:36:05 AM	XLON	2709	121.14	598753417378362
09:36:05 AM	XLON	3391	121.14	598753417378366
09:36:05 AM	XLON	3418	121.14	598753417378363
09:36:10 AM	XLON	172	121.12	598753417378368
09:37:11 AM	XLON	2709	121.10	598753417378471
09:37:13 AM	XLON	1164	121.10	598753417378472
09:37:13 AM	XLON	3418	121.10	598753417378473
09:38:15 AM	XLON	2100	121.04	598753417378536
09:38:15 AM	XLON	2709	121.04	598753417378535
09:38:15 AM	XLON	2418	121.06	598753417378537
09:38:15 AM	XLON	2551	121.06	598753417378540
09:38:15 AM	XLON	2709	121.06	598753417378538
09:38:15 AM	XLON	3486	121.06	598753417378539
09:41:10 AM	XLON	13456	121.14	598753417378862

09:42:31 AM	XLON	3122	121.18	598753417378940
09:43:06 AM	XLON	5341	121.16	598753417378991
09:43:06 AM	XLON	8025	121.16	598753417378989
09:43:08 AM	XLON	2354	121.16	598753417378993
09:43:08 AM	XLON	2551	121.16	598753417378995
09:43:08 AM	XLON	2798	121.16	598753417378992
09:43:08 AM	XLON	3201	121.16	598753417378994
09:43:08 AM	XLON	3923	121.16	598753417378996
09:43:39 AM	XLON	343	121.14	598753417379027
09:43:39 AM	XLON	10088	121.14	598753417379028
09:43:48 AM	XLON	1875	121.14	598753417379041
09:43:48 AM	XLON	2095	121.14	598753417379040
09:43:48 AM	XLON	3500	121.14	598753417379039
09:43:48 AM	XLON	6822	121.14	598753417379042
09:43:48 AM	XLON	10078	121.14	598753417379038
09:43:53 AM	XLON	2720	121.14	598753417379047
09:47:53 AM	XLON	2038	121.16	598753417379454
09:47:53 AM	XLON	2709	121.16	598753417379456
09:47:53 AM	XLON	3418	121.16	598753417379455
09:47:55 AM	XLON	839	121.16	598753417379458
09:47:55 AM	XLON	2458	121.16	598753417379457
09:47:55 AM	XLON	2709	121.16	598753417379459
09:47:56 AM	XLON	2709	121.16	598753417379461
09:47:56 AM	XLON	3418	121.16	598753417379460
09:47:57 AM	XLON	184	121.16	598753417379462
09:48:05 AM	XLON	31	121.16	598753417379467
09:48:10 AM	XLON	169	121.16	598753417379469
09:48:15 AM	XLON	213	121.16	598753417379474
09:48:36 AM	XLON	1400	121.18	598753417379524
09:50:10 AM	XLON	2374	121.18	598753417379715
09:50:10 AM	XLON	2709	121.18	598753417379716
09:50:15 AM	XLON	2433	121.18	598753417379718



09:50:16 AM	XLON	3753	121.16	598753417379722
09:50:16 AM	XLON	10316	121.16	598753417379720
09:50:18 AM	XLON	3183	121.16	598753417379723
09:50:44 AM	XLON	1982	121.14	598753417379748
09:50:44 AM	XLON	3000	121.14	598753417379747
09:50:44 AM	XLON	6134	121.14	598753417379745
09:51:23 AM	XLON	1005	121.12	598753417379824
09:51:23 AM	XLON	2000	121.12	598753417379823
09:51:24 AM	XLON	3471	121.10	598753417379826
09:51:24 AM	XLON	4773	121.10	598753417379825
09:51:47 AM	XLON	2	121.12	598753417379841
09:51:47 AM	XLON	24	121.12	598753417379842
09:51:47 AM	XLON	62	121.12	598753417379839
09:51:47 AM	XLON	206	121.12	598753417379840
09:51:49 AM	XLON	3	121.12	598753417379845
09:51:49 AM	XLON	21	121.12	598753417379844
09:51:49 AM	XLON	34	121.12	598753417379843
09:51:49 AM	XLON	180	121.12	598753417379846
09:51:51 AM	XLON	23	121.12	598753417379855
09:51:51 AM	XLON	240	121.12	598753417379854
09:51:52 AM	XLON	28	121.12	598753417379856
09:52:05 AM	XLON	3191	121.10	598753417379948
09:52:05 AM	XLON	9678	121.10	598753417379950
09:52:06 AM	XLON	10093	121.08	598753417379952
09:53:44 AM	XLON	2038	121.08	598753417380092
09:53:44 AM	XLON	2709	121.08	598753417380090
09:53:44 AM	XLON	3201	121.08	598753417380089
09:53:44 AM	XLON	3418	121.08	598753417380091
09:53:44 AM	XLON	3418	121.08	598753417380093
09:53:49 AM	XLON	38	121.08	598753417380095
09:53:49 AM	XLON	2149	121.08	598753417380097
09:53:49 AM	XLON	2709	121.08	598753417380096

09:58:18 AM	XLON	33	121.10	598753417380472
09:59:13 AM	XLON	4241	121.12	598753417380551
10:02:06 AM	XLON	13463	121.20	598753417380856
10:03:01 AM	XLON	2354	121.24	598753417380932
10:04:16 AM	XLON	8298	121.22	598753417381004
10:06:01 AM	XLON	100	121.22	598753417381178
10:06:01 AM	XLON	2616	121.22	598753417381177
10:06:01 AM	XLON	9701	121.22	598753417381179
10:06:02 AM	XLON	2038	121.22	598753417381180
10:06:02 AM	XLON	2728	121.22	598753417381181
10:09:58 AM	XLON	1078	121.22	598753417381438
10:10:02 AM	XLON	2038	121.20	598753417381451
10:10:02 AM	XLON	9696	121.20	598753417381452
10:10:02 AM	XLON	13937	121.20	598753417381448
10:10:06 AM	XLON	4734	121.16	598753417381458
10:10:19 AM	XLON	2410	121.12	598753417381467
10:10:19 AM	XLON	5039	121.12	598753417381466
10:16:28 AM	XLON	3448	121.00	598753417381877
10:17:30 AM	XLON	880	120.96	598753417381969
10:17:30 AM	XLON	2604	120.96	598753417381967
10:20:33 AM	XLON	2674	120.98	598753417382288
10:20:33 AM	XLON	2733	120.98	598753417382289
10:20:33 AM	XLON	3418	120.98	598753417382290
10:21:41 AM	XLON	2354	120.98	598753417382436
10:21:41 AM	XLON	2733	120.98	598753417382435
10:21:41 AM	XLON	3486	120.98	598753417382434
10:23:24 AM	XLON	7182	120.98	598753417382629
10:24:21 AM	XLON	1091	120.98	598753417382711
10:24:21 AM	XLON	1540	120.98	598753417382706
10:24:21 AM	XLON	3500	120.98	598753417382710
10:24:21 AM	XLON	5388	120.98	598753417382707
10:24:22 AM	XLON	2785	120.98	598753417382712

10:24:49 AM	XLON	29616	121.04	598753417382759
10:26:09 AM	XLON	2038	121.04	598753417382830
10:26:09 AM	XLON	2733	121.04	598753417382832
10:26:09 AM	XLON	3418	121.04	598753417382831
10:28:03 AM	XLON	2354	121.04	598753417382991
10:28:03 AM	XLON	2733	121.04	598753417382990
10:28:03 AM	XLON	3418	121.04	598753417382989
10:28:03 AM	XLON	3423	121.04	598753417382992
10:28:08 AM	XLON	1766	121.04	598753417382993
10:28:08 AM	XLON	2733	121.04	598753417382994
10:28:08 AM	XLON	3181	121.04	598753417382995
10:28:10 AM	XLON	912	121.04	598753417382997
10:28:39 AM	XLON	7	121.04	598753417383130
10:29:16 AM	XLON	1736	121.02	598753417383232
10:30:02 AM	XLON	1899	121.02	598753417383307
10:30:02 AM	XLON	10118	121.02	598753417383308
10:33:28 AM	XLON	5	121.02	598753417383707
10:33:31 AM	XLON	4	121.02	598753417383716
10:33:31 AM	XLON	1204	121.02	598753417383717
10:33:33 AM	XLON	2	121.02	598753417383718
10:33:36 AM	XLON	2	121.02	598753417383719
10:33:38 AM	XLON	3	121.02	598753417383720
10:35:22 AM	XLON	1766	121.02	598753417383855
10:35:27 AM	XLON	3	121.02	598753417383877
10:37:09 AM	XLON	2249	120.98	598753417384057
10:37:09 AM	XLON	2604	120.98	598753417384055
10:37:09 AM	XLON	8976	120.98	598753417384056
10:37:22 AM	XLON	7719	120.98	598753417384090
10:37:26 AM	XLON	694	120.98	598753417384099
10:37:26 AM	XLON	2	121.00	598753417384105
10:38:17 AM	XLON	1	120.98	598753417384189
10:39:13 AM	XLON	54	120.98	598753417384309

10:39:18 AM	XLON	83	120.98	598753417384311
10:39:18 AM	XLON	1745	120.98	598753417384312
10:39:19 AM	XLON	3453	120.96	598753417384321
10:39:19 AM	XLON	9269	120.96	598753417384322
10:39:24 AM	XLON	400	120.86	598753417384346
10:39:37 AM	XLON	2734	120.86	598753417384364
10:39:37 AM	XLON	3296	120.86	598753417384366
10:39:37 AM	XLON	3418	120.86	598753417384365
10:39:42 AM	XLON	1025	120.84	598753417384371
10:39:42 AM	XLON	2734	120.84	598753417384368
10:39:42 AM	XLON	3296	120.84	598753417384370
10:39:42 AM	XLON	3418	120.84	598753417384369
10:40:52 AM	XLON	2734	120.92	598753417384496
10:40:52 AM	XLON	3169	120.92	598753417384495
10:41:24 AM	XLON	3391	120.92	598753417384512
10:41:29 AM	XLON	3391	120.92	598753417384528
10:42:37 AM	XLON	12273	120.92	598753417384711
10:42:37 AM	XLON	13038	120.92	598753417384712
10:42:40 AM	XLON	3500	120.92	598753417384715
10:43:16 AM	XLON	2215	120.92	598753417384750
10:43:47 AM	XLON	765	120.94	598753417384842
10:43:47 AM	XLON	3418	120.94	598753417384843
10:43:50 AM	XLON	2354	120.94	598753417384903
10:43:53 AM	XLON	2354	120.94	598753417384920
10:44:48 AM	XLON	3359	120.94	598753417385024
10:46:28 AM	XLON	2647	120.96	598753417385169
10:46:28 AM	XLON	3418	120.96	598753417385168
10:46:33 AM	XLON	3	120.94	598753417385172
10:46:33 AM	XLON	1514	120.94	598753417385173
10:46:35 AM	XLON	11907	120.92	598753417385175
10:47:25 AM	XLON	2647	121.00	598753417385226
10:47:25 AM	XLON	3328	121.00	598753417385225

10:47:25 AM	XLON	3418	121.00	598753417385227
10:47:30 AM	XLON	23	120.98	598753417385240
10:47:33 AM	XLON	30	120.98	598753417385244
10:47:38 AM	XLON	200	120.98	598753417385252
10:47:43 AM	XLON	3	120.98	598753417385256
10:48:00 AM	XLON	25	120.98	598753417385262
10:48:41 AM	XLON	35	120.98	598753417385373
10:48:45 AM	XLON	8418	120.96	598753417385375
10:48:56 AM	XLON	2647	120.96	598753417385393
10:48:56 AM	XLON	3201	120.96	598753417385391
10:48:56 AM	XLON	3418	120.96	598753417385392
10:49:08 AM	XLON	21	120.96	598753417385413
10:49:29 AM	XLON	10963	120.94	598753417385515
10:55:35 AM	XLON	13529	121.04	598753417386111
10:55:38 AM	XLON	35	121.02	598753417386120
10:55:38 AM	XLON	2647	121.02	598753417386121
10:55:38 AM	XLON	3418	121.02	598753417386122
10:58:40 AM	XLON	2310	121.02	598753417386316
10:58:40 AM	XLON	2335	121.02	598753417386315
10:58:40 AM	XLON	3943	121.02	598753417386318
10:58:42 AM	XLON	401	121.02	598753417386326
10:59:30 AM	XLON	350	121.02	598753417386396
10:59:33 AM	XLON	2000	121.02	598753417386397
10:59:33 AM	XLON	5842	121.02	598753417386398
10:59:51 AM	XLON	2733	121.02	598753417386421
10:59:51 AM	XLON	30480	121.02	598753417386422
11:01:46 AM	XLON	2047	121.04	598753417386650
11:01:46 AM	XLON	5643	121.04	598753417386651
11:01:56 AM	XLON	2	121.04	598753417386660
11:02:41 AM	XLON	817	121.04	598753417386740
11:04:05 AM	XLON	2	121.06	598753417386843
11:04:05 AM	XLON	1403	121.06	598753417386844

11:07:12 AM	XLON	3417	121.10	598753417387048
11:07:12 AM	XLON	6017	121.10	598753417387049
11:09:19 AM	XLON	2	121.16	598753417387227
11:09:24 AM	XLON	4	121.16	598753417387231
11:09:29 AM	XLON	58	121.16	598753417387238
11:09:52 AM	XLON	2	121.16	598753417387252
11:12:01 AM	XLON	178	121.14	598753417387375
11:12:01 AM	XLON	3500	121.14	598753417387373
11:12:01 AM	XLON	8139	121.14	598753417387374
11:12:01 AM	XLON	12465	121.14	598753417387372
11:12:52 AM	XLON	5741	121.12	598753417387421
11:13:11 AM	XLON	3859	121.12	598753417387463
11:13:11 AM	XLON	7153	121.12	598753417387462
11:18:08 AM	XLON	1822	121.10	598753417387728
11:18:24 AM	XLON	889	121.10	598753417387757
11:18:24 AM	XLON	2567	121.10	598753417387754
11:18:24 AM	XLON	3500	121.10	598753417387756
11:18:24 AM	XLON	8582	121.10	598753417387755
11:32:31 AM	XLON	4440	121.10	598753417389599
11:35:00 AM	XLON	4675	121.10	598753417389798
11:35:42 AM	XLON	5173	121.10	598753417389917
11:36:04 AM	XLON	1406	121.12	598753417389946
11:36:05 AM	XLON	53	121.12	598753417389947
11:36:05 AM	XLON	1682	121.12	598753417389948
11:36:09 AM	XLON	3700	121.10	598753417389950
11:36:09 AM	XLON	6724	121.10	598753417389949
11:38:57 AM	XLON	1174	121.08	598753417390259
11:39:00 AM	XLON	3476	121.08	598753417390262
11:39:00 AM	XLON	3500	121.08	598753417390263
11:39:00 AM	XLON	4545	121.08	598753417390261
11:43:06 AM	XLON	773	121.12	598753417390641
11:43:06 AM	XLON	2732	121.12	598753417390643

11:43:06 AM	XLON	3418	121.12	598753417390642
11:43:11 AM	XLON	1766	121.12	598753417390710
11:43:13 AM	XLON	3227	121.12	598753417390711
11:43:16 AM	XLON	3160	121.12	598753417390735
11:43:44 AM	XLON	2928	121.10	598753417390780
11:43:49 AM	XLON	9	121.10	598753417390799
11:43:54 AM	XLON	5	121.10	598753417390806
11:43:59 AM	XLON	3	121.10	598753417390832
11:44:04 AM	XLON	2	121.10	598753417390842
11:44:09 AM	XLON	2	121.10	598753417390848
11:44:14 AM	XLON	4	121.10	598753417390856
11:44:39 AM	XLON	12534	121.08	598753417390887
11:56:52 AM	XLON	11209	121.10	598753417392047
11:57:56 AM	XLON	3395	121.18	598753417392133
11:58:37 AM	XLON	1683	121.18	598753417392156
11:59:12 AM	XLON	1426	121.18	598753417392197
12:00:19 PM	XLON	3175	121.18	598753417392415
12:00:53 PM	XLON	1722	121.18	598753417392500
12:01:37 PM	XLON	2731	121.12	598753417392579
12:01:37 PM	XLON	719	121.14	598753417392584
12:01:37 PM	XLON	2551	121.14	598753417392581
12:01:37 PM	XLON	2731	121.14	598753417392580
12:01:37 PM	XLON	3359	121.14	598753417392583
12:01:37 PM	XLON	3418	121.14	598753417392582
12:01:37 PM	XLON	13827	121.16	598753417392569
12:01:38 PM	XLON	1542	121.04	598753417392597
12:01:38 PM	XLON	1740	121.04	598753417392595
12:01:38 PM	XLON	2731	121.04	598753417392596
12:01:38 PM	XLON	3418	121.04	598753417392598
12:01:39 PM	XLON	6	121.04	598753417392605
12:01:39 PM	XLON	41	121.04	598753417392606
12:01:39 PM	XLON	52	121.04	598753417392607

12:01:39 PM	XLON	64	121.04	598753417392599
12:01:39 PM	XLON	2731	121.04	598753417392600
12:01:40 PM	XLON	51	121.04	598753417392610
12:01:40 PM	XLON	401	121.04	598753417392608
12:01:41 PM	XLON	22	121.04	598753417392612
12:01:41 PM	XLON	43	121.04	598753417392611
12:02:22 PM	XLON	18	121.02	598753417392677
12:02:22 PM	XLON	11352	121.04	598753417392672
12:02:24 PM	XLON	44	121.02	598753417392678
12:02:24 PM	XLON	1835	121.02	598753417392679
12:02:24 PM	XLON	2731	121.02	598753417392680
12:02:24 PM	XLON	3418	121.02	598753417392681
12:02:25 PM	XLON	26	121.02	598753417392682
12:02:26 PM	XLON	2	121.02	598753417392684
12:02:26 PM	XLON	225	121.02	598753417392683
12:02:27 PM	XLON	2	121.02	598753417392685
12:02:28 PM	XLON	180	121.02	598753417392692
12:02:29 PM	XLON	2	121.02	598753417392693
12:02:30 PM	XLON	3	121.02	598753417392695
12:02:30 PM	XLON	324	121.02	598753417392694
12:02:34 PM	XLON	1115	121.02	598753417392696
12:02:36 PM	XLON	759	121.02	598753417392697
12:02:38 PM	XLON	1697	121.02	598753417392699
12:02:53 PM	XLON	31	121.02	598753417392720
12:03:01 PM	XLON	440	121.00	598753417392739
12:03:01 PM	XLON	2514	121.00	598753417392738
12:03:01 PM	XLON	2551	121.00	598753417392736
12:03:01 PM	XLON	2551	121.00	598753417392742
12:03:01 PM	XLON	3232	121.00	598753417392740
12:03:01 PM	XLON	3418	121.00	598753417392737
12:03:01 PM	XLON	3418	121.00	598753417392741
12:03:01 PM	XLON	3500	121.00	598753417392735



12:03:16 PM	XLON	22	120.94	598753417392767
12:03:16 PM	XLON	3133	120.94	598753417392768
12:03:16 PM	XLON	3604	120.94	598753417392769
12:04:49 PM	XLON	107	120.98	598753417392813
12:05:34 PM	XLON	3500	120.96	598753417392875
12:05:34 PM	XLON	3201	120.98	598753417392876
12:05:39 PM	XLON	3201	120.98	598753417392887
12:05:41 PM	XLON	3201	120.98	598753417392891
12:05:44 PM	XLON	3201	120.98	598753417392895
12:05:47 PM	XLON	3201	120.98	598753417392911
12:05:49 PM	XLON	3201	120.98	598753417392918
12:05:52 PM	XLON	2794	120.96	598753417392932
12:05:52 PM	XLON	3201	120.98	598753417392933
12:05:52 PM	XLON	3418	120.98	598753417392934
12:05:56 PM	XLON	3201	120.98	598753417392938
12:06:39 PM	XLON	3500	120.94	598753417392953
12:06:39 PM	XLON	3510	120.94	598753417392954
12:06:39 PM	XLON	12278	120.94	598753417392952
12:11:44 PM	XLON	341	120.90	598753417393481
12:11:44 PM	XLON	2736	120.90	598753417393482
12:14:36 PM	XLON	10898	120.88	598753417393604
12:15:12 PM	XLON	502	120.92	598753417393660
12:15:12 PM	XLON	2354	120.92	598753417393661
12:16:03 PM	XLON	2038	120.94	598753417393678
12:16:03 PM	XLON	2735	120.94	598753417393679
12:16:03 PM	XLON	3418	120.94	598753417393680
12:16:03 PM	XLON	4563	120.94	598753417393681
12:16:03 PM	XLON	12859	120.94	598753417393677
12:21:03 PM	XLON	4770	120.90	598753417394169
12:24:53 PM	XLON	7887	120.90	598753417394557
12:27:17 PM	XLON	2836	120.96	598753417394820
12:27:17 PM	XLON	2551	120.98	598753417394825

12:27:17 PM	XLON	2736	120.98	598753417394822
12:27:17 PM	XLON	2870	120.98	598753417394821
12:27:17 PM	XLON	3359	120.98	598753417394824
12:27:17 PM	XLON	3418	120.98	598753417394823
12:27:22 PM	XLON	2354	120.98	598753417394832
12:27:22 PM	XLON	3418	120.98	598753417394833
12:28:12 PM	XLON	1766	120.98	598753417394880
12:28:12 PM	XLON	3418	120.98	598753417394881
12:28:37 PM	XLON	27	120.98	598753417394918
12:30:37 PM	XLON	1759	120.96	598753417395189
12:30:37 PM	XLON	3408	120.96	598753417395190
12:30:37 PM	XLON	5167	120.96	598753417395197
12:33:00 PM	XLON	1179	120.96	598753417395383
12:34:26 PM	XLON	581	120.98	598753417395459
12:34:26 PM	XLON	2354	120.98	598753417395460
12:38:02 PM	XLON	4340	120.98	598753417395812
12:38:02 PM	XLON	6845	120.98	598753417395813
12:41:17 PM	XLON	8857	120.98	598753417395942
12:41:51 PM	XLON	27	121.04	598753417395985
12:41:52 PM	XLON	8	121.04	598753417395986
12:41:53 PM	XLON	4	121.04	598753417395987
12:41:53 PM	XLON	23	121.04	598753417395988
12:42:09 PM	XLON	82	121.04	598753417396004
12:43:13 PM	XLON	3531	121.04	598753417396038
12:44:00 PM	XLON	7674	121.04	598753417396061
12:44:14 PM	XLON	28	121.04	598753417396095
12:44:37 PM	XLON	1312	121.06	598753417396133
12:44:38 PM	XLON	425	121.04	598753417396136
12:45:02 PM	XLON	1392	121.04	598753417396153
12:45:02 PM	XLON	8782	121.04	598753417396152
12:45:05 PM	XLON	1627	121.02	598753417396159
12:45:05 PM	XLON	2038	121.02	598753417396158

12:45:06 PM	XLON	503	121.02	598753417396166
12:45:06 PM	XLON	1624	121.02	598753417396167
12:45:06 PM	XLON	2764	121.02	598753417396163
12:45:06 PM	XLON	3169	121.02	598753417396168
12:45:06 PM	XLON	3418	121.02	598753417396165
12:45:06 PM	XLON	3665	121.02	598753417396164
12:45:08 PM	XLON	1600	121.02	598753417396177
12:45:08 PM	XLON	2764	121.02	598753417396173
12:45:08 PM	XLON	2764	121.02	598753417396174
12:45:08 PM	XLON	2764	121.02	598753417396175
12:45:08 PM	XLON	3418	121.02	598753417396176
12:45:14 PM	XLON	6059	120.98	598753417396186
12:45:14 PM	XLON	2038	121.02	598753417396182
12:45:14 PM	XLON	2764	121.02	598753417396184
12:45:14 PM	XLON	3169	121.02	598753417396185
12:45:14 PM	XLON	3418	121.02	598753417396183
12:45:16 PM	XLON	8952	120.98	598753417396204
12:45:50 PM	XLON	6322	120.98	598753417396218
12:46:22 PM	XLON	1322	120.98	598753417396250
12:46:22 PM	XLON	2038	120.98	598753417396249
12:49:19 PM	XLON	12835	120.96	598753417396475
12:50:19 PM	XLON	2604	120.98	598753417396608
12:50:19 PM	XLON	3327	120.98	598753417396609
12:50:21 PM	XLON	2604	120.98	598753417396617
12:50:21 PM	XLON	5075	120.98	598753417396618
12:50:32 PM	XLON	3128	120.98	598753417396643
12:50:54 PM	XLON	6637	120.98	598753417396657
12:50:56 PM	XLON	680	120.98	598753417396658
12:51:12 PM	XLON	26	120.98	598753417396725
12:51:12 PM	XLON	840	120.98	598753417396724
12:51:12 PM	XLON	2604	120.98	598753417396723
12:52:14 PM	XLON	3601	120.98	598753417396931

12:52:16 PM	XLON	2199	120.98	598753417396937
12:52:16 PM	XLON	2604	120.98	598753417396936
12:52:29 PM	XLON	488	120.98	598753417396970
12:52:56 PM	XLON	1351	120.98	598753417397046
12:53:00 PM	XLON	1292	120.98	598753417397065
12:53:03 PM	XLON	4415	120.98	598753417397066
12:55:26 PM	XLON	642	121.00	598753417397346
12:55:26 PM	XLON	49	121.02	598753417397342
12:55:26 PM	XLON	2489	121.02	598753417397344
12:55:26 PM	XLON	2921	121.02	598753417397343
12:56:33 PM	XLON	2604	121.00	598753417397572
12:56:33 PM	XLON	2604	121.00	598753417397573
12:57:41 PM	XLON	2604	121.00	598753417397774
12:57:41 PM	XLON	6051	121.00	598753417397775
12:58:17 PM	XLON	5868	121.00	598753417397840
12:58:19 PM	XLON	8531	121.00	598753417397841
12:59:32 PM	XLON	298	121.02	598753417397907
12:59:51 PM	XLON	2038	121.02	598753417397923
13:00:00 PM	XLON	2038	121.00	598753417397929
13:00:00 PM	XLON	13696	121.00	598753417397927
13:00:00 PM	XLON	1884	121.02	598753417397930
13:00:00 PM	XLON	2092	121.02	598753417397933
13:00:00 PM	XLON	2921	121.02	598753417397931
13:00:00 PM	XLON	3418	121.02	598753417397932
13:00:00 PM	XLON	5902	121.02	598753417397934
13:00:16 PM	XLON	13536	120.98	598753417397978
13:01:01 PM	XLON	2608	120.98	598753417398010
13:01:01 PM	XLON	2917	120.98	598753417398012
13:01:01 PM	XLON	3500	120.98	598753417398011
13:01:16 PM	XLON	14190	120.94	598753417398073
13:02:10 PM	XLON	4260	120.94	598753417398159
13:02:10 PM	XLON	4381	120.94	598753417398160

13:07:31 PM	XLON	12147	121.00	598753417398759
13:07:40 PM	XLON	2038	120.98	598753417398778
13:07:40 PM	XLON	2368	120.98	598753417398779
13:08:44 PM	XLON	2038	121.02	598753417399072
13:09:55 PM	XLON	1854	121.02	598753417399241
13:09:55 PM	XLON	2738	121.02	598753417399242
13:12:21 PM	XLON	3500	121.04	598753417399513
13:12:21 PM	XLON	14578	121.04	598753417399512
13:12:26 PM	XLON	1008	121.04	598753417399531
13:15:56 PM	XLON	2873	121.04	598753417399998
13:16:08 PM	XLON	38	121.04	598753417400048
13:16:13 PM	XLON	49	121.04	598753417400079
13:17:14 PM	XLON	41	121.04	598753417400182
13:17:14 PM	XLON	2779	121.04	598753417400183
13:19:17 PM	XLON	24	121.04	598753417400396
13:19:17 PM	XLON	3100	121.04	598753417400397
13:19:24 PM	XLON	1	121.04	598753417400406
13:22:58 PM	XLON	2766	121.16	598753417401046
13:22:58 PM	XLON	3500	121.16	598753417401045
13:22:58 PM	XLON	4394	121.16	598753417401044
13:22:58 PM	XLON	8192	121.16	598753417401043
13:23:01 PM	XLON	989	121.16	598753417401057
13:23:14 PM	XLON	2038	121.18	598753417401139
13:23:14 PM	XLON	2700	121.18	598753417401140
13:23:14 PM	XLON	12011	121.18	598753417401138
13:23:31 PM	XLON	2038	121.18	598753417401175
13:23:50 PM	XLON	2038	121.18	598753417401246
13:23:55 PM	XLON	2318	121.18	598753417401279
13:23:55 PM	XLON	3418	121.18	598753417401278
13:23:55 PM	XLON	3973	121.18	598753417401277
13:24:00 PM	XLON	2622	121.18	598753417401284
13:24:59 PM	XLON	3424	121.16	598753417401428

13:24:59 PM	XLON	9687	121.16	598753417401426
13:29:36 PM	XLON	3188	121.22	598753417402246
13:31:00 PM	XLON	1524	121.22	598753417402623
13:31:02 PM	XLON	2067	121.20	598753417402638
13:31:02 PM	XLON	7274	121.20	598753417402639
13:31:03 PM	XLON	5050	121.18	598753417402647
13:33:12 PM	XLON	1985	121.14	598753417403029
13:33:12 PM	XLON	2728	121.14	598753417403027
13:33:12 PM	XLON	3418	121.14	598753417403028
13:33:28 PM	XLON	13490	121.08	598753417403083
13:34:27 PM	XLON	2361	121.06	598753417403246
13:34:27 PM	XLON	11562	121.06	598753417403245
13:35:01 PM	XLON	7531	121.04	598753417403315
13:35:47 PM	XLON	3797	121.00	598753417403436
13:41:54 PM	XLON	1766	121.06	598753417404400
13:44:05 PM	XLON	2551	121.14	598753417404711
13:44:05 PM	XLON	2728	121.14	598753417404710
13:44:05 PM	XLON	3418	121.14	598753417404709
13:46:12 PM	XLON	886	121.22	598753417405015
13:46:12 PM	XLON	1553	121.22	598753417405014
13:46:16 PM	XLON	25	121.22	598753417405019
13:46:18 PM	XLON	17	121.22	598753417405020
13:47:40 PM	XLON	10704	121.20	598753417405241
13:47:41 PM	XLON	3	121.20	598753417405244
13:47:44 PM	XLON	2	121.20	598753417405252
13:47:46 PM	XLON	4	121.20	598753417405259
13:50:13 PM	XLON	3500	121.16	598753417405551
13:51:10 PM	XLON	3387	121.18	598753417405626
13:51:11 PM	XLON	5337	121.14	598753417405628
13:51:36 PM	XLON	381	121.12	598753417405780
13:51:36 PM	XLON	2728	121.12	598753417405781
13:51:41 PM	XLON	19	121.12	598753417405838

13:51:41 PM	XLON	2661	121.12	598753417405839
13:52:47 PM	XLON	2728	121.14	598753417406186
13:52:47 PM	XLON	3418	121.14	598753417406187
13:53:14 PM	XLON	2728	121.14	598753417406246
13:53:26 PM	XLON	2728	121.14	598753417406265
13:53:26 PM	XLON	3418	121.14	598753417406264
13:53:51 PM	XLON	3500	121.14	598753417406280
13:54:07 PM	XLON	13640	121.12	598753417406313
13:54:07 PM	XLON	1188	121.14	598753417406316
13:54:07 PM	XLON	2560	121.14	598753417406314
13:54:07 PM	XLON	2728	121.14	598753417406317
13:54:07 PM	XLON	3418	121.14	598753417406315
13:54:12 PM	XLON	3	121.12	598753417406319
13:54:12 PM	XLON	687	121.12	598753417406320
13:54:59 PM	XLON	123	121.12	598753417406371
13:55:04 PM	XLON	611	121.12	598753417406377
13:55:04 PM	XLON	1295	121.12	598753417406378
13:55:04 PM	XLON	5110	121.12	598753417406376
13:55:07 PM	XLON	34	121.12	598753417406387
13:55:07 PM	XLON	38	121.12	598753417406386
13:55:37 PM	XLON	1167	121.12	598753417406428
13:55:37 PM	XLON	2728	121.12	598753417406427
13:55:37 PM	XLON	3717	121.12	598753417406426
13:58:35 PM	XLON	21	121.12	598753417407049
13:58:35 PM	XLON	26	121.12	598753417407050
13:58:38 PM	XLON	35	121.12	598753417407051
13:58:42 PM	XLON	6	121.12	598753417407068
13:58:45 PM	XLON	3	121.12	598753417407080
13:58:48 PM	XLON	2	121.12	598753417407086
13:59:34 PM	XLON	3	121.12	598753417407209
13:59:39 PM	XLON	39	121.12	598753417407212
13:59:39 PM	XLON	1423	121.12	598753417407213

14:00:03 PM	XLON	2731	121.10	598753417407257
14:02:14 PM	XLON	417	121.16	598753417407718
14:02:14 PM	XLON	7429	121.16	598753417407719
14:13:04 PM	XLON	10177	121.34	598753417409019
14:13:04 PM	XLON	10177	121.34	598753417409023
14:39:04 PM	XLON	3074	120.94	598753417416156
14:39:04 PM	XLON	13240	120.94	598753417416155
14:39:06 PM	XLON	3500	120.92	598753417416171
14:39:08 PM	XLON	697	120.94	598753417416185
14:39:08 PM	XLON	2347	120.94	598753417416183
14:39:08 PM	XLON	3418	120.94	598753417416184
14:39:10 PM	XLON	2038	120.94	598753417416203
14:39:27 PM	XLON	19	120.94	598753417416298
14:39:49 PM	XLON	3500	120.94	598753417416362
14:39:54 PM	XLON	2728	120.94	598753417416369
14:39:54 PM	XLON	3418	120.94	598753417416368
14:40:00 PM	XLON	3500	120.92	598753417416403
14:40:00 PM	XLON	4696	120.92	598753417416404
14:40:15 PM	XLON	3500	120.94	598753417416494
14:41:00 PM	XLON	885	120.94	598753417416720
14:41:10 PM	XLON	3500	120.94	598753417416846
14:41:31 PM	XLON	13679	121.00	598753417416952
14:41:32 PM	XLON	2728	121.00	598753417416955
14:43:07 PM	XLON	1588	120.98	598753417417409
14:43:07 PM	XLON	2728	120.98	598753417417410
14:43:07 PM	XLON	3418	120.98	598753417417411
14:43:07 PM	XLON	5232	120.98	598753417417406
14:43:07 PM	XLON	6464	120.98	598753417417405
14:43:12 PM	XLON	622	120.98	598753417417454
14:43:12 PM	XLON	1543	120.98	598753417417455
14:43:13 PM	XLON	341	120.98	598753417417457
14:43:14 PM	XLON	10	120.98	598753417417460



14:43:15 PM	XLON	5	120.98	598753417417465
14:43:15 PM	XLON	194	120.98	598753417417466
14:43:17 PM	XLON	4	120.98	598753417417473
14:43:18 PM	XLON	2	120.98	598753417417474
14:43:18 PM	XLON	2	120.98	598753417417490
14:43:18 PM	XLON	225	120.98	598753417417475
14:43:18 PM	XLON	1294	120.98	598753417417476
14:43:20 PM	XLON	4	120.98	598753417417496
14:43:25 PM	XLON	27	120.98	598753417417513
14:43:26 PM	XLON	30	120.98	598753417417517
14:44:19 PM	XLON	6463	121.04	598753417417769
14:44:19 PM	XLON	12689	121.04	598753417417768
14:44:40 PM	XLON	100	121.10	598753417417853
14:44:40 PM	XLON	6020	121.10	598753417417852
14:45:00 PM	XLON	1518	121.20	598753417417911
14:45:15 PM	XLON	21	121.22	598753417417991
14:45:27 PM	XLON	540	121.22	598753417418055
14:46:13 PM	XLON	9224	121.24	598753417418236
14:46:49 PM	XLON	100	121.24	598753417418403
14:46:49 PM	XLON	500	121.24	598753417418404
14:46:58 PM	XLON	100	121.24	598753417418433
14:46:58 PM	XLON	500	121.24	598753417418434
14:47:07 PM	XLON	100	121.24	598753417418448
14:47:07 PM	XLON	500	121.24	598753417418449
14:47:16 PM	XLON	100	121.24	598753417418474
14:47:16 PM	XLON	500	121.24	598753417418475
14:47:29 PM	XLON	2551	121.26	598753417418517
14:47:29 PM	XLON	3418	121.26	598753417418516
14:47:29 PM	XLON	9245	121.26	598753417418510
14:47:43 PM	XLON	408	121.28	598753417418568
14:48:30 PM	XLON	3400	121.34	598753417418838
14:49:42 PM	XLON	2551	121.34	598753417419135

14:49:42 PM	XLON	2728	121.34	598753417419137
14:49:42 PM	XLON	3418	121.34	598753417419136
14:49:42 PM	XLON	4031	121.34	598753417419138
14:49:54 PM	XLON	1700	121.30	598753417419183
14:49:59 PM	XLON	2551	121.30	598753417419205
14:49:59 PM	XLON	2728	121.30	598753417419206
14:49:59 PM	XLON	3400	121.30	598753417419204
14:49:59 PM	XLON	3418	121.30	598753417419207
14:50:58 PM	XLON	3378	121.44	598753417419546
14:50:58 PM	XLON	4058	121.44	598753417419542
14:50:58 PM	XLON	11079	121.44	598753417419545
14:51:26 PM	XLON	13679	121.44	598753417419711
14:51:30 PM	XLON	12064	121.44	598753417419716
14:51:34 PM	XLON	100	121.44	598753417419718
14:51:34 PM	XLON	500	121.44	598753417419719
14:51:35 PM	XLON	10765	121.44	598753417419720
14:51:46 PM	XLON	100	121.42	598753417419763
14:51:46 PM	XLON	2799	121.42	598753417419760
14:51:46 PM	XLON	3000	121.42	598753417419759
14:51:46 PM	XLON	6000	121.42	598753417419758
14:51:50 PM	XLON	100	121.42	598753417419795
14:51:50 PM	XLON	500	121.42	598753417419796
14:51:53 PM	XLON	1500	121.42	598753417419810
14:52:20 PM	XLON	14124	121.48	598753417419894
14:52:22 PM	XLON	100	121.48	598753417419900
14:52:22 PM	XLON	500	121.48	598753417419902
14:52:22 PM	XLON	14132	121.48	598753417419901
14:52:31 PM	XLON	100	121.48	598753417419942
14:52:38 PM	XLON	1000	121.48	598753417419958
14:52:40 PM	XLON	100	121.48	598753417419968
14:52:58 PM	XLON	100	121.48	598753417420042
14:52:58 PM	XLON	12825	121.48	598753417420043

14:53:07 PM	XLON	10547	121.48	598753417420102
14:53:27 PM	XLON	458	121.48	598753417420190
14:54:00 PM	XLON	6483	121.48	598753417420322
14:54:00 PM	XLON	7922	121.48	598753417420323
14:55:02 PM	XLON	335	121.48	598753417420596
14:55:02 PM	XLON	2604	121.48	598753417420580
14:55:02 PM	XLON	3720	121.48	598753417420597
14:55:02 PM	XLON	7275	121.48	598753417420595
14:55:02 PM	XLON	9775	121.48	598753417420587
14:55:03 PM	XLON	1206	121.46	598753417420602
14:55:03 PM	XLON	6069	121.46	598753417420601
14:56:11 PM	XLON	100	121.40	598753417420960
14:56:11 PM	XLON	500	121.40	598753417420961
14:56:20 PM	XLON	100	121.40	598753417420983
14:56:20 PM	XLON	500	121.40	598753417420984
14:56:31 PM	XLON	100	121.40	598753417421020
14:56:31 PM	XLON	300	121.40	598753417421021
14:56:56 PM	XLON	6840	121.42	598753417421190
14:56:56 PM	XLON	7613	121.42	598753417421191
14:58:16 PM	XLON	485	121.40	598753417421530
14:58:20 PM	XLON	7	121.40	598753417421540
14:58:22 PM	XLON	100	121.38	598753417421544
14:58:22 PM	XLON	500	121.38	598753417421545
14:58:22 PM	XLON	900	121.40	598753417421543
14:58:22 PM	XLON	3014	121.40	598753417421542
14:58:27 PM	XLON	3400	121.38	598753417421552
14:58:27 PM	XLON	9941	121.38	598753417421551
14:58:30 PM	XLON	1079	121.38	598753417421575
14:58:59 PM	XLON	2038	121.40	598753417421634
14:58:59 PM	XLON	2871	121.40	598753417421635
14:59:03 PM	XLON	607	121.40	598753417421661
14:59:08 PM	XLON	2	121.40	598753417421671

14:59:12 PM	XLON	2	121.40	598753417421674
14:59:12 PM	XLON	1169	121.40	598753417421675
14:59:12 PM	XLON	2038	121.40	598753417421676
14:59:15 PM	XLON	3	121.40	598753417421684
14:59:52 PM	XLON	705	121.40	598753417421761
14:59:55 PM	XLON	4072	121.40	598753417421765
14:59:59 PM	XLON	19	121.40	598753417421788
15:00:00 PM	XLON	1349	121.38	598753417421816
15:00:00 PM	XLON	2038	121.38	598753417421817
15:00:00 PM	XLON	3400	121.38	598753417421814
15:00:00 PM	XLON	4183	121.38	598753417421815
15:00:00 PM	XLON	692	121.40	598753417421819
15:00:00 PM	XLON	1681	121.40	598753417421818
15:00:00 PM	XLON	4758	121.40	598753417421813
15:00:04 PM	XLON	3400	121.32	598753417421833
15:00:34 PM	XLON	4557	121.34	598753417421911
15:00:39 PM	XLON	13013	121.30	598753417421932
15:00:39 PM	XLON	397	121.32	598753417421953
15:00:39 PM	XLON	2038	121.32	598753417421952
15:00:39 PM	XLON	2551	121.32	598753417421951
15:00:44 PM	XLON	6405	121.20	598753417421981
15:01:17 PM	XLON	100	121.20	598753417422096
15:01:26 PM	XLON	100	121.20	598753417422136
15:01:44 PM	XLON	100	121.20	598753417422234
15:01:52 PM	XLON	2038	121.20	598753417422281
15:01:52 PM	XLON	2551	121.20	598753417422280
15:01:52 PM	XLON	3879	121.20	598753417422282
15:01:52 PM	XLON	11706	121.20	598753417422269
15:02:11 PM	XLON	100	121.14	598753417422352
15:02:11 PM	XLON	500	121.14	598753417422354
15:02:25 PM	XLON	12162	121.20	598753417422534
15:02:33 PM	XLON	11478	121.16	598753417422563

15:02:36 PM	XLON	1639	121.14	598753417422586
15:02:36 PM	XLON	3000	121.14	598753417422587
15:02:38 PM	XLON	4884	121.14	598753417422603
15:03:18 PM	XLON	23	121.20	598753417422846
15:03:57 PM	XLON	1316	121.20	598753417422967
15:03:57 PM	XLON	2669	121.20	598753417422969
15:03:57 PM	XLON	2764	121.20	598753417422968
15:04:10 PM	XLON	549	121.22	598753417423008
15:04:10 PM	XLON	600	121.22	598753417423009
15:04:10 PM	XLON	2222	121.22	598753417423010
15:04:13 PM	XLON	1358	121.22	598753417423039
15:04:13 PM	XLON	1455	121.22	598753417423037
15:04:13 PM	XLON	2551	121.22	598753417423038
15:04:37 PM	XLON	2100	121.16	598753417423136
15:04:37 PM	XLON	2500	121.16	598753417423135
15:04:37 PM	XLON	4505	121.16	598753417423134
15:04:37 PM	XLON	7550	121.18	598753417423124
15:04:37 PM	XLON	9331	121.18	598753417423118
15:05:36 PM	XLON	100	121.10	598753417423408
15:05:36 PM	XLON	1068	121.10	598753417423410
15:05:36 PM	XLON	11627	121.10	598753417423409
15:07:10 PM	XLON	200	121.08	598753417423850
15:07:10 PM	XLON	8137	121.08	598753417423851
15:07:23 PM	XLON	100	121.10	598753417423929
15:08:18 PM	XLON	4317	121.10	598753417424105
15:09:03 PM	XLON	3273	121.10	598753417424272
15:09:03 PM	XLON	7744	121.10	598753417424271
15:09:06 PM	XLON	3351	121.10	598753417424286
15:09:49 PM	XLON	2038	121.08	598753417424478
15:09:49 PM	XLON	2551	121.08	598753417424477
15:09:49 PM	XLON	2764	121.08	598753417424476
15:09:49 PM	XLON	3418	121.08	598753417424475

15:09:49 PM	XLON	8291	121.08	598753417424466
15:10:20 PM	XLON	14434	121.08	598753417424637
15:10:30 PM	XLON	100	121.08	598753417424705
15:10:30 PM	XLON	500	121.08	598753417424706
15:10:32 PM	XLON	4709	121.08	598753417424713
15:10:32 PM	XLON	9179	121.08	598753417424710
15:10:42 PM	XLON	6634	121.06	598753417424824
15:10:42 PM	XLON	7925	121.06	598753417424823
15:14:00 PM	XLON	2922	121.10	598753417425584
15:14:02 PM	XLON	2445	121.10	598753417425603
15:14:02 PM	XLON	3418	121.10	598753417425602
15:14:02 PM	XLON	8593	121.10	598753417425587
15:14:03 PM	XLON	1130	121.10	598753417425609
15:14:03 PM	XLON	1506	121.10	598753417425610
15:14:03 PM	XLON	2038	121.10	598753417425611
15:14:03 PM	XLON	2038	121.10	598753417425613
15:14:03 PM	XLON	2551	121.10	598753417425616
15:14:03 PM	XLON	2764	121.10	598753417425614
15:14:03 PM	XLON	3418	121.10	598753417425615
15:14:04 PM	XLON	2551	121.10	598753417425618
15:14:04 PM	XLON	3418	121.10	598753417425617
15:14:10 PM	XLON	2551	121.16	598753417425648
15:14:10 PM	XLON	3400	121.16	598753417425647
15:14:11 PM	XLON	50	121.16	598753417425653
15:14:11 PM	XLON	3000	121.16	598753417425654
15:14:12 PM	XLON	4	121.16	598753417425655
15:14:12 PM	XLON	2551	121.16	598753417425657
15:14:12 PM	XLON	2900	121.16	598753417425656
15:14:13 PM	XLON	2	121.16	598753417425658
15:14:13 PM	XLON	2500	121.16	598753417425659
15:14:13 PM	XLON	2551	121.16	598753417425660
15:14:15 PM	XLON	4	121.16	598753417425665

15:14:15 PM	XLON	1100	121.16	598753417425666
15:14:50 PM	XLON	2764	121.20	598753417425856
15:14:50 PM	XLON	3418	121.20	598753417425857
15:14:50 PM	XLON	4344	121.20	598753417425855
15:14:57 PM	XLON	1115	121.20	598753417425889
15:15:00 PM	XLON	47	121.20	598753417425894
15:15:00 PM	XLON	1175	121.20	598753417425895
15:15:08 PM	XLON	1709	121.18	598753417425930
15:15:08 PM	XLON	2764	121.18	598753417425931
15:15:15 PM	XLON	8297	121.16	598753417425957
15:15:38 PM	XLON	14590	121.16	598753417426118
15:15:39 PM	XLON	519	121.16	598753417426149
15:15:39 PM	XLON	6322	121.16	598753417426151
15:15:39 PM	XLON	14459	121.16	598753417426144
15:15:40 PM	XLON	727	121.16	598753417426156
15:15:43 PM	XLON	219	121.16	598753417426159
15:17:51 PM	XLON	3500	121.18	598753417426706
15:18:37 PM	XLON	13300	121.16	598753417426808
15:18:59 PM	XLON	5015	121.10	598753417426918
15:19:05 PM	XLON	971	121.10	598753417426928
15:19:05 PM	XLON	1346	121.10	598753417426927
15:19:08 PM	XLON	2764	121.10	598753417426940
15:19:08 PM	XLON	2910	121.10	598753417426939
15:19:08 PM	XLON	3418	121.10	598753417426941
15:19:08 PM	XLON	3803	121.10	598753417426942
15:19:37 PM	XLON	989	121.06	598753417427101
15:20:09 PM	XLON	9	121.08	598753417427215
15:20:11 PM	XLON	710	121.08	598753417427223
15:22:30 PM	XLON	3635	121.12	598753417427816
15:22:30 PM	XLON	10946	121.12	598753417427817
15:22:30 PM	XLON	1437	121.14	598753417427822
15:22:30 PM	XLON	2038	121.14	598753417427820

15:22:30 PM	XLON	2551	121.14	598753417427821
15:22:30 PM	XLON	3418	121.14	598753417427819
15:22:32 PM	XLON	5	121.12	598753417427824
15:22:32 PM	XLON	778	121.12	598753417427827
15:22:32 PM	XLON	1730	121.12	598753417427826
15:22:32 PM	XLON	2764	121.12	598753417427825
15:22:33 PM	XLON	6	121.12	598753417427830
15:24:11 PM	XLON	3400	121.20	598753417428175
15:24:11 PM	XLON	4498	121.20	598753417428173
15:24:13 PM	XLON	1066	121.20	598753417428180
15:25:22 PM	XLON	7241	121.22	598753417428451
15:26:00 PM	XLON	1447	121.16	598753417428894
15:26:00 PM	XLON	2764	121.16	598753417428892
15:26:00 PM	XLON	3040	121.16	598753417428896
15:26:00 PM	XLON	3418	121.16	598753417428893
15:26:00 PM	XLON	8000	121.16	598753417428895
15:26:00 PM	XLON	2019	121.20	598753417428868
15:26:00 PM	XLON	12589	121.20	598753417428869
15:26:18 PM	XLON	2386	121.16	598753417428948
15:26:18 PM	XLON	5043	121.16	598753417428947
15:26:19 PM	XLON	3	121.16	598753417428949
15:26:19 PM	XLON	21	121.16	598753417428950
15:27:00 PM	XLON	2551	121.16	598753417429047
15:27:00 PM	XLON	2764	121.16	598753417429046
15:27:00 PM	XLON	3418	121.16	598753417429045
15:27:05 PM	XLON	998	121.16	598753417429086
15:27:05 PM	XLON	1783	121.16	598753417429084
15:27:05 PM	XLON	2551	121.16	598753417429087
15:27:05 PM	XLON	2764	121.16	598753417429083
15:27:05 PM	XLON	3418	121.16	598753417429085
15:27:07 PM	XLON	6	121.14	598753417429092
15:27:07 PM	XLON	40	121.14	598753417429093



15:27:42 PM	XLON	2038	121.14	598753417429168
15:27:42 PM	XLON	3036	121.14	598753417429170
15:27:42 PM	XLON	3418	121.14	598753417429171
15:27:42 PM	XLON	3500	121.14	598753417429169
15:28:10 PM	XLON	1	121.14	598753417429254
15:29:13 PM	XLON	2000	121.16	598753417429440
15:29:13 PM	XLON	2038	121.16	598753417429439
15:29:13 PM	XLON	2038	121.16	598753417429442
15:29:13 PM	XLON	2764	121.16	598753417429441
15:29:13 PM	XLON	2764	121.16	598753417429443
15:30:15 PM	XLON	518	121.18	598753417429682
15:30:15 PM	XLON	1193	121.18	598753417429679
15:30:15 PM	XLON	1644	121.18	598753417429683
15:30:15 PM	XLON	2063	121.18	598753417429681
15:30:15 PM	XLON	2551	121.18	598753417429680
15:30:18 PM	XLON	3	121.18	598753417429702
15:30:18 PM	XLON	747	121.18	598753417429701
15:30:20 PM	XLON	2	121.18	598753417429707
15:30:20 PM	XLON	2096	121.18	598753417429708
15:30:20 PM	XLON	2348	121.18	598753417429709
15:30:20 PM	XLON	3418	121.18	598753417429710
15:30:21 PM	XLON	1249	121.16	598753417429725
15:30:21 PM	XLON	4640	121.16	598753417429716
15:30:21 PM	XLON	5928	121.16	598753417429726
15:30:21 PM	XLON	6965	121.16	598753417429717
15:30:21 PM	XLON	2347	121.18	598753417429712
15:30:21 PM	XLON	2543	121.18	598753417429711
15:31:26 PM	XLON	23	121.20	598753417430100
15:31:26 PM	XLON	2038	121.20	598753417430103
15:31:26 PM	XLON	2764	121.20	598753417430101
15:31:26 PM	XLON	3418	121.20	598753417430102
15:31:37 PM	XLON	3	121.20	598753417430141

15:31:37 PM	XLON	2764	121.20	598753417430143
15:31:37 PM	XLON	3418	121.20	598753417430142
15:31:38 PM	XLON	2537	121.20	598753417430145
15:32:19 PM	XLON	651	121.22	598753417430325
15:32:19 PM	XLON	1914	121.22	598753417430326
15:32:33 PM	XLON	3500	121.22	598753417430406
15:32:51 PM	XLON	169	121.22	598753417430467
15:35:23 PM	XLON	1219	121.26	598753417431210
15:35:30 PM	XLON	22	121.26	598753417431224
15:36:17 PM	XLON	2087	121.28	598753417431430
15:36:21 PM	XLON	1896	121.28	598753417431439
15:36:25 PM	XLON	2764	121.28	598753417431473
15:36:25 PM	XLON	3418	121.28	598753417431472
15:36:32 PM	XLON	29	121.28	598753417431514
15:36:34 PM	XLON	13697	121.26	598753417431536
15:36:37 PM	XLON	34	121.24	598753417431567
15:36:37 PM	XLON	1051	121.24	598753417431568
15:36:37 PM	XLON	1158	121.24	598753417431569
15:36:37 PM	XLON	2764	121.24	598753417431571
15:36:37 PM	XLON	3418	121.24	598753417431570
15:36:39 PM	XLON	1431	121.24	598753417431584
15:36:40 PM	XLON	2	121.24	598753417431593
15:36:40 PM	XLON	292	121.24	598753417431594
15:36:42 PM	XLON	25	121.24	598753417431604
15:36:42 PM	XLON	541	121.24	598753417431603
15:36:43 PM	XLON	2	121.24	598753417431606
15:36:44 PM	XLON	3	121.24	598753417431607
15:36:44 PM	XLON	44	121.24	598753417431608
15:36:49 PM	XLON	3	121.24	598753417431620
15:36:54 PM	XLON	2	121.24	598753417431680
15:37:26 PM	XLON	4774	121.24	598753417431761
15:38:02 PM	XLON	9078	121.24	598753417431955

15:38:46 PM	XLON	12606	121.22	598753417432050
15:40:59 PM	XLON	1683	121.24	598753417432454
15:40:59 PM	XLON	653	121.26	598753417432456
15:40:59 PM	XLON	2354	121.26	598753417432455
15:42:26 PM	XLON	303	121.26	598753417432684
15:42:26 PM	XLON	1046	121.26	598753417432685
15:44:05 PM	XLON	8360	121.26	598753417432897
15:45:40 PM	XLON	5180	121.26	598753417433163
15:46:09 PM	XLON	6905	121.24	598753417433270
15:46:09 PM	XLON	7052	121.24	598753417433273
15:47:55 PM	XLON	6572	121.26	598753417433563
15:47:55 PM	XLON	6846	121.26	598753417433562
15:49:00 PM	XLON	3418	121.30	598753417433754
15:49:01 PM	XLON	356	121.30	598753417433759
15:49:01 PM	XLON	1215	121.30	598753417433760
15:49:29 PM	XLON	2320	121.28	598753417433873
15:49:29 PM	XLON	3400	121.28	598753417433871
15:49:29 PM	XLON	3418	121.28	598753417433872
15:49:29 PM	XLON	13178	121.28	598753417433870
15:50:06 PM	XLON	7725	121.26	598753417433985
15:50:35 PM	XLON	600	121.26	598753417434124
15:50:35 PM	XLON	2804	121.26	598753417434123
15:52:08 PM	XLON	781	121.24	598753417434519
15:52:08 PM	XLON	1451	121.24	598753417434516
15:52:08 PM	XLON	1709	121.24	598753417434512
15:52:08 PM	XLON	1743	121.24	598753417434513
15:52:08 PM	XLON	2038	121.24	598753417434518
15:52:08 PM	XLON	2764	121.24	598753417434517
15:52:08 PM	XLON	8687	121.24	598753417434498
15:52:09 PM	XLON	8	121.22	598753417434524
15:52:09 PM	XLON	94	121.22	598753417434523
15:52:35 PM	XLON	4	121.22	598753417434645

15:52:38 PM	XLON	3	121.22	598753417434650
15:52:38 PM	XLON	12	121.22	598753417434649
15:52:38 PM	XLON	62	121.22	598753417434648
15:52:38 PM	XLON	76	121.22	598753417434647
15:52:38 PM	XLON	10933	121.22	598753417434651
15:52:41 PM	XLON	8	121.22	598753417434656
15:52:41 PM	XLON	36	121.22	598753417434654
15:52:41 PM	XLON	46	121.22	598753417434655
15:52:43 PM	XLON	27	121.22	598753417434667
15:52:44 PM	XLON	4	121.22	598753417434668
15:52:45 PM	XLON	29	121.22	598753417434669
15:52:46 PM	XLON	3	121.22	598753417434676
15:52:48 PM	XLON	2	121.22	598753417434683
15:52:49 PM	XLON	2	121.22	598753417434684
15:52:49 PM	XLON	4270	121.22	598753417434685
15:52:51 PM	XLON	3	121.22	598753417434686
15:52:57 PM	XLON	2764	121.22	598753417434697
15:52:57 PM	XLON	3418	121.22	598753417434698
15:53:02 PM	XLON	1106	121.22	598753417434713
15:53:02 PM	XLON	2764	121.22	598753417434712
15:53:05 PM	XLON	3	121.22	598753417434721
15:53:05 PM	XLON	4850	121.22	598753417434722
15:53:32 PM	XLON	2038	121.22	598753417434816
15:53:37 PM	XLON	32	121.22	598753417434828
15:53:42 PM	XLON	17	121.22	598753417434830
15:53:45 PM	XLON	26	121.22	598753417434834
15:53:50 PM	XLON	2	121.22	598753417434855
15:53:50 PM	XLON	2038	121.22	598753417434856
15:53:50 PM	XLON	2764	121.22	598753417434857
15:53:50 PM	XLON	3418	121.22	598753417434858
15:54:00 PM	XLON	23	121.22	598753417434882
15:54:16 PM	XLON	600	121.20	598753417434917

15:54:16 PM	XLON	1709	121.20	598753417434915
15:54:16 PM	XLON	3400	121.20	598753417434914
15:54:16 PM	XLON	7438	121.20	598753417434916
15:54:16 PM	XLON	11841	121.20	598753417434913
15:54:17 PM	XLON	21	121.20	598753417434918
15:54:17 PM	XLON	780	121.20	598753417434919
15:54:17 PM	XLON	5017	121.20	598753417434920
15:55:12 PM	XLON	3400	121.20	598753417435122
15:55:12 PM	XLON	3447	121.20	598753417435119
15:55:12 PM	XLON	4605	121.20	598753417435123
15:55:48 PM	XLON	100	121.18	598753417435209
15:56:01 PM	XLON	4031	121.16	598753417435267
15:56:01 PM	XLON	3300	121.18	598753417435261
15:56:01 PM	XLON	5346	121.18	598753417435262
15:56:37 PM	XLON	21	121.18	598753417435415
15:56:37 PM	XLON	2764	121.18	598753417435417
15:56:37 PM	XLON	3418	121.18	598753417435416
15:56:38 PM	XLON	6	121.18	598753417435419
15:56:38 PM	XLON	16	121.18	598753417435420
15:56:38 PM	XLON	61	121.18	598753417435418
15:56:43 PM	XLON	1939	121.18	598753417435452
15:56:43 PM	XLON	7345	121.18	598753417435453
15:56:43 PM	XLON	11117	121.18	598753417435454
15:56:43 PM	XLON	13724	121.18	598753417435450
15:56:56 PM	XLON	4872	121.18	598753417435515
15:58:00 PM	XLON	530	121.18	598753417435697
15:58:00 PM	XLON	868	121.18	598753417435695
15:58:00 PM	XLON	4976	121.18	598753417435696
15:58:54 PM	XLON	4	121.20	598753417435879
15:58:59 PM	XLON	542	121.20	598753417435899
15:58:59 PM	XLON	1269	121.20	598753417435900
15:59:08 PM	XLON	22	121.20	598753417435923

15:59:42 PM	XLON	26	121.20	598753417435997
15:59:54 PM	XLON	4	121.20	598753417436067
16:07:39 PM	XLON	9317	121.12	598753417438088
16:10:02 PM	XLON	249	121.14	598753417438828
16:10:02 PM	XLON	465	121.14	598753417438825
16:10:02 PM	XLON	1139	121.14	598753417438826
16:10:02 PM	XLON	1845	121.14	598753417438824
16:10:02 PM	XLON	3418	121.14	598753417438827
16:10:27 PM	XLON	4345	121.12	598753417438979
16:10:27 PM	XLON	4345	121.12	598753417438981
16:11:20 PM	XLON	1644	121.12	598753417439140
16:11:36 PM	XLON	30	121.12	598753417439184
16:11:36 PM	XLON	3418	121.12	598753417439185
16:12:08 PM	XLON	1280	121.10	598753417439321
16:12:29 PM	XLON	2100	121.12	598753417439408
16:12:31 PM	XLON	349	121.10	598753417439411
16:12:42 PM	XLON	5070	121.12	598753417439455
16:12:43 PM	XLON	2038	121.12	598753417439459
16:12:43 PM	XLON	2731	121.12	598753417439458
16:12:43 PM	XLON	3000	121.12	598753417439460
16:12:43 PM	XLON	3418	121.12	598753417439457
16:12:43 PM	XLON	3602	121.12	598753417439456
16:12:44 PM	XLON	1131	121.12	598753417439465
16:12:44 PM	XLON	2038	121.12	598753417439464
16:14:00 PM	XLON	1960	121.12	598753417439741
16:14:05 PM	XLON	632	121.12	598753417439764
16:14:06 PM	XLON	636	121.12	598753417439765
16:14:13 PM	XLON	335	121.14	598753417439776
16:14:17 PM	XLON	2	121.14	598753417439780
16:14:27 PM	XLON	637	121.14	598753417439836
16:15:23 PM	XLON	2731	121.14	598753417440067
16:15:23 PM	XLON	3418	121.14	598753417440068

16:16:37 PM	XLON	949	121.12	598753417440252
16:17:19 PM	XLON	272	121.18	598753417440435
16:17:19 PM	XLON	13821	121.18	598753417440436
16:19:01 PM	XLON	4970	121.14	598753417440752
16:19:01 PM	XLON	6087	121.14	598753417440751
16:19:01 PM	XLON	10056	121.14	598753417440749
16:19:16 PM	XLON	350	121.16	598753417440841
16:19:16 PM	XLON	1346	121.16	598753417440840
16:19:16 PM	XLON	2731	121.16	598753417440842
16:19:16 PM	XLON	3418	121.16	598753417440843
16:19:20 PM	XLON	1170	121.14	598753417440863
16:19:20 PM	XLON	3418	121.14	598753417440864
16:19:38 PM	XLON	2549	121.12	598753417440943
16:20:21 PM	XLON	4550	121.12	598753417441069
16:20:41 PM	XLON	1258	121.12	598753417441143
16:20:49 PM	XLON	2	121.16	598753417441260
16:21:05 PM	XLON	2282	121.18	598753417441306
16:21:13 PM	XLON	557	121.18	598753417441329
16:21:38 PM	XLON	411	121.20	598753417441412
16:22:54 PM	XLON	2731	121.18	598753417441657
16:23:34 PM	XLON	3	121.18	598753417441810
16:23:34 PM	XLON	2731	121.18	598753417441811
16:23:34 PM	XLON	3418	121.18	598753417441812
16:24:03 PM	XLON	3	121.18	598753417441870
16:24:03 PM	XLON	50	121.18	598753417441872
16:24:03 PM	XLON	374	121.18	598753417441873
16:24:03 PM	XLON	1517	121.18	598753417441871
16:24:03 PM	XLON	2731	121.18	598753417441874
16:24:03 PM	XLON	3418	121.18	598753417441875
16:24:40 PM	XLON	48	121.16	598753417441950
16:24:44 PM	XLON	23	121.16	598753417441977
16:24:44 PM	XLON	1456	121.16	598753417441978

16:24:44 PM	XLON	1460	121.16	598753417441980
16:24:44 PM	XLON	3418	121.16	598753417441979
16:24:46 PM	XLON	20	121.16	598753417441992
16:24:46 PM	XLON	4120	121.16	598753417441993
16:24:48 PM	XLON	25	121.16	598753417441997
16:24:52 PM	XLON	1220	121.16	598753417442009
16:24:56 PM	XLON	24	121.16	598753417442037
16:24:59 PM	XLON	19	121.16	598753417442072
16:25:12 PM	XLON	17	121.16	598753417442157
16:25:12 PM	XLON	2731	121.16	598753417442158
16:25:12 PM	XLON	3418	121.16	598753417442159
16:25:18 PM	XLON	2731	121.16	598753417442222
16:25:20 PM	XLON	35	121.16	598753417442232
16:25:29 PM	XLON	1103	121.14	598753417442315
16:25:30 PM	XLON	1432	121.14	598753417442331
16:25:30 PM	XLON	1934	121.14	598753417442330
16:25:31 PM	XLON	18	121.14	598753417442346
16:25:52 PM	XLON	17	121.14	598753417442475
16:25:52 PM	XLON	2600	121.14	598753417442476
16:27:23 PM	XLON	1106	121.14	598753417442909
16:27:23 PM	XLON	2219	121.14	598753417442915
16:27:23 PM	XLON	3500	121.14	598753417442913
16:27:23 PM	XLON	7790	121.14	598753417442914
16:27:23 PM	XLON	11850	121.14	598753417442910
16:27:26 PM	XLON	1147	121.14	598753417442921
16:27:26 PM	XLON	1230	121.14	598753417442920
16:27:26 PM	XLON	1466	121.14	598753417442919
16:27:30 PM	XLON	324	121.14	598753417442972
16:27:30 PM	XLON	2731	121.14	598753417442974
16:27:30 PM	XLON	3418	121.14	598753417442973
16:27:32 PM	XLON	24	121.12	598753417442983
16:27:33 PM	XLON	101	121.12	598753417442984



16:27:33 PM	XLON	1457	121.12	598753417442985
16:27:34 PM	XLON	21	121.12	598753417442990
16:27:34 PM	XLON	42	121.12	598753417442989
16:27:35 PM	XLON	39	121.12	598753417443001
16:28:02 PM	XLON	21	121.14	598753417443094
16:28:05 PM	XLON	25	121.14	598753417443103
16:28:10 PM	XLON	1220	121.14	598753417443123
16:28:22 PM	XLON	868	121.16	598753417443204
16:28:22 PM	XLON	3943	121.16	598753417443203
16:28:22 PM	XLON	4120	121.16	598753417443205
16:28:27 PM	XLON	355	121.16	598753417443208
16:28:27 PM	XLON	2354	121.16	598753417443210
16:28:27 PM	XLON	4408	121.16	598753417443209
16:28:29 PM	XLON	1857	121.14	598753417443219
16:28:30 PM	XLON	1788	121.14	598753417443224
16:28:44 PM	XLON	3985	121.14	598753417443248
16:29:18 PM	XLON	2152	121.16	598753417443531
16:29:18 PM	XLON	2354	121.16	598753417443532
16:29:21 PM	XLON	4103	121.18	598753417443553
16:29:24 PM	XLON	2800	121.18	598753417443565
16:29:24 PM	XLON	4075	121.18	598753417443564
16:29:38 PM	XLON	2800	121.18	598753417443716
16:29:38 PM	XLON	4243	121.18	598753417443715

This announcement will also be available on Vodafone's website at:  
<https://investors.vodafone.com/reports-information/regulatory-news>

Enquiries to:

**Investor relations:** Telephone +44 (0) 7919 990 230

**Media:** <https://www.vodafone.com/news-and-media/contact-us>

This information is provided by RNS, the news service of the London Stock Exchange. RNS is approved by the Financial Conduct Authority to act as a Primary Information Provider in the United Kingdom. Terms and conditions relating to the use and distribution of this information may apply. For further information, please contact [rns@lseg.com](mailto:rns@lseg.com) or visit [www.rns.com](http://www.rns.com).

RNS may use your IP address to confirm compliance with the terms and conditions, to analyse how you engage with the information contained in this communication, and to share such analysis on an anonymised basis with others as part of our commercial services. For further information about how RNS and the London Stock Exchange use the personal data you provide us, please see our [Privacy Policy](#).

END

POSSFDFWIEEESA