

Transaction in Own Shares

RNS Number : 9743S

Vodafone Group Plc

14 March 2023

14 March 2023

Vodafone Group Plc ('**Vodafone**')

ISIN Code: GB00BH4HKS39

Transaction in Own Shares

Vodafone announces that it has purchased the following number of its ordinary shares of 20^{20/21} US cents on Exchange (as defined in the Rules of the London Stock Exchange) from Goldman Sachs International ('**Goldman Sachs**') as part of its buy-back programme announced on 16 November 2022 (the '**Programme**'). The sole purpose of this Programme is to reduce the issued share capital of Vodafone to offset the increase in the issued share capital as a result of the maturing of the second tranche of a two-tranche mandatory convertible bond ('**MCB**') issued by Vodafone in March 2019. Following completion of the Programme, the increase in the issued share capital as a result of the maturing of the second tranche of the MCB will be fully offset.

Date of purchase:	14 March 2023
Number of ordinary shares of 20 ^{20/21} US cents each purchased:	6,078,427
Highest price paid per share (pence):	96.59
Lowest price paid per share (pence):	95.09
Volume weighted average price paid per share (pence):	96.04

Vodafone intends to hold the purchased shares in treasury. Following the purchase of these shares, Vodafone holds 1,819,616,964 of its ordinary shares in treasury and has 26,998,639,094 ordinary shares in issue (excluding treasury shares).

As part of the Programme, Goldman Sachs purchases Vodafone (213800TB53ELEUKM7Q61) ordinary shares and sells such shares to Vodafone. In connection with the above purchases, on 14 March 2023 Goldman Sachs (as principal) elected to purchase 6,078,427 Vodafone ordinary shares to sell to Vodafone. A schedule of individual trades carried out by Goldman Sachs on 14 March 2023 is set out below.

Schedule of purchases - aggregate information

Trading venue	Volume weighted average price (pence per share)	Aggregated volume
XLON	96.04	6,078,427

Schedule of purchases - individual transactions

Transaction Time	Trading Venue	Number of Shares	Price Per Share (GBP)	Transaction Reference Number
08:00:18 AM	XLON	3215	95.85	729277473489821
08:01:02 AM	XLON	812	95.91	729277473490775

08:01:31 AM	XLON	517	96.00	729277473491003
08:01:34 AM	XLON	526	96.00	729277473491025
08:01:34 AM	XLON	4960	96.00	729277473491026
08:01:47 AM	XLON	8202	95.99	729277473491120
08:01:47 AM	XLON	15087	95.99	729277473491121
08:02:00 AM	XLON	428	96.03	729277473491200
08:02:00 AM	XLON	519	96.03	729277473491199
08:02:29 AM	XLON	10109	95.91	729277473491296
08:02:30 AM	XLON	4471	95.91	729277473491299
08:02:30 AM	XLON	5871	95.91	729277473491298
08:02:49 AM	XLON	13914	95.91	729277473491362
08:03:11 AM	XLON	257	95.87	729277473491488
08:03:12 AM	XLON	2554	95.87	729277473491490
08:03:16 AM	XLON	4300	95.82	729277473491506
08:03:16 AM	XLON	4410	95.82	729277473491502
08:03:19 AM	XLON	7809	95.77	729277473491512
08:03:21 AM	XLON	3842	95.71	729277473491523
08:03:49 AM	XLON	6224	95.71	729277473491585
08:03:54 AM	XLON	2061	95.69	729277473491597
08:03:59 AM	XLON	363	95.69	729277473491606
08:04:03 AM	XLON	3558	95.69	729277473491607
08:04:08 AM	XLON	4273	95.68	729277473491630
08:04:14 AM	XLON	3519	95.66	729277473491647
08:04:49 AM	XLON	7767	95.61	729277473491744
08:04:57 AM	XLON	350	95.65	729277473491756
08:05:02 AM	XLON	613	95.65	729277473491768
08:05:02 AM	XLON	702	95.65	729277473491769
08:05:04 AM	XLON	420	95.65	729277473491789
08:05:08 AM	XLON	12407	95.61	729277473491801
08:05:43 AM	XLON	3238	95.60	729277473491923
08:06:20 AM	XLON	487	95.63	729277473492100
08:06:20 AM	XLON	2557	95.63	729277473492101

08:06:20 AM	XLON	3425	95.63	729277473492099
08:06:20 AM	XLON	4600	95.63	729277473492102
08:06:20 AM	XLON	649	95.64	729277473492105
08:06:20 AM	XLON	2557	95.64	729277473492104
08:06:20 AM	XLON	4300	95.64	729277473492103
08:06:53 AM	XLON	2111	95.67	729277473492237
08:06:53 AM	XLON	3900	95.67	729277473492236
08:06:53 AM	XLON	6453	95.67	729277473492233
08:07:03 AM	XLON	6137	95.71	729277473492257
08:07:06 AM	XLON	7141	95.69	729277473492260
08:07:59 AM	XLON	2	95.73	729277473492451
08:08:00 AM	XLON	8517	95.70	729277473492469
08:08:15 AM	XLON	1394	95.74	729277473492569
08:08:15 AM	XLON	13000	95.74	729277473492568
08:08:22 AM	XLON	3315	95.76	729277473492616
08:08:26 AM	XLON	3285	95.75	729277473492643
08:08:50 AM	XLON	8547	95.75	729277473492693
08:09:00 AM	XLON	3757	95.67	729277473492738
08:09:34 AM	XLON	14936	95.69	729277473493000
08:10:16 AM	XLON	3965	95.57	729277473493193
08:10:16 AM	XLON	4562	95.57	729277473493192
08:10:21 AM	XLON	3319	95.54	729277473493212
08:10:41 AM	XLON	6344	95.49	729277473493287
08:10:53 AM	XLON	3280	95.45	729277473493378
08:10:57 AM	XLON	4585	95.42	729277473493383
08:11:12 AM	XLON	3507	95.40	729277473493468
08:11:50 AM	XLON	8169	95.40	729277473493584
08:11:54 AM	XLON	5158	95.35	729277473493623
08:12:22 AM	XLON	6508	95.43	729277473493747
08:12:37 AM	XLON	5208	95.39	729277473493806
08:12:40 AM	XLON	3121	95.35	729277473493831
08:13:07 AM	XLON	6075	95.30	729277473493928

08:13:09 AM	XLON	3259	95.27	729277473493933
08:14:00 AM	XLON	3425	95.31	729277473494032
08:14:10 AM	XLON	3096	95.38	729277473494059
08:14:54 AM	XLON	4400	95.44	729277473494191
08:14:54 AM	XLON	8145	95.45	729277473494192
08:14:59 AM	XLON	3023	95.45	729277473494202
08:15:03 AM	XLON	719	95.42	729277473494221
08:15:03 AM	XLON	4400	95.42	729277473494220
08:15:04 AM	XLON	7307	95.40	729277473494222
08:15:48 AM	XLON	594	95.29	729277473494351
08:15:48 AM	XLON	14000	95.29	729277473494350
08:17:05 AM	XLON	139	95.43	729277473494637
08:17:25 AM	XLON	11779	95.41	729277473494708
08:18:03 AM	XLON	1004	95.46	729277473494788
08:18:03 AM	XLON	3425	95.46	729277473494786
08:18:03 AM	XLON	3603	95.46	729277473494787
08:18:09 AM	XLON	13174	95.43	729277473494802
08:18:24 AM	XLON	9145	95.45	729277473494847
08:18:35 AM	XLON	3749	95.42	729277473494908
08:18:46 AM	XLON	4378	95.42	729277473494968
08:19:13 AM	XLON	3466	95.42	729277473495030
08:19:13 AM	XLON	6291	95.42	729277473495029
08:19:29 AM	XLON	3472	95.41	729277473495085
08:19:38 AM	XLON	3466	95.35	729277473495148
08:20:16 AM	XLON	6769	95.33	729277473495255
08:20:28 AM	XLON	4906	95.33	729277473495311
08:20:38 AM	XLON	3324	95.34	729277473495341
08:21:03 AM	XLON	6403	95.32	729277473495406
08:21:20 AM	XLON	5960	95.33	729277473495440
08:21:50 AM	XLON	6241	95.29	729277473495520
08:22:24 AM	XLON	8748	95.18	729277473495698
08:22:45 AM	XLON	5940	95.21	729277473495740

08:23:13 AM	XLON	3603	95.19	729277473495829
08:23:13 AM	XLON	4382	95.19	729277473495830
08:23:47 AM	XLON	3614	95.18	729277473495950
08:23:47 AM	XLON	6354	95.18	729277473495944
08:24:09 AM	XLON	6393	95.19	729277473496141
08:24:51 AM	XLON	661	95.18	729277473496330
08:24:51 AM	XLON	3425	95.18	729277473496329
08:25:05 AM	XLON	2431	95.14	729277473496407
08:25:05 AM	XLON	8036	95.14	729277473496406
08:25:51 AM	XLON	1064	95.09	729277473496649
08:25:51 AM	XLON	3603	95.09	729277473496648
08:26:23 AM	XLON	3423	95.10	729277473496824
08:26:26 AM	XLON	3324	95.12	729277473496830
08:26:26 AM	XLON	7904	95.12	729277473496831
08:27:29 AM	XLON	2104	95.18	729277473497029
08:27:29 AM	XLON	2181	95.18	729277473497028
08:27:35 AM	XLON	2388	95.18	729277473497037
08:27:35 AM	XLON	9438	95.18	729277473497036
08:27:48 AM	XLON	3474	95.14	729277473497066
08:29:01 AM	XLON	2900	95.35	729277473497307
08:29:24 AM	XLON	1606	95.39	729277473497385
08:29:24 AM	XLON	3603	95.39	729277473497384
08:29:29 AM	XLON	2	95.39	729277473497442
08:29:44 AM	XLON	3425	95.43	729277473497542
08:29:46 AM	XLON	299	95.43	729277473497546
08:29:46 AM	XLON	1205	95.43	729277473497544
08:29:46 AM	XLON	3603	95.43	729277473497545
08:29:51 AM	XLON	1440	95.43	729277473497557
08:29:51 AM	XLON	1606	95.43	729277473497556
08:29:54 AM	XLON	4258	95.41	729277473497560
08:30:00 AM	XLON	9314	95.40	729277473497578
08:30:53 AM	XLON	3401	95.50	729277473497683

08:31:07 AM	XLON	1364	95.45	729277473497708
08:31:07 AM	XLON	2520	95.45	729277473497710
08:31:07 AM	XLON	3425	95.45	729277473497709
08:31:09 AM	XLON	5343	95.43	729277473497714
08:31:13 AM	XLON	4911	95.42	729277473497734
08:31:30 AM	XLON	3618	95.49	729277473497782
08:32:11 AM	XLON	6836	95.44	729277473497848
08:32:43 AM	XLON	3234	95.54	729277473497950
08:32:54 AM	XLON	3712	95.54	729277473497960
08:33:29 AM	XLON	7216	95.59	729277473498034
08:33:29 AM	XLON	7567	95.59	729277473498032
08:33:55 AM	XLON	3480	95.55	729277473498084
08:34:10 AM	XLON	4984	95.59	729277473498115
08:34:34 AM	XLON	6075	95.59	729277473498164
08:35:00 AM	XLON	5299	95.58	729277473498249
08:35:08 AM	XLON	3819	95.56	729277473498272
08:35:37 AM	XLON	6795	95.58	729277473498348
08:35:53 AM	XLON	3551	95.49	729277473498383
08:37:53 AM	XLON	4300	95.51	729277473498641
08:38:10 AM	XLON	1505	95.50	729277473498675
08:38:10 AM	XLON	3484	95.50	729277473498679
08:38:10 AM	XLON	5501	95.50	729277473498676
08:38:10 AM	XLON	9854	95.50	729277473498678
08:38:34 AM	XLON	8323	95.52	729277473498774
08:39:49 AM	XLON	3603	95.69	729277473499006
08:39:49 AM	XLON	3975	95.69	729277473499007
08:39:49 AM	XLON	4300	95.69	729277473499005
08:39:49 AM	XLON	10102	95.69	729277473499004
08:40:10 AM	XLON	5930	95.63	729277473499083
08:41:20 AM	XLON	14143	95.66	729277473499226
08:41:33 AM	XLON	4671	95.65	729277473499254
08:41:55 AM	XLON	5712	95.59	729277473499284

08:42:27 AM	XLON	3586	95.63	729277473499351
08:42:37 AM	XLON	3539	95.60	729277473499396
08:43:19 AM	XLON	3492	95.65	729277473499487
08:43:19 AM	XLON	3871	95.65	729277473499482
08:43:30 AM	XLON	3152	95.65	729277473499514
08:44:21 AM	XLON	3621	95.64	729277473499569
08:44:57 AM	XLON	3173	95.64	729277473499595
08:44:57 AM	XLON	5726	95.64	729277473499596
08:45:00 AM	XLON	5759	95.64	729277473499625
08:45:49 AM	XLON	11021	95.67	729277473499809
08:45:59 AM	XLON	3112	95.66	729277473499827
08:46:20 AM	XLON	3139	95.67	729277473499872
08:46:58 AM	XLON	5209	95.65	729277473499983
08:48:09 AM	XLON	4222	95.83	729277473500241
08:48:20 AM	XLON	6292	95.83	729277473500264
08:48:39 AM	XLON	8304	95.83	729277473500292
08:49:10 AM	XLON	3939	95.76	729277473500433
08:49:24 AM	XLON	8755	95.84	729277473500471
08:50:09 AM	XLON	9323	95.85	729277473500543
08:51:25 AM	XLON	13774	95.83	729277473500687
08:51:46 AM	XLON	3095	95.82	729277473500740
08:52:11 AM	XLON	3157	95.80	729277473500816
08:52:11 AM	XLON	4149	95.80	729277473500810
08:53:08 AM	XLON	695	95.80	729277473500977
08:53:08 AM	XLON	6359	95.80	729277473500976
08:53:23 AM	XLON	3798	95.81	729277473501003
08:53:59 AM	XLON	4637	95.86	729277473501063
08:54:06 AM	XLON	3756	95.86	729277473501074
08:54:28 AM	XLON	5740	95.86	729277473501143
08:55:13 AM	XLON	3057	95.85	729277473501242
08:55:33 AM	XLON	8275	95.85	729277473501292
08:55:50 AM	XLON	4170	95.84	729277473501324

08:56:35 AM	XLON	3812	95.88	729277473501414
08:56:44 AM	XLON	850	95.87	729277473501426
08:56:44 AM	XLON	3718	95.87	729277473501425
08:57:03 AM	XLON	3482	95.83	729277473501509
08:57:29 AM	XLON	3052	95.82	729277473501534
08:57:38 AM	XLON	3765	95.80	729277473501581
08:58:14 AM	XLON	5085	95.83	729277473501709
08:58:54 AM	XLON	6591	95.83	729277473501770
09:00:42 AM	XLON	1	95.87	729277473502048
09:00:43 AM	XLON	4037	95.87	729277473502050
09:00:43 AM	XLON	4682	95.87	729277473502049
09:00:51 AM	XLON	9193	95.87	729277473502065
09:01:05 AM	XLON	4436	95.86	729277473502122
09:01:47 AM	XLON	5169	95.87	729277473502204
09:03:11 AM	XLON	1159	95.80	729277473502439
09:03:11 AM	XLON	4300	95.80	729277473502438
09:03:11 AM	XLON	3971	95.81	729277473502428
09:03:11 AM	XLON	3161	95.82	729277473502419
09:03:52 AM	XLON	224	95.83	729277473502550
09:03:52 AM	XLON	6677	95.83	729277473502551
09:04:20 AM	XLON	3568	95.78	729277473502619
09:04:37 AM	XLON	680	95.78	729277473502670
09:04:37 AM	XLON	850	95.78	729277473502669
09:04:37 AM	XLON	1540	95.78	729277473502671
09:05:29 AM	XLON	4300	95.85	729277473502826
09:05:29 AM	XLON	7868	95.85	729277473502825
09:06:32 AM	XLON	480	95.87	729277473503004
09:06:32 AM	XLON	3760	95.87	729277473503005
09:06:55 AM	XLON	3386	95.85	729277473503061
09:06:59 AM	XLON	3430	95.85	729277473503068
09:07:00 AM	XLON	511	95.84	729277473503073
09:07:00 AM	XLON	2772	95.84	729277473503074

09:07:19 AM	XLON	4894	95.86	729277473503137
09:08:20 AM	XLON	10191	95.84	729277473503288
09:08:49 AM	XLON	3586	95.86	729277473503390
09:09:18 AM	XLON	3163	95.87	729277473503454
09:09:38 AM	XLON	3530	95.83	729277473503519
09:10:00 AM	XLON	7714	95.84	729277473503566
09:10:32 AM	XLON	4986	95.75	729277473503658
09:11:42 AM	XLON	11761	95.83	729277473503813
09:12:39 AM	XLON	6307	95.83	729277473504047
09:12:45 AM	XLON	6741	95.82	729277473504078
09:13:19 AM	XLON	5970	95.82	729277473504217
09:13:54 AM	XLON	5946	95.83	729277473504280
09:14:43 AM	XLON	5319	95.85	729277473504368
09:14:57 AM	XLON	4898	95.84	729277473504422
09:15:11 AM	XLON	5075	95.83	729277473504436
09:15:53 AM	XLON	3336	95.85	729277473504569
09:16:15 AM	XLON	8860	95.83	729277473504602
09:17:25 AM	XLON	3257	95.84	729277473504848
09:17:25 AM	XLON	3310	95.84	729277473504846
09:17:26 AM	XLON	5959	95.83	729277473504871
09:18:30 AM	XLON	8354	95.81	729277473505127
09:19:36 AM	XLON	680	95.85	729277473505284
09:19:36 AM	XLON	1775	95.85	729277473505285
09:19:36 AM	XLON	9021	95.85	729277473505283
09:19:58 AM	XLON	523	95.84	729277473505316
09:19:58 AM	XLON	2665	95.84	729277473505315
09:20:11 AM	XLON	6201	95.79	729277473505391
09:21:28 AM	XLON	7322	95.79	729277473505568
09:22:24 AM	XLON	4802	95.85	729277473505667
09:22:51 AM	XLON	9751	95.85	729277473505700
09:23:01 AM	XLON	6424	95.84	729277473505726
09:23:56 AM	XLON	5895	95.84	729277473505854

09:24:26 AM	XLON	3542	95.81	729277473505911
09:24:30 AM	XLON	1246	95.78	729277473505923
09:24:30 AM	XLON	2445	95.78	729277473505922
09:25:33 AM	XLON	8618	95.78	729277473506033
09:26:14 AM	XLON	198	95.82	729277473506124
09:26:14 AM	XLON	1023	95.82	729277473506125
09:26:14 AM	XLON	7194	95.82	729277473506126
09:26:34 AM	XLON	3312	95.76	729277473506194
09:27:08 AM	XLON	5512	95.70	729277473506285
09:29:36 AM	XLON	1164	95.85	729277473506620
09:29:36 AM	XLON	2557	95.85	729277473506619
09:29:36 AM	XLON	3603	95.85	729277473506617
09:29:36 AM	XLON	6311	95.85	729277473506618
09:29:36 AM	XLON	7788	95.85	729277473506614
09:30:06 AM	XLON	9003	95.85	729277473506689
09:30:35 AM	XLON	3748	95.86	729277473506787
09:32:13 AM	XLON	12298	95.85	729277473506960
09:32:38 AM	XLON	5709	95.83	729277473507025
09:34:01 AM	XLON	7199	95.86	729277473507166
09:35:40 AM	XLON	4498	96.00	729277473507506
09:36:00 AM	XLON	3700	96.01	729277473507535
09:36:00 AM	XLON	6236	96.01	729277473507532
09:36:00 AM	XLON	6713	96.01	729277473507536
09:37:00 AM	XLON	1068	96.04	729277473507686
09:37:00 AM	XLON	2665	96.04	729277473507685
09:37:00 AM	XLON	8380	96.04	729277473507679
09:37:36 AM	XLON	315	96.05	729277473507744
09:37:36 AM	XLON	4300	96.05	729277473507743
09:38:53 AM	XLON	515	96.07	729277473508023
09:38:53 AM	XLON	7781	96.07	729277473508022
09:39:06 AM	XLON	4152	96.06	729277473508051
09:39:34 AM	XLON	6838	96.04	729277473508105

09:40:22 AM	XLON	3539	96.07	729277473508185
09:40:31 AM	XLON	4415	96.06	729277473508213
09:41:16 AM	XLON	4684	96.04	729277473508342
09:43:27 AM	XLON	4811	96.06	729277473508611
09:43:50 AM	XLON	2557	96.05	729277473508656
09:43:50 AM	XLON	2967	96.05	729277473508654
09:43:50 AM	XLON	4300	96.05	729277473508655
09:43:50 AM	XLON	4585	96.05	729277473508653
09:44:56 AM	XLON	6867	96.07	729277473508759
09:45:21 AM	XLON	4403	96.08	729277473508846
09:46:00 AM	XLON	6085	96.08	729277473508888
09:46:50 AM	XLON	1547	96.10	729277473509092
09:46:50 AM	XLON	3885	96.10	729277473509093
09:47:13 AM	XLON	522	96.11	729277473509155
09:47:13 AM	XLON	4300	96.11	729277473509154
09:47:36 AM	XLON	5298	96.05	729277473509211
09:48:03 AM	XLON	3056	96.05	729277473509247
09:48:49 AM	XLON	6462	96.03	729277473509326
09:49:25 AM	XLON	2977	95.99	729277473509368
09:49:25 AM	XLON	3425	95.99	729277473509367
09:50:33 AM	XLON	7267	95.94	729277473509567
09:51:19 AM	XLON	4582	95.97	729277473509635
09:51:48 AM	XLON	964	95.89	729277473509690
09:51:48 AM	XLON	3167	95.89	729277473509691
09:52:23 AM	XLON	4399	95.85	729277473509769
09:52:54 AM	XLON	3448	95.84	729277473509810
09:54:00 AM	XLON	3522	95.82	729277473509879
09:55:43 AM	XLON	595	95.82	729277473510003
09:55:43 AM	XLON	1322	95.82	729277473510004
09:55:52 AM	XLON	7834	95.81	729277473510006
09:56:30 AM	XLON	1115	95.85	729277473510070
09:56:30 AM	XLON	1992	95.85	729277473510069

09:57:30 AM	XLON	4420	95.93	729277473510209
09:57:49 AM	XLON	2665	95.95	729277473510274
09:57:49 AM	XLON	11703	95.95	729277473510273
09:58:22 AM	XLON	3488	95.96	729277473510380
09:59:15 AM	XLON	5103	96.01	729277473510463
09:59:24 AM	XLON	4994	96.00	729277473510475
10:00:20 AM	XLON	6322	96.00	729277473510637
10:00:47 AM	XLON	3284	96.01	729277473510680
10:02:51 AM	XLON	5930	96.18	729277473510985
10:02:51 AM	XLON	6027	96.18	729277473510986
10:02:57 AM	XLON	3207	96.17	729277473511005
10:03:40 AM	XLON	3084	96.16	729277473511090
10:03:52 AM	XLON	6774	96.14	729277473511127
10:04:29 AM	XLON	3188	96.14	729277473511206
10:04:51 AM	XLON	3689	96.13	729277473511233
10:05:20 AM	XLON	3371	96.09	729277473511279
10:06:48 AM	XLON	5810	96.09	729277473511461
10:07:03 AM	XLON	4400	96.13	729277473511532
10:07:41 AM	XLON	3029	96.15	729277473511608
10:07:42 AM	XLON	3027	96.13	729277473511620
10:07:44 AM	XLON	98	96.10	729277473511629
10:07:45 AM	XLON	8795	96.10	729277473511630
10:09:23 AM	XLON	2665	96.18	729277473511924
10:09:23 AM	XLON	3112	96.18	729277473511925
10:09:23 AM	XLON	4300	96.18	729277473511926
10:09:52 AM	XLON	3691	96.17	729277473511939
10:10:44 AM	XLON	9075	96.18	729277473512028
10:11:42 AM	XLON	750	96.23	729277473512103
10:11:42 AM	XLON	7258	96.23	729277473512104
10:13:23 AM	XLON	1846	96.27	729277473512232
10:13:23 AM	XLON	6277	96.27	729277473512231
10:13:42 AM	XLON	9310	96.26	729277473512249

10:15:04 AM	XLON	8746	96.32	729277473512463
10:15:31 AM	XLON	9731	96.33	729277473512570
10:17:22 AM	XLON	3603	96.35	729277473512761
10:17:22 AM	XLON	3184	96.36	729277473512762
10:17:22 AM	XLON	6694	96.36	729277473512757
10:17:31 AM	XLON	3572	96.34	729277473512777
10:18:09 AM	XLON	1097	96.29	729277473512942
10:18:09 AM	XLON	2568	96.29	729277473512943
10:18:09 AM	XLON	3785	96.29	729277473512941
10:19:05 AM	XLON	2665	96.25	729277473513076
10:19:05 AM	XLON	5038	96.25	729277473513077
10:19:52 AM	XLON	946	96.35	729277473513212
10:19:52 AM	XLON	2665	96.35	729277473513211
10:19:56 AM	XLON	2665	96.33	729277473513215
10:19:56 AM	XLON	4339	96.33	729277473513216
10:20:45 AM	XLON	3253	96.36	729277473513310
10:21:08 AM	XLON	3052	96.34	729277473513388
10:22:09 AM	XLON	5418	96.39	729277473513476
10:22:42 AM	XLON	3141	96.40	729277473513514
10:22:42 AM	XLON	3232	96.40	729277473513515
10:22:55 AM	XLON	5114	96.39	729277473513528
10:23:46 AM	XLON	4334	96.40	729277473513643
10:24:11 AM	XLON	8580	96.35	729277473513687
10:24:45 AM	XLON	4412	96.32	729277473513739
10:25:04 AM	XLON	3198	96.31	729277473513754
10:25:47 AM	XLON	4666	96.29	729277473513851
10:26:32 AM	XLON	680	96.26	729277473513974
10:26:32 AM	XLON	2260	96.26	729277473513975
10:26:32 AM	XLON	3187	96.26	729277473513973
10:28:35 AM	XLON	1174	96.32	729277473514133
10:28:35 AM	XLON	3425	96.32	729277473514134
10:28:35 AM	XLON	6930	96.32	729277473514132

10:28:35 AM	XLON	7247	96.32	729277473514135
10:29:19 AM	XLON	3631	96.30	729277473514209
10:30:24 AM	XLON	768	96.34	729277473514336
10:30:24 AM	XLON	842	96.34	729277473514339
10:30:24 AM	XLON	1301	96.34	729277473514337
10:30:24 AM	XLON	1993	96.34	729277473514338
10:31:09 AM	XLON	12763	96.34	729277473514404
10:31:28 AM	XLON	5228	96.32	729277473514442
10:32:24 AM	XLON	1139	96.30	729277473514550
10:32:24 AM	XLON	4456	96.30	729277473514549
10:32:49 AM	XLON	4008	96.28	729277473514607
10:33:22 AM	XLON	3277	96.25	729277473514644
10:33:51 AM	XLON	3685	96.22	729277473514699
10:34:49 AM	XLON	1337	96.22	729277473514898
10:34:49 AM	XLON	4962	96.22	729277473514899
10:35:00 AM	XLON	3289	96.22	729277473514925
10:35:38 AM	XLON	3349	96.21	729277473514974
10:35:48 AM	XLON	3349	96.21	729277473514989
10:36:37 AM	XLON	6421	96.18	729277473515073
10:36:43 AM	XLON	3516	96.12	729277473515079
10:37:05 AM	XLON	3690	96.10	729277473515127
10:38:10 AM	XLON	4401	96.10	729277473515204
10:38:37 AM	XLON	4420	96.11	729277473515216
10:38:51 AM	XLON	3926	96.11	729277473515232
10:39:16 AM	XLON	313	96.11	729277473515271
10:39:16 AM	XLON	662	96.11	729277473515273
10:39:16 AM	XLON	2665	96.11	729277473515272
10:40:58 AM	XLON	1318	96.14	729277473515459
10:40:58 AM	XLON	3414	96.14	729277473515460
10:41:00 AM	XLON	305	96.12	729277473515480
10:41:00 AM	XLON	4300	96.12	729277473515479
10:41:00 AM	XLON	5226	96.12	729277473515478

10:42:27 AM	XLON	3461	96.19	729277473515603
10:42:27 AM	XLON	10862	96.19	729277473515605
10:42:55 AM	XLON	3519	96.17	729277473515630
10:43:35 AM	XLON	3354	96.19	729277473515674
10:43:35 AM	XLON	3837	96.19	729277473515679
10:46:18 AM	XLON	13976	96.24	729277473515939
10:47:09 AM	XLON	9380	96.27	729277473516007
10:47:38 AM	XLON	5188	96.29	729277473516054
10:47:50 AM	XLON	4057	96.28	729277473516075
10:48:59 AM	XLON	4617	96.21	729277473516153
10:48:59 AM	XLON	5261	96.21	729277473516152
10:49:25 AM	XLON	4752	96.21	729277473516183
10:50:25 AM	XLON	5930	96.17	729277473516247
10:52:17 AM	XLON	1563	96.18	729277473516382
10:52:54 AM	XLON	1304	96.18	729277473516447
10:52:54 AM	XLON	3195	96.18	729277473516446
10:52:54 AM	XLON	4300	96.18	729277473516445
10:53:12 AM	XLON	2033	96.22	729277473516466
10:53:12 AM	XLON	3163	96.22	729277473516465
10:53:12 AM	XLON	7719	96.22	729277473516464
10:53:58 AM	XLON	3548	96.24	729277473516554
10:53:58 AM	XLON	3796	96.24	729277473516555
10:54:24 AM	XLON	3283	96.22	729277473516599
10:56:36 AM	XLON	981	96.18	729277473517034
10:56:36 AM	XLON	1835	96.18	729277473517032
10:56:36 AM	XLON	3425	96.18	729277473517033
10:56:50 AM	XLON	980	96.18	729277473517074
10:56:52 AM	XLON	31	96.18	729277473517083
10:56:53 AM	XLON	987	96.18	729277473517084
10:56:55 AM	XLON	890	96.18	729277473517090
10:57:09 AM	XLON	3710	96.20	729277473517136
10:57:24 AM	XLON	11565	96.19	729277473517159

10:57:49 AM	XLON	3853	96.17	729277473517186
10:58:27 AM	XLON	6457	96.18	729277473517266
10:59:37 AM	XLON	4066	96.17	729277473517401
10:59:53 AM	XLON	8458	96.17	729277473517465
11:00:05 AM	XLON	3318	96.16	729277473517500
11:03:11 AM	XLON	3367	96.21	729277473518058
11:03:56 AM	XLON	1074	96.21	729277473518081
11:03:56 AM	XLON	2267	96.21	729277473518080
11:04:18 AM	XLON	5332	96.21	729277473518105
11:04:18 AM	XLON	5450	96.21	729277473518104
11:04:21 AM	XLON	1610	96.22	729277473518110
11:05:00 AM	XLON	7643	96.29	729277473518161
11:05:01 AM	XLON	1731	96.29	729277473518163
11:05:01 AM	XLON	12503	96.29	729277473518162
11:06:15 AM	XLON	7581	96.27	729277473518327
11:06:54 AM	XLON	220	96.26	729277473518401
11:06:54 AM	XLON	9337	96.26	729277473518402
11:07:34 AM	XLON	3276	96.24	729277473518473
11:08:14 AM	XLON	6314	96.21	729277473518530
11:09:21 AM	XLON	8956	96.24	729277473518648
11:11:26 AM	XLON	441	96.25	729277473518804
11:11:46 AM	XLON	927	96.25	729277473518836
11:11:46 AM	XLON	2516	96.25	729277473518837
11:11:51 AM	XLON	837	96.25	729277473518839
11:12:00 AM	XLON	3684	96.24	729277473518844
11:12:20 AM	XLON	1240	96.26	729277473518875
11:13:36 AM	XLON	680	96.26	729277473518997
11:13:36 AM	XLON	1612	96.26	729277473518996
11:13:36 AM	XLON	10707	96.26	729277473518998
11:13:36 AM	XLON	13336	96.26	729277473519000
11:13:36 AM	XLON	1345	96.27	729277473519003
11:13:36 AM	XLON	3304	96.27	729277473519004

11:14:20 AM	XLON	5160	96.20	729277473519061
11:14:36 AM	XLON	3122	96.18	729277473519111
11:15:26 AM	XLON	4113	96.13	729277473519210
11:17:22 AM	XLON	3722	96.19	729277473519501
11:17:58 AM	XLON	14746	96.22	729277473519555
11:18:25 AM	XLON	9046	96.22	729277473519613
11:18:41 AM	XLON	3385	96.22	729277473519661
11:20:42 AM	XLON	2286	96.26	729277473519890
11:20:42 AM	XLON	3570	96.26	729277473519889
11:21:05 AM	XLON	1584	96.28	729277473519978
11:21:05 AM	XLON	2406	96.28	729277473519977
11:21:05 AM	XLON	2609	96.28	729277473519981
11:21:05 AM	XLON	2665	96.28	729277473519979
11:21:05 AM	XLON	3099	96.28	729277473519980
11:21:20 AM	XLON	6611	96.27	729277473520018
11:21:45 AM	XLON	5037	96.21	729277473520051
11:23:07 AM	XLON	6747	96.27	729277473520298
11:23:55 AM	XLON	3158	96.30	729277473520543
11:23:55 AM	XLON	3158	96.30	729277473520545
11:24:17 AM	XLON	3293	96.24	729277473520610
11:24:57 AM	XLON	1146	96.19	729277473520660
11:24:57 AM	XLON	1879	96.19	729277473520661
11:24:57 AM	XLON	3027	96.19	729277473520662
11:25:49 AM	XLON	5284	96.20	729277473520773
11:26:30 AM	XLON	4993	96.21	729277473520876
11:27:23 AM	XLON	7363	96.22	729277473520939
11:28:25 AM	XLON	5055	96.22	729277473521018
11:28:38 AM	XLON	3683	96.25	729277473521048
11:29:14 AM	XLON	3739	96.23	729277473521100
11:29:56 AM	XLON	4592	96.26	729277473521231
11:30:07 AM	XLON	4449	96.24	729277473521275
11:31:48 AM	XLON	5486	96.18	729277473521471

11:31:57 AM	XLON	6153	96.17	729277473521487
11:32:26 AM	XLON	3997	96.16	729277473521507
11:32:47 AM	XLON	3654	96.17	729277473521528
11:33:58 AM	XLON	5079	96.13	729277473521662
11:34:25 AM	XLON	3726	96.13	729277473521743
11:34:51 AM	XLON	1864	96.16	729277473521823
11:34:51 AM	XLON	2781	96.16	729277473521824
11:36:09 AM	XLON	382	96.19	729277473522105
11:36:09 AM	XLON	5103	96.19	729277473522106
11:36:20 AM	XLON	6852	96.17	729277473522117
11:38:12 AM	XLON	2	96.13	729277473522310
11:38:12 AM	XLON	479	96.13	729277473522311
11:39:03 AM	XLON	3217	96.17	729277473522382
11:39:03 AM	XLON	4300	96.17	729277473522381
11:39:29 AM	XLON	1174	96.18	729277473522405
11:39:29 AM	XLON	3603	96.18	729277473522404
11:40:20 AM	XLON	8187	96.18	729277473522457
11:40:30 AM	XLON	10314	96.18	729277473522469
11:42:02 AM	XLON	611	96.16	729277473522563
11:42:02 AM	XLON	3603	96.16	729277473522561
11:42:02 AM	XLON	3900	96.16	729277473522562
11:42:02 AM	XLON	4087	96.17	729277473522557
11:42:25 AM	XLON	825	96.11	729277473522587
11:42:25 AM	XLON	2699	96.11	729277473522586
11:43:50 AM	XLON	6009	96.12	729277473522732
11:44:28 AM	XLON	2665	96.12	729277473522763
11:46:00 AM	XLON	1286	96.21	729277473523030
11:46:00 AM	XLON	3603	96.21	729277473523029
11:47:14 AM	XLON	3603	96.23	729277473523128
11:47:14 AM	XLON	4300	96.23	729277473523127
11:47:24 AM	XLON	4300	96.22	729277473523132
11:47:36 AM	XLON	1320	96.18	729277473523158

11:47:43 AM	XLON	13214	96.19	729277473523170
11:48:55 AM	XLON	3638	96.19	729277473523270
11:48:55 AM	XLON	3756	96.19	729277473523267
11:49:00 AM	XLON	5112	96.17	729277473523287
11:50:04 AM	XLON	6156	96.06	729277473523409
11:51:31 AM	XLON	13912	96.06	729277473523550
11:53:12 AM	XLON	7883	96.09	729277473523670
11:53:56 AM	XLON	6511	96.09	729277473523740
11:54:57 AM	XLON	786	96.10	729277473523902
11:54:57 AM	XLON	2665	96.10	729277473523901
11:54:57 AM	XLON	10862	96.10	729277473523897
11:56:10 AM	XLON	3146	96.08	729277473523996
11:56:11 AM	XLON	2665	96.05	729277473524004
11:56:11 AM	XLON	3198	96.05	729277473524005
11:57:46 AM	XLON	2665	96.10	729277473524153
11:57:46 AM	XLON	3709	96.10	729277473524154
11:57:50 AM	XLON	6781	96.10	729277473524160
11:58:39 AM	XLON	3899	96.12	729277473524242
11:58:50 AM	XLON	3486	96.12	729277473524259
11:59:40 AM	XLON	4758	96.11	729277473524323
12:01:41 PM	XLON	5893	96.15	729277473524529
12:01:41 PM	XLON	14182	96.15	729277473524528
12:02:39 PM	XLON	3349	96.16	729277473524629
12:02:39 PM	XLON	5624	96.16	729277473524619
12:03:14 PM	XLON	3731	96.19	729277473524753
12:03:38 PM	XLON	4368	96.12	729277473524808
12:04:23 PM	XLON	5126	96.07	729277473524876
12:04:45 PM	XLON	3395	96.06	729277473524957
12:06:09 PM	XLON	4429	96.05	729277473525176
12:06:09 PM	XLON	8397	96.05	729277473525179
12:06:51 PM	XLON	3521	96.03	729277473525251
12:07:44 PM	XLON	6251	96.03	729277473525330

12:09:22 PM	XLON	18	96.07	729277473525556
12:09:22 PM	XLON	212	96.07	729277473525558
12:09:22 PM	XLON	2212	96.07	729277473525557
12:09:23 PM	XLON	90	96.07	729277473525574
12:09:23 PM	XLON	230	96.07	729277473525575
12:10:15 PM	XLON	2181	96.08	729277473525713
12:10:15 PM	XLON	4850	96.08	729277473525712
12:10:16 PM	XLON	15	96.08	729277473525714
12:10:17 PM	XLON	2912	96.08	729277473525715
12:10:18 PM	XLON	482	96.08	729277473525716
12:10:23 PM	XLON	2180	96.08	729277473525724
12:10:28 PM	XLON	1592	96.08	729277473525738
12:10:44 PM	XLON	10887	96.07	729277473525762
12:11:40 PM	XLON	5121	96.01	729277473525866
12:12:50 PM	XLON	14216	96.02	729277473526040
12:14:16 PM	XLON	3542	96.03	729277473526230
12:14:53 PM	XLON	3709	96.02	729277473526264
12:14:53 PM	XLON	11658	96.02	729277473526261
12:15:15 PM	XLON	10280	95.99	729277473526321
12:16:30 PM	XLON	301	95.97	729277473526494
12:16:30 PM	XLON	12162	95.97	729277473526493
12:17:20 PM	XLON	3293	96.02	729277473526643
12:17:20 PM	XLON	8966	96.02	729277473526644
12:17:42 PM	XLON	3201	96.00	729277473526665
12:18:10 PM	XLON	3466	96.01	729277473526729
12:18:11 PM	XLON	3334	96.04	729277473526763
12:18:31 PM	XLON	1654	96.01	729277473526831
12:18:31 PM	XLON	3425	96.01	729277473526832
12:18:31 PM	XLON	3482	96.01	729277473526833
12:18:56 PM	XLON	13120	96.01	729277473526918
12:19:21 PM	XLON	117	96.04	729277473526981
12:19:21 PM	XLON	1390	96.04	729277473526983

12:19:21 PM	XLON	1638	96.04	729277473526982
12:19:35 PM	XLON	757	96.02	729277473527006
12:19:35 PM	XLON	1502	96.02	729277473527004
12:19:35 PM	XLON	3425	96.02	729277473527005
12:20:22 PM	XLON	14703	96.03	729277473527136
12:20:24 PM	XLON	12847	96.02	729277473527154
12:21:10 PM	XLON	6442	96.03	729277473527309
12:22:16 PM	XLON	1726	95.99	729277473527469
12:22:16 PM	XLON	3550	95.99	729277473527471
12:22:16 PM	XLON	4300	95.99	729277473527470
12:22:21 PM	XLON	1669	95.97	729277473527501
12:22:22 PM	XLON	1618	95.97	729277473527502
12:23:52 PM	XLON	4401	96.03	729277473527744
12:23:52 PM	XLON	13511	96.03	729277473527738
12:24:50 PM	XLON	8903	96.02	729277473527874
12:25:50 PM	XLON	3639	95.85	729277473527991
12:25:52 PM	XLON	4024	95.87	729277473528009
12:27:08 PM	XLON	9877	95.90	729277473528182
12:27:35 PM	XLON	4409	95.92	729277473528286
12:28:27 PM	XLON	3046	95.95	729277473528421
12:28:27 PM	XLON	3054	95.95	729277473528418
12:29:28 PM	XLON	1171	95.93	729277473528602
12:29:28 PM	XLON	2687	95.93	729277473528614
12:29:58 PM	XLON	3164	95.86	729277473528737
12:30:04 PM	XLON	7585	95.89	729277473529003
12:30:10 PM	XLON	12579	95.79	729277473529048
12:30:40 PM	XLON	3032	96.01	729277473529479
12:30:48 PM	XLON	347	96.13	729277473529657
12:30:48 PM	XLON	3232	96.13	729277473529656
12:30:50 PM	XLON	787	96.08	729277473529682
12:30:50 PM	XLON	3529	96.08	729277473529683
12:30:59 PM	XLON	3886	96.07	729277473529759

12:31:07 PM	XLON	3079	96.13	729277473529828
12:31:07 PM	XLON	3097	96.13	729277473529829
12:31:10 PM	XLON	1067	96.12	729277473529855
12:31:10 PM	XLON	3631	96.12	729277473529856
12:31:19 PM	XLON	3472	96.11	729277473529915
12:31:19 PM	XLON	7721	96.12	729277473529897
12:32:12 PM	XLON	5710	96.12	729277473530151
12:32:55 PM	XLON	100	96.05	729277473530328
12:32:55 PM	XLON	5403	96.05	729277473530329
12:33:11 PM	XLON	3737	95.97	729277473530385
12:34:35 PM	XLON	4665	96.05	729277473530587
12:35:34 PM	XLON	4887	96.06	729277473530655
12:35:59 PM	XLON	915	96.04	729277473530747
12:36:08 PM	XLON	762	96.09	729277473530759
12:36:08 PM	XLON	4129	96.09	729277473530760
12:37:11 PM	XLON	1226	96.20	729277473530950
12:37:11 PM	XLON	2354	96.20	729277473530949
12:37:30 PM	XLON	3039	96.20	729277473530984
12:37:40 PM	XLON	658	96.19	729277473531009
12:37:40 PM	XLON	1416	96.19	729277473531008
12:37:40 PM	XLON	5646	96.19	729277473531007
12:38:11 PM	XLON	5532	96.22	729277473531067
12:38:23 PM	XLON	4618	96.22	729277473531073
12:40:02 PM	XLON	1008	96.20	729277473531287
12:40:02 PM	XLON	5083	96.20	729277473531288
12:40:13 PM	XLON	4757	96.16	729277473531301
12:40:43 PM	XLON	3760	96.13	729277473531389
12:40:43 PM	XLON	3934	96.13	729277473531385
12:41:26 PM	XLON	3415	96.11	729277473531459
12:42:19 PM	XLON	16	96.16	729277473531550
12:42:19 PM	XLON	3048	96.16	729277473531551
12:42:52 PM	XLON	1292	96.21	729277473531593

12:42:52 PM	XLON	3800	96.21	729277473531592
12:42:56 PM	XLON	13304	96.19	729277473531597
12:44:16 PM	XLON	3692	96.25	729277473531801
12:44:16 PM	XLON	3740	96.25	729277473531802
12:44:39 PM	XLON	4156	96.25	729277473531833
12:46:18 PM	XLON	6276	96.29	729277473531973
12:48:38 PM	XLON	3974	96.33	729277473532172
12:48:52 PM	XLON	1699	96.33	729277473532180
12:50:10 PM	XLON	3590	96.36	729277473532301
12:50:28 PM	XLON	3981	96.34	729277473532345
12:50:41 PM	XLON	7640	96.36	729277473532373
12:54:03 PM	XLON	100	96.38	729277473532810
12:54:08 PM	XLON	100	96.38	729277473532811
12:54:08 PM	XLON	10065	96.38	729277473532812
12:54:22 PM	XLON	7995	96.38	729277473532826
12:54:56 PM	XLON	3152	96.39	729277473532912
12:55:31 PM	XLON	3408	96.46	729277473533055
12:55:40 PM	XLON	11770	96.46	729277473533080
12:56:10 PM	XLON	10047	96.41	729277473533161
12:56:20 PM	XLON	1830	96.39	729277473533188
12:57:02 PM	XLON	2194	96.44	729277473533293
12:57:18 PM	XLON	4250	96.43	729277473533299
12:57:18 PM	XLON	10343	96.43	729277473533301
12:57:33 PM	XLON	3327	96.37	729277473533328
12:57:36 PM	XLON	911	96.37	729277473533329
12:57:43 PM	XLON	9519	96.37	729277473533340
12:58:23 PM	XLON	8835	96.36	729277473533476
12:59:26 PM	XLON	3265	96.28	729277473533635
12:59:53 PM	XLON	4177	96.28	729277473533662
13:00:03 PM	XLON	3813	96.27	729277473533692
13:02:35 PM	XLON	3406	96.40	729277473534053
13:02:44 PM	XLON	3219	96.39	729277473534100

13:02:44 PM	XLON	4369	96.39	729277473534097
13:03:44 PM	XLON	1173	96.32	729277473534399
13:04:13 PM	XLON	680	96.34	729277473534479
13:04:13 PM	XLON	1589	96.34	729277473534480
13:04:13 PM	XLON	4214	96.34	729277473534478
13:05:07 PM	XLON	870	96.39	729277473534599
13:05:07 PM	XLON	900	96.39	729277473534598
13:05:41 PM	XLON	900	96.39	729277473534647
13:07:07 PM	XLON	1541	96.37	729277473534951
13:07:15 PM	XLON	135	96.36	729277473535020
13:07:15 PM	XLON	3800	96.36	729277473535019
13:07:27 PM	XLON	5853	96.37	729277473535056
13:08:42 PM	XLON	1271	96.38	729277473535201
13:08:42 PM	XLON	2504	96.38	729277473535202
13:08:42 PM	XLON	2195	96.39	729277473535198
13:08:42 PM	XLON	3272	96.39	729277473535199
13:08:42 PM	XLON	3492	96.39	729277473535197
13:09:03 PM	XLON	3467	96.36	729277473535281
13:10:36 PM	XLON	4917	96.37	729277473535467
13:12:40 PM	XLON	3698	96.40	729277473535690
13:13:36 PM	XLON	4158	96.42	729277473535807
13:15:19 PM	XLON	3638	96.46	729277473536006
13:15:41 PM	XLON	9769	96.43	729277473536026
13:17:01 PM	XLON	7372	96.46	729277473536133
13:18:06 PM	XLON	5248	96.42	729277473536311
13:19:33 PM	XLON	1530	96.40	729277473536529
13:19:33 PM	XLON	1868	96.40	729277473536531
13:19:33 PM	XLON	2300	96.40	729277473536530
13:19:46 PM	XLON	10290	96.39	729277473536559
13:19:47 PM	XLON	1801	96.36	729277473536598
13:19:56 PM	XLON	1543	96.33	729277473536635
13:19:56 PM	XLON	1544	96.34	729277473536636

13:19:56 PM	XLON	1678	96.34	729277473536637
13:20:11 PM	XLON	1037	96.35	729277473536679
13:20:11 PM	XLON	2485	96.35	729277473536678
13:20:22 PM	XLON	1484	96.34	729277473536694
13:20:41 PM	XLON	9462	96.33	729277473536704
13:21:22 PM	XLON	8670	96.34	729277473536751
13:24:05 PM	XLON	7322	96.41	729277473537047
13:24:37 PM	XLON	2222	96.51	729277473537126
13:24:39 PM	XLON	5577	96.50	729277473537130
13:24:42 PM	XLON	180	96.49	729277473537138
13:24:42 PM	XLON	2340	96.49	729277473537136
13:24:42 PM	XLON	3425	96.49	729277473537137
13:24:52 PM	XLON	14582	96.47	729277473537167
13:24:59 PM	XLON	7426	96.49	729277473537203
13:25:31 PM	XLON	7628	96.45	729277473537278
13:25:57 PM	XLON	9274	96.36	729277473537377
13:27:08 PM	XLON	5220	96.41	729277473537531
13:29:54 PM	XLON	6200	96.52	729277473537812
13:30:12 PM	XLON	867	96.59	729277473538185
13:30:12 PM	XLON	3226	96.59	729277473538186
13:30:13 PM	XLON	556	96.55	729277473538198
13:30:13 PM	XLON	4300	96.55	729277473538199
13:30:13 PM	XLON	1981	96.56	729277473538194
13:30:13 PM	XLON	2605	96.56	729277473538201
13:30:13 PM	XLON	2665	96.56	729277473538193
13:30:13 PM	XLON	2885	96.56	729277473538192
13:30:13 PM	XLON	3603	96.56	729277473538200
13:30:14 PM	XLON	5303	96.55	729277473538202
13:30:24 PM	XLON	4826	96.47	729277473538253
13:30:24 PM	XLON	1840	96.48	729277473538255
13:30:24 PM	XLON	2665	96.48	729277473538254
13:30:24 PM	XLON	3462	96.48	729277473538256

13:30:43 PM	XLON	5202	96.48	729277473538352
13:30:43 PM	XLON	8834	96.48	729277473538353
13:31:00 PM	XLON	4689	96.47	729277473538467
13:31:07 PM	XLON	3229	96.42	729277473538565
13:31:37 PM	XLON	1046	96.45	729277473538719
13:31:37 PM	XLON	10568	96.45	729277473538720
13:31:58 PM	XLON	2267	96.38	729277473538939
13:32:05 PM	XLON	1876	96.42	729277473538991
13:32:05 PM	XLON	1892	96.42	729277473538990
13:32:07 PM	XLON	1163	96.42	729277473538992
13:32:08 PM	XLON	443	96.41	729277473539006
13:32:08 PM	XLON	1108	96.41	729277473539004
13:32:08 PM	XLON	1778	96.41	729277473539003
13:32:08 PM	XLON	2174	96.41	729277473539002
13:32:08 PM	XLON	3603	96.41	729277473539005
13:32:10 PM	XLON	1684	96.38	729277473539019
13:32:10 PM	XLON	1934	96.38	729277473539023
13:32:10 PM	XLON	3425	96.38	729277473539020
13:32:10 PM	XLON	3603	96.38	729277473539021
13:32:10 PM	XLON	3700	96.38	729277473539022
13:32:10 PM	XLON	12662	96.38	729277473539018
13:32:18 PM	XLON	4927	96.33	729277473539062
13:32:18 PM	XLON	3513	96.34	729277473539056
13:32:32 PM	XLON	515	96.34	729277473539128
13:32:32 PM	XLON	2073	96.34	729277473539130
13:32:32 PM	XLON	3125	96.34	729277473539129
13:33:20 PM	XLON	3375	96.38	729277473539288
13:33:52 PM	XLON	5489	96.28	729277473539441
13:34:14 PM	XLON	3167	96.26	729277473539535
13:34:31 PM	XLON	4464	96.27	729277473539593
13:34:41 PM	XLON	2244	96.27	729277473539637
13:34:41 PM	XLON	3749	96.27	729277473539638

13:35:10 PM	XLON	1290	96.29	729277473539806
13:37:20 PM	XLON	763	96.46	729277473540509
13:37:20 PM	XLON	3425	96.46	729277473540508
13:37:27 PM	XLON	1065	96.44	729277473540530
13:37:27 PM	XLON	4825	96.44	729277473540529
13:37:28 PM	XLON	854	96.45	729277473540533
13:37:28 PM	XLON	1041	96.45	729277473540531
13:37:28 PM	XLON	3425	96.45	729277473540532
13:37:37 PM	XLON	7302	96.45	729277473540572
13:38:34 PM	XLON	1383	96.47	729277473540834
13:38:34 PM	XLON	1731	96.47	729277473540833
13:38:34 PM	XLON	1733	96.47	729277473540822
13:38:36 PM	XLON	1799	96.46	729277473540853
13:38:36 PM	XLON	1815	96.46	729277473540854
13:38:37 PM	XLON	1820	96.46	729277473540855
13:38:47 PM	XLON	1741	96.45	729277473540883
13:38:47 PM	XLON	2027	96.45	729277473540884
13:38:49 PM	XLON	2027	96.45	729277473540885
13:38:50 PM	XLON	2015	96.45	729277473540898
13:38:53 PM	XLON	1993	96.44	729277473540915
13:38:53 PM	XLON	2641	96.44	729277473540916
13:38:53 PM	XLON	4300	96.44	729277473540914
13:38:56 PM	XLON	491	96.44	729277473540919
13:38:56 PM	XLON	1991	96.44	729277473540917
13:38:56 PM	XLON	2542	96.44	729277473540918
13:38:59 PM	XLON	1819	96.44	729277473540950
13:39:00 PM	XLON	1688	96.44	729277473540956
13:39:20 PM	XLON	1139	96.47	729277473541026
13:39:34 PM	XLON	1388	96.47	729277473541062
13:39:39 PM	XLON	1434	96.47	729277473541087
13:40:04 PM	XLON	2665	96.50	729277473541191
13:40:04 PM	XLON	9068	96.50	729277473541188

13:40:04 PM	XLON	88	96.51	729277473541193
13:40:04 PM	XLON	1178	96.51	729277473541192
13:40:28 PM	XLON	3105	96.51	729277473541265
13:40:28 PM	XLON	5062	96.51	729277473541264
13:40:31 PM	XLON	3417	96.49	729277473541293
13:40:43 PM	XLON	1597	96.47	729277473541343
13:40:43 PM	XLON	2769	96.47	729277473541344
13:40:44 PM	XLON	15047	96.46	729277473541346
13:40:52 PM	XLON	49	96.45	729277473541393
13:40:52 PM	XLON	3500	96.45	729277473541392
13:41:15 PM	XLON	4365	96.48	729277473541487
13:41:57 PM	XLON	7417	96.47	729277473541643
13:42:19 PM	XLON	10588	96.37	729277473541780
13:42:33 PM	XLON	4780	96.30	729277473541838
13:43:23 PM	XLON	1150	96.36	729277473542020
13:43:25 PM	XLON	1074	96.35	729277473542027
13:43:45 PM	XLON	11990	96.34	729277473542064
13:43:48 PM	XLON	5985	96.33	729277473542088
13:44:21 PM	XLON	1800	96.35	729277473542238
13:44:47 PM	XLON	5205	96.37	729277473542286
13:45:15 PM	XLON	3367	96.35	729277473542354
13:45:41 PM	XLON	2054	96.33	729277473542471
13:45:41 PM	XLON	4637	96.33	729277473542470
13:46:13 PM	XLON	2487	96.31	729277473542560
13:46:13 PM	XLON	5001	96.31	729277473542561
13:48:27 PM	XLON	1812	96.38	729277473542878
13:48:50 PM	XLON	1559	96.40	729277473542919
13:48:50 PM	XLON	3603	96.40	729277473542920
13:48:52 PM	XLON	4419	96.40	729277473542940
13:49:02 PM	XLON	4611	96.42	729277473542953
13:49:18 PM	XLON	3204	96.41	729277473542968
13:49:18 PM	XLON	3439	96.41	729277473542969

13:49:33 PM	XLON	680	96.40	729277473543019
13:49:33 PM	XLON	1551	96.40	729277473543018
13:49:52 PM	XLON	5825	96.39	729277473543109
13:49:55 PM	XLON	370	96.36	729277473543166
13:49:55 PM	XLON	5671	96.36	729277473543167
13:50:11 PM	XLON	1551	96.30	729277473543287
13:50:13 PM	XLON	2217	96.30	729277473543302
13:50:20 PM	XLON	550	96.31	729277473543312
13:50:20 PM	XLON	887	96.31	729277473543313
13:50:20 PM	XLON	2027	96.31	729277473543311
13:51:02 PM	XLON	6593	96.25	729277473543504
13:51:11 PM	XLON	2281	96.21	729277473543706
13:51:11 PM	XLON	2292	96.21	729277473543719
13:51:13 PM	XLON	2314	96.22	729277473543744
13:51:21 PM	XLON	13663	96.22	729277473543778
13:51:36 PM	XLON	2655	96.25	729277473543898
13:51:36 PM	XLON	2982	96.25	729277473543899
13:51:47 PM	XLON	5636	96.26	729277473543983
13:53:31 PM	XLON	2053	96.27	729277473544363
13:53:31 PM	XLON	11618	96.27	729277473544362
13:53:33 PM	XLON	1005	96.26	729277473544427
13:53:33 PM	XLON	3425	96.26	729277473544426
13:54:33 PM	XLON	3306	96.21	729277473544661
13:54:33 PM	XLON	5453	96.21	729277473544662
13:55:01 PM	XLON	4426	96.17	729277473544701
13:56:16 PM	XLON	5659	96.11	729277473544993
13:57:09 PM	XLON	1691	96.09	729277473545126
13:57:19 PM	XLON	169	96.09	729277473545145
13:57:19 PM	XLON	3603	96.09	729277473545144
13:59:09 PM	XLON	3272	96.11	729277473545453
13:59:23 PM	XLON	6908	96.11	729277473545478
13:59:23 PM	XLON	7866	96.11	729277473545477

13:59:44 PM	XLON	6176	96.09	729277473545560
14:00:08 PM	XLON	711	96.07	729277473545672
14:00:12 PM	XLON	4170	96.07	729277473545691
14:00:27 PM	XLON	1854	96.03	729277473545761
14:00:32 PM	XLON	3785	96.03	729277473545770
14:01:20 PM	XLON	4639	96.11	729277473545916
14:02:40 PM	XLON	1781	96.15	729277473546141
14:02:40 PM	XLON	2323	96.15	729277473546137
14:02:40 PM	XLON	4952	96.15	729277473546138
14:02:40 PM	XLON	9155	96.15	729277473546142
14:03:29 PM	XLON	1089	96.21	729277473546287
14:03:29 PM	XLON	10663	96.21	729277473546288
14:03:52 PM	XLON	6924	96.21	729277473546343
14:04:09 PM	XLON	4522	96.19	729277473546368
14:04:35 PM	XLON	1652	96.18	729277473546391
14:05:21 PM	XLON	1652	96.23	729277473546529
14:05:24 PM	XLON	2098	96.23	729277473546555
14:05:26 PM	XLON	5749	96.22	729277473546567
14:05:27 PM	XLON	4546	96.22	729277473546568
14:06:26 PM	XLON	3465	96.21	729277473546711
14:07:29 PM	XLON	6675	96.16	729277473546896
14:08:31 PM	XLON	3982	96.18	729277473547025
14:08:31 PM	XLON	11800	96.18	729277473547019
14:09:33 PM	XLON	1328	96.08	729277473547244
14:09:33 PM	XLON	2301	96.08	729277473547245
14:10:03 PM	XLON	5681	96.09	729277473547304
14:10:31 PM	XLON	7005	96.06	729277473547412
14:11:03 PM	XLON	5185	96.04	729277473547527
14:12:43 PM	XLON	10698	96.07	729277473548080
14:12:46 PM	XLON	3738	96.05	729277473548097
14:13:11 PM	XLON	10031	96.09	729277473548270
14:14:50 PM	XLON	2	96.10	729277473548477

14:14:50 PM	XLON	116	96.10	729277473548476
14:14:50 PM	XLON	6671	96.10	729277473548478
14:15:33 PM	XLON	680	96.11	729277473548574
14:15:33 PM	XLON	1595	96.11	729277473548573
14:15:50 PM	XLON	680	96.13	729277473548634
14:16:12 PM	XLON	13841	96.13	729277473548684
14:16:15 PM	XLON	759	96.10	729277473548718
14:16:15 PM	XLON	3696	96.10	729277473548717
14:16:41 PM	XLON	1733	96.15	729277473548826
14:16:41 PM	XLON	2879	96.15	729277473548827
14:16:45 PM	XLON	5116	96.15	729277473548839
14:17:26 PM	XLON	3865	96.21	729277473548980
14:17:30 PM	XLON	3249	96.21	729277473548988
14:17:35 PM	XLON	693	96.19	729277473549022
14:17:35 PM	XLON	2806	96.19	729277473549019
14:17:35 PM	XLON	3125	96.19	729277473549021
14:17:35 PM	XLON	4358	96.19	729277473549020
14:17:36 PM	XLON	5329	96.18	729277473549040
14:17:39 PM	XLON	6174	96.15	729277473549065
14:18:45 PM	XLON	6196	96.15	729277473549167
14:19:27 PM	XLON	2760	96.13	729277473549266
14:19:37 PM	XLON	9307	96.12	729277473549399
14:20:31 PM	XLON	5818	96.07	729277473549645
14:21:05 PM	XLON	8316	96.12	729277473549777
14:21:55 PM	XLON	7550	96.12	729277473549902
14:22:13 PM	XLON	2291	96.12	729277473549939
14:22:13 PM	XLON	4260	96.12	729277473549933
14:22:28 PM	XLON	5711	96.12	729277473549952
14:23:28 PM	XLON	10109	96.17	729277473550093
14:23:40 PM	XLON	3992	96.18	729277473550169
14:23:53 PM	XLON	9314	96.18	729277473550195
14:24:14 PM	XLON	20	96.16	729277473550247

14:24:14 PM	XLON	212	96.16	729277473550246
14:24:14 PM	XLON	2590	96.16	729277473550248
14:24:27 PM	XLON	4757	96.17	729277473550290
14:26:00 PM	XLON	4903	96.18	729277473550444
14:26:46 PM	XLON	1861	96.15	729277473550567
14:26:46 PM	XLON	3226	96.15	729277473550566
14:27:10 PM	XLON	3206	96.16	729277473550758
14:27:23 PM	XLON	40	96.16	729277473550799
14:27:37 PM	XLON	5205	96.16	729277473550806
14:27:37 PM	XLON	6013	96.16	729277473550805
14:28:24 PM	XLON	1817	96.16	729277473550904
14:28:24 PM	XLON	2782	96.16	729277473550903
14:28:43 PM	XLON	1043	96.14	729277473550949
14:28:43 PM	XLON	2708	96.14	729277473550948
14:28:48 PM	XLON	701	96.14	729277473550962
14:28:48 PM	XLON	1582	96.14	729277473550963
14:28:48 PM	XLON	1739	96.14	729277473550964
14:28:50 PM	XLON	399	96.13	729277473550968
14:28:50 PM	XLON	5122	96.13	729277473550969
14:28:50 PM	XLON	8209	96.13	729277473550967
14:29:17 PM	XLON	3362	96.14	729277473551041
14:29:17 PM	XLON	3425	96.14	729277473551040
14:29:21 PM	XLON	1131	96.13	729277473551043
14:30:10 PM	XLON	620	96.13	729277473551278
14:30:10 PM	XLON	3425	96.13	729277473551277
14:30:10 PM	XLON	9924	96.13	729277473551268
14:30:19 PM	XLON	1714	96.11	729277473551315
14:30:19 PM	XLON	1410	96.12	729277473551317
14:30:19 PM	XLON	1714	96.12	729277473551316
14:30:19 PM	XLON	3535	96.12	729277473551312
14:31:04 PM	XLON	616	96.05	729277473551469
14:31:04 PM	XLON	4762	96.05	729277473551471

14:31:06 PM	XLON	3520	96.03	729277473551475
14:31:18 PM	XLON	3763	96.05	729277473551525
14:31:21 PM	XLON	4500	96.04	729277473551535
14:31:26 PM	XLON	5307	96.04	729277473551551
14:31:35 PM	XLON	11624	96.03	729277473551601
14:31:54 PM	XLON	1819	96.02	729277473551654
14:31:54 PM	XLON	1977	96.02	729277473551653
14:31:57 PM	XLON	4470	96.00	729277473551683
14:32:27 PM	XLON	30	96.01	729277473551768
14:32:40 PM	XLON	595	96.04	729277473551849
14:32:40 PM	XLON	2351	96.04	729277473551847
14:32:40 PM	XLON	2665	96.04	729277473551846
14:32:40 PM	XLON	2665	96.04	729277473551850
14:32:40 PM	XLON	3782	96.04	729277473551848
14:32:40 PM	XLON	3868	96.04	729277473551851
14:32:40 PM	XLON	5330	96.04	729277473551845
14:33:05 PM	XLON	1543	96.04	729277473551883
14:33:05 PM	XLON	3576	96.04	729277473551885
14:33:09 PM	XLON	18	96.04	729277473551933
14:33:09 PM	XLON	2508	96.04	729277473551935
14:33:09 PM	XLON	3425	96.04	729277473551934
14:33:11 PM	XLON	4300	96.03	729277473551943
14:33:35 PM	XLON	7042	96.01	729277473551971
14:33:43 PM	XLON	3188	95.99	729277473551991
14:33:43 PM	XLON	3655	95.99	729277473551992
14:34:06 PM	XLON	1522	96.03	729277473552064
14:34:06 PM	XLON	2182	96.03	729277473552065
14:34:06 PM	XLON	2665	96.03	729277473552063
14:34:20 PM	XLON	140	96.02	729277473552130
14:34:20 PM	XLON	3430	96.02	729277473552123
14:34:20 PM	XLON	3603	96.02	729277473552129
14:34:29 PM	XLON	3342	96.01	729277473552149

14:35:33 PM	XLON	3425	96.00	729277473552397
14:35:33 PM	XLON	4303	96.00	729277473552398
14:35:33 PM	XLON	1575	96.03	729277473552374
14:35:33 PM	XLON	4314	96.03	729277473552373
14:35:33 PM	XLON	13259	96.03	729277473552370
14:35:49 PM	XLON	5340	95.96	729277473552441
14:35:49 PM	XLON	8678	95.96	729277473552442
14:35:54 PM	XLON	14121	95.93	729277473552516
14:35:54 PM	XLON	3818	95.94	729277473552509
14:36:13 PM	XLON	4021	95.94	729277473552587
14:36:58 PM	XLON	5721	95.92	729277473552664
14:37:10 PM	XLON	7259	95.91	729277473552730
14:37:17 PM	XLON	7066	95.92	729277473552770
14:37:26 PM	XLON	1263	95.93	729277473552806
14:37:26 PM	XLON	3603	95.93	729277473552805
14:37:31 PM	XLON	11058	95.92	729277473552809
14:38:21 PM	XLON	8547	95.91	729277473552971
14:38:22 PM	XLON	4868	95.87	729277473553011
14:38:22 PM	XLON	2092	95.89	729277473553003
14:38:22 PM	XLON	2603	95.89	729277473553001
14:38:22 PM	XLON	3425	95.89	729277473553002
14:38:24 PM	XLON	3961	95.87	729277473553020
14:38:24 PM	XLON	8767	95.87	729277473553017
14:38:41 PM	XLON	3551	95.86	729277473553076
14:38:59 PM	XLON	8253	95.83	729277473553216
14:40:23 PM	XLON	10425	95.91	729277473553530
14:40:44 PM	XLON	4139	95.90	729277473553638
14:40:44 PM	XLON	10043	95.90	729277473553637
14:43:22 PM	XLON	6604	95.89	729277473553960
14:43:29 PM	XLON	6604	95.89	729277473553987
14:43:29 PM	XLON	8036	95.89	729277473553985
14:44:15 PM	XLON	2299	95.88	729277473554147

14:44:15 PM	XLON	3934	95.88	729277473554146
14:44:27 PM	XLON	4433	95.88	729277473554187
14:44:37 PM	XLON	4465	95.87	729277473554211
14:45:14 PM	XLON	8608	95.89	729277473554307
14:46:36 PM	XLON	2377	95.85	729277473554445
14:46:36 PM	XLON	2704	95.85	729277473554444
14:47:01 PM	XLON	8410	95.85	729277473554487
14:47:14 PM	XLON	8531	95.84	729277473554547
14:48:34 PM	XLON	319	95.85	729277473554798
14:48:58 PM	XLON	831	95.85	729277473554844
14:48:59 PM	XLON	3198	95.86	729277473554850
14:48:59 PM	XLON	3425	95.86	729277473554849
14:49:01 PM	XLON	6639	95.86	729277473554860
14:49:28 PM	XLON	3059	95.89	729277473554931
14:49:28 PM	XLON	6065	95.89	729277473554927
14:49:50 PM	XLON	10134	95.89	729277473555065
14:50:27 PM	XLON	3815	95.90	729277473555242
14:50:27 PM	XLON	3975	95.90	729277473555231
14:50:38 PM	XLON	3095	95.88	729277473555316
14:51:17 PM	XLON	54	95.88	729277473555467
14:51:17 PM	XLON	2665	95.88	729277473555465
14:51:17 PM	XLON	5330	95.88	729277473555464
14:51:52 PM	XLON	5536	95.84	729277473555632
14:52:48 PM	XLON	7883	95.87	729277473555865
14:52:56 PM	XLON	3059	95.86	729277473555876
14:53:29 PM	XLON	8106	95.89	729277473556160
14:53:29 PM	XLON	4907	95.90	729277473556158
14:53:29 PM	XLON	3379	95.92	729277473556154
14:53:56 PM	XLON	10458	95.87	729277473556298
14:54:05 PM	XLON	3378	95.86	729277473556414
14:54:29 PM	XLON	163	95.86	729277473556451
14:54:29 PM	XLON	4412	95.86	729277473556452

14:54:51 PM	XLON	861	95.83	729277473556549
14:54:51 PM	XLON	924	95.83	729277473556547
14:54:51 PM	XLON	3603	95.83	729277473556548
14:55:12 PM	XLON	112	95.84	729277473556658
14:55:12 PM	XLON	680	95.84	729277473556657
14:55:12 PM	XLON	2683	95.84	729277473556655
14:55:12 PM	XLON	6016	95.84	729277473556656
14:55:12 PM	XLON	8424	95.85	729277473556652
14:55:27 PM	XLON	1932	95.83	729277473556694
14:55:27 PM	XLON	3230	95.83	729277473556691
14:55:27 PM	XLON	3603	95.83	729277473556693
14:56:22 PM	XLON	5225	95.83	729277473556814
14:56:25 PM	XLON	133	95.83	729277473556825
14:56:25 PM	XLON	291	95.83	729277473556824
14:56:25 PM	XLON	805	95.83	729277473556823
14:56:25 PM	XLON	876	95.83	729277473556826
14:56:48 PM	XLON	1650	95.83	729277473556890
14:56:48 PM	XLON	1777	95.83	729277473556891
14:56:48 PM	XLON	2557	95.83	729277473556889
14:56:48 PM	XLON	3425	95.83	729277473556888
14:56:53 PM	XLON	1371	95.82	729277473556926
14:56:59 PM	XLON	30	95.82	729277473556952
14:56:59 PM	XLON	2277	95.84	729277473556943
14:56:59 PM	XLON	2931	95.84	729277473556942
14:57:25 PM	XLON	900	95.84	729277473557078
14:57:25 PM	XLON	3425	95.84	729277473557077
14:57:25 PM	XLON	3425	95.84	729277473557079
14:57:25 PM	XLON	4200	95.84	729277473557076
14:57:30 PM	XLON	4269	95.82	729277473557142
14:57:30 PM	XLON	1730	95.83	729277473557135
14:57:30 PM	XLON	2211	95.83	729277473557136
14:58:00 PM	XLON	5582	95.85	729277473557296

14:58:11 PM	XLON	1244	95.84	729277473557375
14:58:11 PM	XLON	12934	95.84	729277473557374
14:58:25 PM	XLON	746	95.83	729277473557447
14:58:25 PM	XLON	1172	95.83	729277473557448
14:58:25 PM	XLON	1735	95.83	729277473557449
14:58:32 PM	XLON	9978	95.82	729277473557463
14:58:43 PM	XLON	4229	95.80	729277473557526
14:59:17 PM	XLON	9825	95.79	729277473557704
14:59:43 PM	XLON	10673	95.80	729277473557812
14:59:56 PM	XLON	10722	95.76	729277473557916
15:00:23 PM	XLON	12532	95.77	729277473558029
15:00:39 PM	XLON	3227	95.75	729277473558062
15:00:42 PM	XLON	680	95.73	729277473558074
15:00:42 PM	XLON	4019	95.73	729277473558075
15:01:06 PM	XLON	3298	95.76	729277473558146
15:01:26 PM	XLON	3449	95.79	729277473558236
15:01:30 PM	XLON	990	95.79	729277473558238
15:01:35 PM	XLON	945	95.79	729277473558251
15:01:35 PM	XLON	1016	95.79	729277473558252
15:01:45 PM	XLON	3425	95.79	729277473558269
15:01:45 PM	XLON	3520	95.79	729277473558270
15:01:48 PM	XLON	3535	95.78	729277473558293
15:01:55 PM	XLON	11920	95.79	729277473558323
15:02:08 PM	XLON	3547	95.80	729277473558392
15:02:54 PM	XLON	8390	95.84	729277473558493
15:03:19 PM	XLON	3072	95.91	729277473558581
15:03:19 PM	XLON	4607	95.91	729277473558574
15:03:37 PM	XLON	1640	95.92	729277473558627
15:03:37 PM	XLON	2794	95.92	729277473558629
15:03:37 PM	XLON	2807	95.92	729277473558626
15:03:37 PM	XLON	3425	95.92	729277473558628
15:04:21 PM	XLON	12689	95.98	729277473558810

15:04:21 PM	XLON	3425	95.99	729277473558811
15:04:21 PM	XLON	3603	95.99	729277473558812
15:04:21 PM	XLON	6222	95.99	729277473558813
15:04:22 PM	XLON	7784	95.98	729277473558820
15:04:45 PM	XLON	6265	95.97	729277473558904
15:04:55 PM	XLON	3634	95.96	729277473558921
15:04:55 PM	XLON	3793	95.96	729277473558931
15:05:02 PM	XLON	4527	95.97	729277473558955
15:05:56 PM	XLON	1861	96.02	729277473559174
15:06:05 PM	XLON	603	96.02	729277473559210
15:06:05 PM	XLON	1499	96.03	729277473559205
15:06:05 PM	XLON	1896	96.03	729277473559206
15:06:05 PM	XLON	5703	96.03	729277473559204
15:06:46 PM	XLON	2306	96.05	729277473559275
15:06:48 PM	XLON	54	96.05	729277473559288
15:07:23 PM	XLON	1873	96.11	729277473559389
15:07:23 PM	XLON	2525	96.11	729277473559386
15:07:23 PM	XLON	2557	96.11	729277473559387
15:07:23 PM	XLON	3603	96.11	729277473559388
15:08:12 PM	XLON	10576	96.13	729277473559589
15:08:12 PM	XLON	3425	96.15	729277473559587
15:08:12 PM	XLON	3603	96.15	729277473559586
15:08:12 PM	XLON	6340	96.15	729277473559588
15:08:31 PM	XLON	3603	96.15	729277473559633
15:08:36 PM	XLON	3603	96.15	729277473559638
15:08:43 PM	XLON	1371	96.13	729277473559683
15:08:43 PM	XLON	7923	96.13	729277473559682
15:08:43 PM	XLON	13974	96.14	729277473559663
15:08:49 PM	XLON	9421	96.16	729277473559730
15:09:03 PM	XLON	4300	96.14	729277473559746
15:09:11 PM	XLON	836	96.16	729277473559785
15:09:28 PM	XLON	3425	96.17	729277473559829

15:09:28 PM	XLON	3603	96.17	729277473559828
15:09:36 PM	XLON	4226	96.16	729277473559842
15:09:36 PM	XLON	5501	96.16	729277473559841
15:09:36 PM	XLON	9935	96.17	729277473559843
15:09:42 PM	XLON	3491	96.13	729277473559878
15:10:21 PM	XLON	9380	96.18	729277473560070
15:10:50 PM	XLON	3794	96.16	729277473560120
15:10:50 PM	XLON	9628	96.16	729277473560121
15:10:57 PM	XLON	5685	96.16	729277473560148
15:11:16 PM	XLON	1583	96.12	729277473560203
15:11:16 PM	XLON	4470	96.12	729277473560204
15:11:46 PM	XLON	3105	96.13	729277473560283
15:12:05 PM	XLON	25	96.14	729277473560373
15:12:34 PM	XLON	2201	96.13	729277473560486
15:12:34 PM	XLON	13648	96.13	729277473560485
15:12:39 PM	XLON	14698	96.12	729277473560492
15:12:49 PM	XLON	3347	96.12	729277473560538
15:13:04 PM	XLON	6673	96.08	729277473560592
15:13:27 PM	XLON	3766	96.07	729277473560691
15:13:27 PM	XLON	5198	96.07	729277473560690
15:13:27 PM	XLON	5198	96.07	729277473560692
15:13:49 PM	XLON	4007	95.98	729277473560745
15:14:15 PM	XLON	7648	96.01	729277473560874
15:14:34 PM	XLON	4624	96.01	729277473560913
15:15:01 PM	XLON	459	96.06	729277473561001
15:15:01 PM	XLON	459	96.06	729277473561006
15:15:01 PM	XLON	484	96.06	729277473561005
15:15:01 PM	XLON	945	96.06	729277473561002
15:15:01 PM	XLON	1222	96.06	729277473561003
15:15:01 PM	XLON	3106	96.06	729277473561004
15:15:15 PM	XLON	880	96.07	729277473561101
15:15:15 PM	XLON	991	96.07	729277473561100

15:15:49 PM	XLON	2103	96.11	729277473561249
15:15:49 PM	XLON	4300	96.11	729277473561246
15:15:49 PM	XLON	6726	96.11	729277473561248
15:15:49 PM	XLON	11333	96.11	729277473561244
15:15:55 PM	XLON	3783	96.10	729277473561303
15:16:44 PM	XLON	2445	96.12	729277473561452
15:16:44 PM	XLON	6781	96.12	729277473561453
15:16:56 PM	XLON	803	96.12	729277473561473
15:16:56 PM	XLON	2426	96.12	729277473561472
15:16:56 PM	XLON	3425	96.12	729277473561471
15:16:56 PM	XLON	5276	96.12	729277473561470
15:17:40 PM	XLON	2000	96.14	729277473561562
15:17:50 PM	XLON	5809	96.15	729277473561604
15:17:51 PM	XLON	9655	96.15	729277473561605
15:18:19 PM	XLON	3902	96.14	729277473561699
15:18:22 PM	XLON	9575	96.14	729277473561701
15:18:35 PM	XLON	3167	96.13	729277473561741
15:19:02 PM	XLON	7701	96.16	729277473561797
15:19:21 PM	XLON	2281	96.15	729277473561872
15:19:21 PM	XLON	3977	96.15	729277473561869
15:19:22 PM	XLON	1820	96.15	729277473561874
15:19:22 PM	XLON	2672	96.15	729277473561873
15:19:29 PM	XLON	131	96.14	729277473561975
15:19:29 PM	XLON	3603	96.14	729277473561974
15:19:29 PM	XLON	4689	96.15	729277473561957
15:20:23 PM	XLON	581	96.18	729277473562251
15:20:23 PM	XLON	1457	96.18	729277473562255
15:20:23 PM	XLON	2665	96.18	729277473562256
15:20:23 PM	XLON	3206	96.18	729277473562252
15:20:23 PM	XLON	3431	96.18	729277473562253
15:20:23 PM	XLON	3659	96.18	729277473562254
15:20:23 PM	XLON	1039	96.19	729277473562257

15:21:04 PM	XLON	316	96.19	729277473562375
15:21:05 PM	XLON	145	96.19	729277473562376
15:21:09 PM	XLON	217	96.21	729277473562397
15:21:13 PM	XLON	3323	96.21	729277473562408
15:21:15 PM	XLON	152	96.20	729277473562412
15:21:15 PM	XLON	1322	96.20	729277473562413
15:21:19 PM	XLON	5395	96.20	729277473562424
15:21:19 PM	XLON	6655	96.20	729277473562425
15:21:55 PM	XLON	898	96.22	729277473562485
15:21:55 PM	XLON	2134	96.22	729277473562484
15:22:02 PM	XLON	3568	96.23	729277473562490
15:22:07 PM	XLON	1423	96.22	729277473562523
15:22:07 PM	XLON	1904	96.22	729277473562527
15:22:07 PM	XLON	4300	96.22	729277473562526
15:22:07 PM	XLON	4369	96.22	729277473562524
15:22:45 PM	XLON	73	96.22	729277473562660
15:22:45 PM	XLON	4300	96.22	729277473562659
15:22:45 PM	XLON	9398	96.22	729277473562656
15:23:11 PM	XLON	2474	96.20	729277473562726
15:23:11 PM	XLON	3600	96.20	729277473562725
15:23:11 PM	XLON	3376	96.21	729277473562721
15:23:50 PM	XLON	6520	96.22	729277473562841
15:24:02 PM	XLON	7552	96.22	729277473562854
15:24:03 PM	XLON	3249	96.22	729277473562857
15:24:13 PM	XLON	857	96.21	729277473562879
15:24:13 PM	XLON	2190	96.21	729277473562880
15:24:45 PM	XLON	6758	96.22	729277473562985
15:25:06 PM	XLON	3	96.22	729277473563038
15:25:06 PM	XLON	4477	96.22	729277473563037
15:25:06 PM	XLON	8030	96.22	729277473563035
15:26:21 PM	XLON	18	96.23	729277473563282
15:26:21 PM	XLON	3425	96.23	729277473563284

15:26:21 PM	XLON	3603	96.23	729277473563283
15:26:26 PM	XLON	1551	96.21	729277473563305
15:26:26 PM	XLON	3425	96.21	729277473563304
15:26:26 PM	XLON	3603	96.21	729277473563303
15:26:39 PM	XLON	687	96.21	729277473563334
15:26:39 PM	XLON	3603	96.21	729277473563335
15:26:48 PM	XLON	1603	96.22	729277473563363
15:26:48 PM	XLON	2518	96.22	729277473563364
15:26:53 PM	XLON	103	96.20	729277473563397
15:26:57 PM	XLON	3734	96.20	729277473563409
15:26:57 PM	XLON	3837	96.20	729277473563413
15:26:57 PM	XLON	8179	96.20	729277473563410
15:27:29 PM	XLON	713	96.19	729277473563598
15:27:29 PM	XLON	4300	96.19	729277473563597
15:28:09 PM	XLON	3633	96.20	729277473563704
15:28:09 PM	XLON	13399	96.20	729277473563702
15:28:45 PM	XLON	2334	96.20	729277473563802
15:28:45 PM	XLON	2979	96.20	729277473563793
15:28:45 PM	XLON	3603	96.20	729277473563801
15:28:45 PM	XLON	3967	96.20	729277473563794
15:29:04 PM	XLON	3693	96.19	729277473563877
15:29:39 PM	XLON	10194	96.15	729277473564028
15:29:57 PM	XLON	1729	96.13	729277473564069
15:29:57 PM	XLON	3603	96.13	729277473564070
15:29:57 PM	XLON	4194	96.13	729277473564077
15:30:26 PM	XLON	5223	96.15	729277473564170
15:30:38 PM	XLON	4933	96.14	729277473564242
15:30:59 PM	XLON	379	96.13	729277473564313
15:30:59 PM	XLON	680	96.13	729277473564312
15:30:59 PM	XLON	784	96.13	729277473564310
15:30:59 PM	XLON	2665	96.13	729277473564311
15:31:20 PM	XLON	2215	96.13	729277473564406

15:31:20 PM	XLON	7609	96.13	729277473564407
15:31:28 PM	XLON	3479	96.12	729277473564436
15:31:35 PM	XLON	3169	96.11	729277473564453
15:31:45 PM	XLON	3168	96.09	729277473564491
15:32:13 PM	XLON	8237	96.04	729277473564620
15:32:43 PM	XLON	4839	96.05	729277473564746
15:32:43 PM	XLON	6639	96.05	729277473564745
15:33:19 PM	XLON	8421	96.05	729277473564890
15:33:46 PM	XLON	9126	96.05	729277473564992
15:34:46 PM	XLON	2665	96.06	729277473565252
15:34:46 PM	XLON	4300	96.06	729277473565253
15:34:46 PM	XLON	8810	96.06	729277473565250
15:34:58 PM	XLON	6009	96.07	729277473565306
15:35:05 PM	XLON	4218	96.07	729277473565326
15:35:05 PM	XLON	4391	96.07	729277473565327
15:35:54 PM	XLON	3044	96.16	729277473565571
15:36:00 PM	XLON	417	96.16	729277473565586
15:36:00 PM	XLON	2699	96.16	729277473565587
15:36:06 PM	XLON	2197	96.14	729277473565596
15:36:06 PM	XLON	11568	96.14	729277473565595
15:36:06 PM	XLON	3603	96.15	729277473565597
15:36:30 PM	XLON	3518	96.14	729277473565690
15:36:53 PM	XLON	1802	96.14	729277473565760
15:36:53 PM	XLON	3425	96.14	729277473565759
15:36:53 PM	XLON	4373	96.14	729277473565756
15:37:13 PM	XLON	680	96.14	729277473565802
15:37:13 PM	XLON	825	96.14	729277473565801
15:37:50 PM	XLON	145	96.16	729277473565943
15:37:59 PM	XLON	982	96.20	729277473565971
15:37:59 PM	XLON	3526	96.20	729277473565970
15:38:02 PM	XLON	3596	96.20	729277473565997
15:38:07 PM	XLON	456	96.20	729277473566009

15:38:07 PM	XLON	979	96.20	729277473566008
15:38:12 PM	XLON	482	96.19	729277473566022
15:38:14 PM	XLON	2789	96.19	729277473566032
15:38:14 PM	XLON	2839	96.19	729277473566033
15:38:34 PM	XLON	1476	96.22	729277473566072
15:38:54 PM	XLON	2665	96.21	729277473566119
15:38:54 PM	XLON	3105	96.21	729277473566116
15:38:54 PM	XLON	4926	96.21	729277473566117
15:39:00 PM	XLON	4300	96.21	729277473566135
15:39:00 PM	XLON	4990	96.21	729277473566134
15:39:43 PM	XLON	975	96.21	729277473566263
15:39:43 PM	XLON	2662	96.21	729277473566260
15:39:43 PM	XLON	4300	96.21	729277473566262
15:39:43 PM	XLON	4889	96.21	729277473566261
15:39:43 PM	XLON	819	96.22	729277473566264
15:40:36 PM	XLON	3425	96.21	729277473566418
15:40:36 PM	XLON	3603	96.21	729277473566419
15:40:36 PM	XLON	4013	96.21	729277473566417
15:40:39 PM	XLON	485	96.20	729277473566449
15:40:39 PM	XLON	9986	96.20	729277473566450
15:40:40 PM	XLON	5991	96.19	729277473566473
15:40:55 PM	XLON	4387	96.19	729277473566542
15:41:10 PM	XLON	3471	96.18	729277473566660
15:41:55 PM	XLON	2113	96.12	729277473566762
15:41:55 PM	XLON	4377	96.12	729277473566761
15:41:55 PM	XLON	6705	96.12	729277473566764
15:42:32 PM	XLON	275	96.12	729277473566983
15:42:32 PM	XLON	3603	96.12	729277473566982
15:42:44 PM	XLON	4381	96.13	729277473567024
15:42:50 PM	XLON	10447	96.12	729277473567061
15:43:34 PM	XLON	3098	96.18	729277473567245
15:43:38 PM	XLON	1842	96.15	729277473567275

15:43:38 PM	XLON	7821	96.16	729277473567256
15:43:50 PM	XLON	1642	96.15	729277473567285
15:43:50 PM	XLON	3905	96.15	729277473567286
15:43:59 PM	XLON	4073	96.15	729277473567314
15:44:10 PM	XLON	1428	96.16	729277473567370
15:44:10 PM	XLON	2154	96.16	729277473567371
15:45:17 PM	XLON	3425	96.19	729277473567545
15:45:17 PM	XLON	3603	96.19	729277473567546
15:45:17 PM	XLON	3767	96.19	729277473567547
15:45:26 PM	XLON	3245	96.19	729277473567566
15:45:32 PM	XLON	14481	96.17	729277473567576
15:46:04 PM	XLON	521	96.17	729277473567689
15:46:04 PM	XLON	6255	96.17	729277473567690
15:46:14 PM	XLON	7642	96.17	729277473567703
15:46:55 PM	XLON	3334	96.16	729277473567760
15:46:55 PM	XLON	311	96.17	729277473567756
15:46:55 PM	XLON	3232	96.17	729277473567757
15:47:02 PM	XLON	9854	96.16	729277473567788
15:47:25 PM	XLON	4557	96.14	729277473567922
15:47:50 PM	XLON	6	96.14	729277473568002
15:47:50 PM	XLON	1387	96.14	729277473568003
15:47:50 PM	XLON	1780	96.14	729277473568004
15:48:07 PM	XLON	189	96.14	729277473568028
15:48:07 PM	XLON	795	96.14	729277473568027
15:48:07 PM	XLON	2155	96.14	729277473568026
15:48:14 PM	XLON	306	96.14	729277473568049
15:48:21 PM	XLON	24	96.14	729277473568067
15:48:31 PM	XLON	680	96.14	729277473568087
15:48:31 PM	XLON	680	96.14	729277473568090
15:48:31 PM	XLON	1071	96.14	729277473568091
15:48:31 PM	XLON	1458	96.14	729277473568088
15:48:31 PM	XLON	2163	96.14	729277473568089

15:48:31 PM	XLON	4621	96.14	729277473568086
15:48:41 PM	XLON	9400	96.12	729277473568136
15:48:50 PM	XLON	3358	96.11	729277473568181
15:49:10 PM	XLON	970	96.10	729277473568212
15:49:10 PM	XLON	2331	96.10	729277473568213
15:49:11 PM	XLON	4836	96.10	729277473568231
15:49:49 PM	XLON	5278	96.12	729277473568352
15:49:49 PM	XLON	9627	96.12	729277473568348
15:50:19 PM	XLON	1695	96.11	729277473568424
15:50:19 PM	XLON	3942	96.11	729277473568425
15:50:19 PM	XLON	5167	96.11	729277473568426
15:50:32 PM	XLON	4232	96.13	729277473568448
15:50:46 PM	XLON	4725	96.13	729277473568478
15:52:00 PM	XLON	3425	96.14	729277473568658
15:52:00 PM	XLON	3603	96.14	729277473568659
15:52:02 PM	XLON	562	96.14	729277473568671
15:52:02 PM	XLON	1149	96.14	729277473568673
15:52:02 PM	XLON	3603	96.14	729277473568672
15:52:07 PM	XLON	2	96.14	729277473568676
15:52:18 PM	XLON	1857	96.14	729277473568746
15:52:52 PM	XLON	3600	96.16	729277473568814
15:52:53 PM	XLON	1961	96.20	729277473568824
15:52:53 PM	XLON	2312	96.20	729277473568825
15:53:07 PM	XLON	3425	96.20	729277473568897
15:53:07 PM	XLON	3603	96.20	729277473568896
15:53:30 PM	XLON	1451	96.21	729277473568958
15:53:30 PM	XLON	3301	96.21	729277473568956
15:53:30 PM	XLON	3425	96.21	729277473568957
15:53:34 PM	XLON	4402	96.21	729277473568964
15:53:36 PM	XLON	3276	96.21	729277473568975
15:53:45 PM	XLON	3102	96.21	729277473568986
15:54:03 PM	XLON	1983	96.22	729277473569051

15:54:03 PM	XLON	3603	96.22	729277473569050
15:54:19 PM	XLON	345	96.21	729277473569097
15:54:19 PM	XLON	2786	96.21	729277473569096
15:54:26 PM	XLON	803	96.21	729277473569114
15:54:26 PM	XLON	935	96.21	729277473569115
15:54:26 PM	XLON	4016	96.21	729277473569113
15:54:29 PM	XLON	33	96.20	729277473569142
15:54:29 PM	XLON	3694	96.20	729277473569143
15:54:29 PM	XLON	3900	96.20	729277473569141
15:54:29 PM	XLON	4227	96.20	729277473569140
15:55:03 PM	XLON	4682	96.19	729277473569242
15:55:39 PM	XLON	1339	96.20	729277473569343
15:55:39 PM	XLON	1874	96.20	729277473569344
15:55:49 PM	XLON	621	96.20	729277473569360
15:55:49 PM	XLON	2732	96.20	729277473569361
15:55:54 PM	XLON	2180	96.19	729277473569372
15:55:54 PM	XLON	2535	96.19	729277473569373
15:56:19 PM	XLON	3593	96.18	729277473569446
15:56:20 PM	XLON	3734	96.19	729277473569465
15:56:51 PM	XLON	2703	96.28	729277473569532
15:56:51 PM	XLON	4085	96.28	729277473569531
15:57:01 PM	XLON	18	96.28	729277473569557
15:57:01 PM	XLON	3425	96.28	729277473569558
15:57:01 PM	XLON	3603	96.28	729277473569559
15:57:03 PM	XLON	7774	96.26	729277473569589
15:57:30 PM	XLON	29	96.23	729277473569698
15:57:30 PM	XLON	455	96.23	729277473569699
15:57:30 PM	XLON	2702	96.23	729277473569700
15:57:40 PM	XLON	3353	96.23	729277473569746
15:57:47 PM	XLON	4125	96.23	729277473569759
15:57:48 PM	XLON	7551	96.22	729277473569767
15:58:12 PM	XLON	1023	96.22	729277473569855

15:58:12 PM	XLON	2788	96.22	729277473569857
15:58:12 PM	XLON	8758	96.22	729277473569856
15:58:49 PM	XLON	5662	96.21	729277473570038
15:58:56 PM	XLON	802	96.20	729277473570065
15:58:56 PM	XLON	3603	96.20	729277473570064
15:59:10 PM	XLON	5029	96.19	729277473570162
15:59:18 PM	XLON	4357	96.21	729277473570203
15:59:56 PM	XLON	6857	96.25	729277473570333

This announcement will also be available on Vodafone's website at:
<https://investors.vodafone.com/reports-information/regulatory-news>

Enquiries to:

Investor relations: Telephone +44 (0) 7919 990 230

Media: <https://www.vodafone.com/news-and-media/contact-us>

This information is provided by RNS, the news service of the London Stock Exchange. RNS is approved by the Financial Conduct Authority to act as a Primary Information Provider in the United Kingdom. Terms and conditions relating to the use and distribution of this information may apply. For further information, please contact rns@lseg.com or visit www.rns.com.

RNS may use your IP address to confirm compliance with the terms and conditions, to analyse how you engage with the information contained in this communication, and to share such analysis on an anonymised basis with others as part of our commercial services. For further information about how RNS and the London Stock Exchange use the personal data you provide us, please see our [Privacy Policy](#).

END

POSSFAFWLEDSEID