

Transaction in Own Shares

RNS Number : 1357T

Vodafone Group Plc

16 March 2023

16 March 2023

Vodafone Group Plc ('**Vodafone**')

ISIN Code: GB00BH4HKS39

Transaction in Own Shares

Vodafone announces that it has purchased the following number of its ordinary shares of 20^{20/21} US cents on Exchange (as defined in the Rules of the London Stock Exchange) from Goldman Sachs International ('**Goldman Sachs**') as part of its buy-back programme announced on 16 November 2022 (the '**Programme**'). The sole purpose of this Programme is to reduce the issued share capital of Vodafone to offset the increase in the issued share capital as a result of the maturing of the second tranche of a two-tranche mandatory convertible bond ('**MCB**') issued by Vodafone in March 2019. Following completion of the Programme, the increase in the issued share capital as a result of the maturing of the second tranche of the MCB will be fully offset.

Date of purchase:	15 March 2023
Number of ordinary shares of 20 ^{20/21} US cents each purchased:	6,074,465
Highest price paid per share (pence):	97.23
Lowest price paid per share (pence):	94.14
Volume weighted average price paid per share (pence):	95.90

Vodafone intends to hold the purchased shares in treasury. Following the purchase of these shares, Vodafone holds 1,825,691,429 of its ordinary shares in treasury and has 26,992,564,629 ordinary shares in issue (excluding treasury shares).

As part of the Programme, Goldman Sachs purchases Vodafone (213800TB53ELEUKM7Q61) ordinary shares and sells such shares to Vodafone. In connection with the above purchases, on 15 March 2023 Goldman Sachs (as principal) elected to purchase 6,074,465 Vodafone ordinary shares to sell to Vodafone. A schedule of individual trades carried out by Goldman Sachs on 15 March 2023 is set out below.

These purchases are the last purchases to be made under the Programme, as the Programme has now been completed in accordance with its terms.

Schedule of purchases - aggregate information

Trading venue	Volume weighted average price (pence per share)	Aggregated volume
XLON	95.90	6,074,465

Schedule of purchases - individual transactions

Transaction Time	Trading Venue	Number of Shares	Price Per Share (GBP)	Transaction Reference Number
08:00:20 AM	XLON	8506	95.94	729895948780332

08:00:45 AM	XLON	7898	95.94	729895948781058
08:01:02 AM	XLON	446	95.94	729895948781117
08:01:07 AM	XLON	457	96.13	729895948781159
08:02:00 AM	XLON	3324	96.22	729895948781332
08:02:35 AM	XLON	79	96.30	729895948781458
08:02:35 AM	XLON	1783	96.30	729895948781459
08:03:40 AM	XLON	19	96.35	729895948781704
08:03:53 AM	XLON	38	96.38	729895948781725
08:03:56 AM	XLON	2307	96.37	729895948781735
08:03:56 AM	XLON	2744	96.37	729895948781734
08:03:56 AM	XLON	10693	96.37	729895948781733
08:04:06 AM	XLON	19	96.38	729895948781754
08:05:06 AM	XLON	1681	96.34	729895948781896
08:05:06 AM	XLON	5510	96.34	729895948781895
08:05:06 AM	XLON	7191	96.35	729895948781884
08:05:22 AM	XLON	361	96.36	729895948781954
08:05:22 AM	XLON	2577	96.36	729895948781956
08:05:22 AM	XLON	3000	96.36	729895948781955
08:05:23 AM	XLON	9859	96.34	729895948781960
08:05:25 AM	XLON	2180	96.33	729895948781970
08:05:25 AM	XLON	605	96.34	729895948781967
08:05:25 AM	XLON	2577	96.34	729895948781968
08:05:25 AM	XLON	4000	96.34	729895948781966
08:05:40 AM	XLON	10978	96.32	729895948782004
08:05:50 AM	XLON	7205	96.31	729895948782020
08:06:00 AM	XLON	551	96.31	729895948782039
08:06:00 AM	XLON	649	96.31	729895948782040
08:06:00 AM	XLON	1789	96.31	729895948782041
08:06:00 AM	XLON	2989	96.31	729895948782033
08:06:00 AM	XLON	6895	96.31	729895948782034
08:06:00 AM	XLON	6895	96.31	729895948782038
08:06:52 AM	XLON	2920	96.38	729895948782160

08:06:52 AM	XLON	4584	96.38	729895948782161
08:07:30 AM	XLON	2196	96.36	729895948782333
08:07:30 AM	XLON	2695	96.36	729895948782332
08:07:30 AM	XLON	3900	96.36	729895948782330
08:07:30 AM	XLON	6050	96.36	729895948782331
08:07:30 AM	XLON	7596	96.39	729895948782326
08:07:30 AM	XLON	7596	96.39	729895948782327
08:07:35 AM	XLON	759	96.34	729895948782344
08:07:35 AM	XLON	916	96.34	729895948782345
08:07:35 AM	XLON	1625	96.34	729895948782346
08:07:35 AM	XLON	9182	96.34	729895948782343
08:07:36 AM	XLON	2388	96.35	729895948782348
08:07:54 AM	XLON	8792	96.34	729895948782369
08:08:06 AM	XLON	8792	96.34	729895948782406
08:08:13 AM	XLON	2	96.37	729895948782421
08:09:12 AM	XLON	3900	96.49	729895948782608
08:09:59 AM	XLON	2875	96.58	729895948782729
08:10:02 AM	XLON	584	96.54	729895948782783
08:10:02 AM	XLON	10835	96.54	729895948782782
08:10:02 AM	XLON	744	96.56	729895948782774
08:10:02 AM	XLON	870	96.56	729895948782773
08:10:02 AM	XLON	1842	96.56	729895948782775
08:10:12 AM	XLON	3058	96.57	729895948782835
08:10:12 AM	XLON	3409	96.57	729895948782834
08:10:12 AM	XLON	6467	96.57	729895948782833
08:10:12 AM	XLON	6467	96.57	729895948782836
08:10:13 AM	XLON	6792	96.55	729895948782841
08:10:43 AM	XLON	3000	96.66	729895948782932
08:10:43 AM	XLON	3385	96.66	729895948782931
08:10:45 AM	XLON	3084	96.68	729895948782944
08:10:47 AM	XLON	2892	96.70	729895948782948
08:10:47 AM	XLON	3700	96.70	729895948782949

08:10:54 AM	XLON	9109	96.68	729895948782958
08:10:55 AM	XLON	4100	96.70	729895948782967
08:11:04 AM	XLON	1220	96.67	729895948782996
08:11:04 AM	XLON	2900	96.67	729895948782997
08:11:04 AM	XLON	3407	96.67	729895948783000
08:11:04 AM	XLON	3409	96.67	729895948782998
08:11:04 AM	XLON	3586	96.67	729895948782999
08:11:18 AM	XLON	13713	96.70	729895948783028
08:11:20 AM	XLON	1626	96.70	729895948783033
08:11:20 AM	XLON	3400	96.70	729895948783030
08:11:20 AM	XLON	3409	96.70	729895948783032
08:11:20 AM	XLON	3586	96.70	729895948783031
08:11:20 AM	XLON	5926	96.70	729895948783029
08:11:33 AM	XLON	2577	96.69	729895948783046
08:11:33 AM	XLON	3000	96.69	729895948783044
08:11:33 AM	XLON	3409	96.69	729895948783045
08:11:35 AM	XLON	1300	96.69	729895948783049
08:11:35 AM	XLON	2577	96.69	729895948783051
08:11:35 AM	XLON	3409	96.69	729895948783050
08:11:38 AM	XLON	8232	96.70	729895948783075
08:11:39 AM	XLON	1626	96.70	729895948783079
08:11:39 AM	XLON	2400	96.70	729895948783080
08:11:39 AM	XLON	2577	96.70	729895948783078
08:11:39 AM	XLON	3409	96.70	729895948783076
08:11:39 AM	XLON	3586	96.70	729895948783077
08:11:40 AM	XLON	3702	96.69	729895948783083
08:11:53 AM	XLON	7033	96.67	729895948783125
08:11:53 AM	XLON	7033	96.67	729895948783126
08:11:54 AM	XLON	1796	96.67	729895948783128
08:11:54 AM	XLON	5405	96.67	729895948783127
08:11:56 AM	XLON	2949	96.67	729895948783133
08:12:00 AM	XLON	836	96.69	729895948783153

08:12:10 AM	XLON	6479	96.70	729895948783182
08:12:10 AM	XLON	299	96.71	729895948783184
08:12:50 AM	XLON	9406	96.77	729895948783269
08:12:50 AM	XLON	9406	96.77	729895948783273
08:12:51 AM	XLON	3081	96.77	729895948783277
08:12:51 AM	XLON	4300	96.77	729895948783276
08:12:55 AM	XLON	2733	96.77	729895948783283
08:12:55 AM	XLON	3695	96.77	729895948783282
08:13:45 AM	XLON	4300	96.73	729895948783394
08:13:45 AM	XLON	3409	96.75	729895948783397
08:13:45 AM	XLON	3586	96.75	729895948783396
08:13:45 AM	XLON	9843	96.75	729895948783395
08:13:53 AM	XLON	4300	96.80	729895948783420
08:14:55 AM	XLON	2300	96.96	729895948783507
08:14:58 AM	XLON	2875	96.96	729895948783509
08:14:58 AM	XLON	3588	96.96	729895948783510
08:15:12 AM	XLON	9528	96.96	729895948783532
08:15:17 AM	XLON	7	96.96	729895948783548
08:15:17 AM	XLON	2637	96.96	729895948783549
08:15:36 AM	XLON	10574	97.00	729895948783579
08:16:08 AM	XLON	4633	97.05	729895948783651
08:16:08 AM	XLON	4633	97.05	729895948783652
08:16:18 AM	XLON	3876	97.03	729895948783679
08:16:18 AM	XLON	5549	97.03	729895948783678
08:16:18 AM	XLON	8069	97.03	729895948783677
08:16:21 AM	XLON	2300	97.03	729895948783687
08:16:21 AM	XLON	2897	97.03	729895948783688
08:16:21 AM	XLON	7386	97.03	729895948783689
08:16:50 AM	XLON	2224	97.15	729895948783747
08:16:50 AM	XLON	2804	97.15	729895948783748
08:16:50 AM	XLON	4300	97.15	729895948783746
08:17:36 AM	XLON	6145	97.05	729895948783859

08:17:42 AM	XLON	3513	97.04	729895948783877
08:17:43 AM	XLON	3513	97.04	729895948783881
08:18:10 AM	XLON	2245	97.16	729895948783931
08:18:10 AM	XLON	8768	97.16	729895948783930
08:18:36 AM	XLON	13006	97.20	729895948783980
08:18:53 AM	XLON	4777	97.20	729895948783999
08:18:53 AM	XLON	4777	97.20	729895948784003
08:19:00 AM	XLON	6855	97.18	729895948784014
08:19:00 AM	XLON	6855	97.18	729895948784016
08:19:02 AM	XLON	3409	97.16	729895948784024
08:19:02 AM	XLON	8582	97.16	729895948784025
08:19:02 AM	XLON	11991	97.16	729895948784019
08:19:03 AM	XLON	648	97.16	729895948784026
08:19:03 AM	XLON	2577	97.16	729895948784028
08:19:03 AM	XLON	3074	97.16	729895948784027
08:19:08 AM	XLON	3322	97.19	729895948784044
08:19:26 AM	XLON	3409	97.20	729895948784072
08:19:26 AM	XLON	3586	97.20	729895948784071
08:19:26 AM	XLON	3600	97.20	729895948784070
08:19:40 AM	XLON	1061	97.16	729895948784080
08:19:40 AM	XLON	3586	97.16	729895948784079
08:19:40 AM	XLON	4647	97.16	729895948784076
08:19:41 AM	XLON	2686	97.16	729895948784094
08:19:41 AM	XLON	3409	97.16	729895948784092
08:19:41 AM	XLON	3586	97.16	729895948784093
08:19:41 AM	XLON	6452	97.16	729895948784091
08:19:43 AM	XLON	2577	97.16	729895948784099
08:19:43 AM	XLON	2577	97.16	729895948784103
08:19:43 AM	XLON	2625	97.16	729895948784101
08:19:43 AM	XLON	3409	97.16	729895948784097
08:19:43 AM	XLON	3586	97.16	729895948784098
08:19:43 AM	XLON	4719	97.16	729895948784100

08:19:43 AM	XLON	6302	97.16	729895948784096
08:19:43 AM	XLON	6384	97.16	729895948784102
08:19:47 AM	XLON	4680	97.12	729895948784109
08:19:47 AM	XLON	2577	97.14	729895948784112
08:19:47 AM	XLON	3409	97.14	729895948784111
08:19:47 AM	XLON	3586	97.14	729895948784110
08:19:47 AM	XLON	2004	97.15	729895948784117
08:19:47 AM	XLON	2577	97.15	729895948784118
08:19:47 AM	XLON	3409	97.15	729895948784114
08:19:47 AM	XLON	3586	97.15	729895948784113
08:19:47 AM	XLON	4300	97.15	729895948784116
08:19:47 AM	XLON	6236	97.15	729895948784115
08:19:47 AM	XLON	2004	97.16	729895948784123
08:19:47 AM	XLON	2397	97.16	729895948784119
08:19:47 AM	XLON	2577	97.16	729895948784122
08:19:47 AM	XLON	3120	97.16	729895948784124
08:19:47 AM	XLON	3409	97.16	729895948784120
08:19:47 AM	XLON	3586	97.16	729895948784121
08:19:47 AM	XLON	6275	97.16	729895948784125
08:20:02 AM	XLON	14153	97.08	729895948784170
08:20:07 AM	XLON	5823	97.05	729895948784187
08:20:07 AM	XLON	8366	97.05	729895948784185
08:20:07 AM	XLON	14725	97.05	729895948784192
08:20:12 AM	XLON	6642	96.97	729895948784215
08:21:03 AM	XLON	1	96.92	729895948784269
08:21:04 AM	XLON	860	96.92	729895948784270
08:21:10 AM	XLON	1100	96.92	729895948784278
08:21:11 AM	XLON	126	96.92	729895948784282
08:21:24 AM	XLON	2600	96.92	729895948784297
08:21:26 AM	XLON	2989	96.90	729895948784307
08:21:26 AM	XLON	10246	96.90	729895948784306
08:22:00 AM	XLON	1626	96.90	729895948784426

08:22:00 AM	XLON	3409	96.90	729895948784425
08:22:00 AM	XLON	3586	96.90	729895948784424
08:22:00 AM	XLON	4300	96.90	729895948784423
08:22:00 AM	XLON	192	96.91	729895948784427
08:22:00 AM	XLON	13150	96.91	729895948784412
08:22:20 AM	XLON	3800	96.83	729895948784495
08:22:25 AM	XLON	219	96.83	729895948784503
08:22:25 AM	XLON	6173	96.83	729895948784502
08:22:41 AM	XLON	2577	96.85	729895948784554
08:22:41 AM	XLON	6131	96.85	729895948784553
08:22:44 AM	XLON	8918	96.83	729895948784559
08:22:58 AM	XLON	3105	96.82	729895948784610
08:23:04 AM	XLON	133	96.82	729895948784622
08:23:04 AM	XLON	2984	96.82	729895948784623
08:23:11 AM	XLON	803	96.80	729895948784634
08:23:11 AM	XLON	838	96.80	729895948784635
08:23:11 AM	XLON	1532	96.80	729895948784636
08:23:37 AM	XLON	13765	96.82	729895948784709
08:23:37 AM	XLON	3544	96.83	729895948784711
08:23:37 AM	XLON	9707	96.83	729895948784710
08:24:17 AM	XLON	2727	96.78	729895948784785
08:24:17 AM	XLON	4300	96.78	729895948784784
08:24:17 AM	XLON	9805	96.78	729895948784783
08:24:45 AM	XLON	2174	96.77	729895948784866
08:25:02 AM	XLON	5548	96.75	729895948784888
08:25:02 AM	XLON	14323	96.75	729895948784902
08:25:08 AM	XLON	385	96.74	729895948784929
08:25:08 AM	XLON	2929	96.74	729895948784928
08:25:12 AM	XLON	3309	96.73	729895948784934
08:25:34 AM	XLON	4601	96.69	729895948784950
08:26:01 AM	XLON	3376	96.70	729895948784986
08:26:01 AM	XLON	4047	96.70	729895948784987

08:26:04 AM	XLON	4164	96.68	729895948784996
08:26:04 AM	XLON	8211	96.68	729895948784997
08:26:10 AM	XLON	3164	96.71	729895948785077
08:26:30 AM	XLON	1003	96.72	729895948785164
08:26:30 AM	XLON	2142	96.72	729895948785163
08:26:52 AM	XLON	8130	96.72	729895948785207
08:26:52 AM	XLON	6136	96.73	729895948785204
08:26:55 AM	XLON	4746	96.71	729895948785231
08:27:29 AM	XLON	2915	96.67	729895948785296
08:27:29 AM	XLON	4300	96.67	729895948785295
08:27:29 AM	XLON	8397	96.69	729895948785294
08:27:33 AM	XLON	3473	96.64	729895948785302
08:28:02 AM	XLON	2077	96.64	729895948785353
08:28:02 AM	XLON	3700	96.64	729895948785352
08:28:02 AM	XLON	6990	96.64	729895948785347
08:28:37 AM	XLON	848	96.68	729895948785444
08:28:37 AM	XLON	1600	96.68	729895948785442
08:28:37 AM	XLON	3409	96.68	729895948785443
08:29:03 AM	XLON	2	96.71	729895948785479
08:29:07 AM	XLON	2180	96.71	729895948785484
08:29:41 AM	XLON	13079	96.72	729895948785579
08:29:46 AM	XLON	312	96.70	729895948785611
08:29:46 AM	XLON	2463	96.70	729895948785612
08:29:46 AM	XLON	3409	96.70	729895948785610
08:29:46 AM	XLON	3586	96.70	729895948785609
08:29:46 AM	XLON	6088	96.70	729895948785608
08:29:48 AM	XLON	1307	96.69	729895948785623
08:29:48 AM	XLON	3078	96.69	729895948785622
08:30:25 AM	XLON	3266	96.73	729895948785716
08:30:25 AM	XLON	6173	96.73	729895948785717
08:30:26 AM	XLON	3129	96.73	729895948785723
08:30:32 AM	XLON	173	96.73	729895948785727

08:30:33 AM	XLON	6173	96.73	729895948785728
08:30:36 AM	XLON	9603	96.71	729895948785736
08:30:38 AM	XLON	7091	96.71	729895948785775
08:31:14 AM	XLON	2073	96.69	729895948785869
08:31:14 AM	XLON	2665	96.69	729895948785868
08:31:14 AM	XLON	3409	96.69	729895948785870
08:31:57 AM	XLON	2132	96.72	729895948785953
08:31:57 AM	XLON	2200	96.72	729895948785954
08:31:57 AM	XLON	6141	96.72	729895948785955
08:31:59 AM	XLON	5443	96.72	729895948785959
08:32:02 AM	XLON	3245	96.70	729895948785966
08:32:02 AM	XLON	6242	96.70	729895948785967
08:32:25 AM	XLON	3407	96.69	729895948785995
08:32:25 AM	XLON	5295	96.69	729895948785992
08:32:25 AM	XLON	8577	96.69	729895948785991
08:33:09 AM	XLON	7115	96.64	729895948786130
08:33:09 AM	XLON	933	96.66	729895948786126
08:33:09 AM	XLON	3586	96.66	729895948786125
08:33:09 AM	XLON	7140	96.66	729895948786124
08:34:08 AM	XLON	12164	96.65	729895948786232
08:34:10 AM	XLON	1220	96.65	729895948786234
08:34:10 AM	XLON	3409	96.65	729895948786236
08:34:10 AM	XLON	3586	96.65	729895948786235
08:35:00 AM	XLON	3409	96.67	729895948786336
08:35:00 AM	XLON	3586	96.67	729895948786335
08:35:00 AM	XLON	8156	96.67	729895948786337
08:35:00 AM	XLON	15140	96.67	729895948786325
08:36:12 AM	XLON	13981	96.65	729895948786543
08:36:42 AM	XLON	1395	96.67	729895948786586
08:36:42 AM	XLON	11954	96.67	729895948786587
08:36:47 AM	XLON	456	96.68	729895948786629
08:36:47 AM	XLON	3427	96.68	729895948786627

08:37:00 AM	XLON	14149	96.68	729895948786666
08:37:38 AM	XLON	9237	96.75	729895948786713
08:37:40 AM	XLON	3658	96.75	729895948786717
08:37:40 AM	XLON	3765	96.75	729895948786715
08:37:58 AM	XLON	6522	96.76	729895948786759
08:37:58 AM	XLON	8117	96.76	729895948786760
08:38:00 AM	XLON	3874	96.76	729895948786763
08:38:18 AM	XLON	3526	96.76	729895948786793
08:38:20 AM	XLON	6217	96.76	729895948786795
08:39:20 AM	XLON	12926	96.79	729895948786852
08:39:20 AM	XLON	13534	96.79	729895948786855
08:39:53 AM	XLON	5091	96.76	729895948786919
08:40:08 AM	XLON	3432	96.79	729895948786969
08:40:08 AM	XLON	14403	96.79	729895948786966
08:41:51 AM	XLON	15001	96.94	729895948787247
08:42:08 AM	XLON	3409	97.00	729895948787307
08:42:08 AM	XLON	3586	97.00	729895948787306
08:42:08 AM	XLON	4300	97.00	729895948787308
08:42:39 AM	XLON	14098	97.01	729895948787371
08:42:41 AM	XLON	2577	97.05	729895948787381
08:42:41 AM	XLON	3127	97.05	729895948787382
08:42:41 AM	XLON	3586	97.05	729895948787380
08:42:46 AM	XLON	1205	97.00	729895948787397
08:42:46 AM	XLON	1241	97.00	729895948787398
08:42:46 AM	XLON	3586	97.00	729895948787396
08:42:46 AM	XLON	6601	97.00	729895948787395
08:43:02 AM	XLON	5750	96.98	729895948787441
08:43:06 AM	XLON	4361	97.01	729895948787460
08:45:33 AM	XLON	6038	97.12	729895948787638
08:45:59 AM	XLON	6477	97.21	729895948787747
08:46:10 AM	XLON	482	97.21	729895948787783
08:46:10 AM	XLON	3586	97.21	729895948787782

08:46:10 AM	XLON	4300	97.21	729895948787781
08:46:10 AM	XLON	4320	97.21	729895948787780
08:46:13 AM	XLON	999	97.21	729895948787817
08:46:13 AM	XLON	1039	97.21	729895948787818
08:46:13 AM	XLON	1729	97.21	729895948787819
08:46:21 AM	XLON	4300	97.21	729895948787823
08:46:49 AM	XLON	600	97.23	729895948787840
08:46:54 AM	XLON	9141	97.21	729895948787845
08:47:04 AM	XLON	6705	97.19	729895948787870
08:47:06 AM	XLON	3051	97.19	729895948787871
08:47:06 AM	XLON	5557	97.19	729895948787872
08:47:07 AM	XLON	2453	97.19	729895948787873
08:47:08 AM	XLON	5557	97.19	729895948787874
08:47:09 AM	XLON	5557	97.19	729895948787882
08:47:10 AM	XLON	4300	97.18	729895948787890
08:47:12 AM	XLON	2428	97.17	729895948787911
08:47:12 AM	XLON	5877	97.17	729895948787912
08:47:13 AM	XLON	2122	97.18	729895948787918
08:47:13 AM	XLON	2447	97.18	729895948787917
08:47:23 AM	XLON	2638	97.15	729895948787930
08:47:28 AM	XLON	2531	97.13	729895948787937
08:47:30 AM	XLON	9547	97.11	729895948787939
08:47:43 AM	XLON	1581	97.02	729895948788005
08:47:43 AM	XLON	1708	97.02	729895948788001
08:47:43 AM	XLON	3586	97.02	729895948788004
08:47:43 AM	XLON	4095	97.02	729895948788002
08:48:08 AM	XLON	3776	97.01	729895948788060
08:49:02 AM	XLON	1336	97.08	729895948788134
08:49:02 AM	XLON	8780	97.08	729895948788135
08:49:20 AM	XLON	7063	97.06	729895948788161
08:49:20 AM	XLON	7095	97.06	729895948788163
08:49:20 AM	XLON	7980	97.06	729895948788162

08:50:13 AM	XLON	6222	96.95	729895948788221
08:50:14 AM	XLON	680	96.95	729895948788224
08:50:14 AM	XLON	2656	96.95	729895948788223
08:50:21 AM	XLON	3046	96.95	729895948788252
08:50:46 AM	XLON	207	97.02	729895948788348
08:50:46 AM	XLON	5174	97.02	729895948788347
08:50:46 AM	XLON	7003	97.02	729895948788346
08:51:06 AM	XLON	4196	97.01	729895948788361
08:51:06 AM	XLON	5599	97.01	729895948788359
08:51:12 AM	XLON	6302	96.99	729895948788374
08:51:27 AM	XLON	3618	96.95	729895948788414
08:52:02 AM	XLON	680	96.97	729895948788448
08:52:02 AM	XLON	5656	96.97	729895948788447
08:52:41 AM	XLON	9311	96.95	729895948788522
08:52:42 AM	XLON	2352	96.95	729895948788523
08:52:55 AM	XLON	2798	96.94	729895948788553
08:52:55 AM	XLON	3784	96.94	729895948788552
08:52:56 AM	XLON	8805	96.94	729895948788581
08:53:05 AM	XLON	3694	96.93	729895948788606
08:53:20 AM	XLON	3662	96.91	729895948788633
08:53:53 AM	XLON	1219	96.92	729895948788685
08:53:53 AM	XLON	2211	96.92	729895948788686
08:53:56 AM	XLON	5261	96.90	729895948788698
08:53:56 AM	XLON	8660	96.90	729895948788697
08:55:00 AM	XLON	1127	97.04	729895948788873
08:55:00 AM	XLON	1530	97.04	729895948788875
08:55:00 AM	XLON	3586	97.04	729895948788874
08:55:21 AM	XLON	4263	97.04	729895948788941
08:55:25 AM	XLON	600	97.06	729895948788956
08:55:26 AM	XLON	1464	97.06	729895948788957
08:55:28 AM	XLON	600	97.06	729895948788987
08:56:02 AM	XLON	5237	97.14	729895948789068

08:56:02 AM	XLON	8184	97.14	729895948789069
08:56:31 AM	XLON	3708	97.12	729895948789122
08:56:38 AM	XLON	600	97.15	729895948789137
08:56:48 AM	XLON	1	97.15	729895948789144
08:57:02 AM	XLON	705	97.14	729895948789159
08:57:03 AM	XLON	8559	97.14	729895948789160
08:57:23 AM	XLON	2011	97.18	729895948789180
08:57:28 AM	XLON	2244	97.18	729895948789184
08:57:31 AM	XLON	2264	97.18	729895948789204
08:57:35 AM	XLON	1	97.18	729895948789206
08:57:38 AM	XLON	600	97.18	729895948789208
08:57:43 AM	XLON	8856	97.18	729895948789223
08:57:50 AM	XLON	4300	97.18	729895948789251
08:57:58 AM	XLON	13164	97.18	729895948789262
08:58:02 AM	XLON	3473	97.18	729895948789266
08:58:21 AM	XLON	5612	97.18	729895948789281
08:58:27 AM	XLON	7389	97.18	729895948789291
08:58:38 AM	XLON	3764	97.14	729895948789311
08:58:55 AM	XLON	3740	97.13	729895948789328
08:59:02 AM	XLON	495	97.13	729895948789337
08:59:02 AM	XLON	4713	97.13	729895948789336
08:59:32 AM	XLON	11192	97.10	729895948789393
08:59:59 AM	XLON	4809	97.08	729895948789428
09:00:35 AM	XLON	1634	97.14	729895948789525
09:00:35 AM	XLON	4145	97.14	729895948789528
09:00:35 AM	XLON	12927	97.14	729895948789526
09:01:00 AM	XLON	3461	97.11	729895948789578
09:01:10 AM	XLON	144	97.09	729895948789591
09:01:10 AM	XLON	3465	97.09	729895948789592
09:01:30 AM	XLON	65	97.04	729895948789611
09:01:30 AM	XLON	1539	97.04	729895948789612
09:01:30 AM	XLON	3245	97.04	729895948789610

09:01:30 AM	XLON	3681	97.04	729895948789613
09:01:49 AM	XLON	4714	97.01	729895948789633
09:02:42 AM	XLON	3140	97.02	729895948789698
09:03:43 AM	XLON	1018	97.02	729895948789809
09:03:43 AM	XLON	1082	97.02	729895948789810
09:03:45 AM	XLON	2188	97.02	729895948789811
09:03:53 AM	XLON	2293	97.04	729895948789829
09:03:53 AM	XLON	3000	97.04	729895948789828
09:04:34 AM	XLON	3586	97.04	729895948789884
09:04:47 AM	XLON	4806	97.03	729895948789906
09:04:47 AM	XLON	8584	97.03	729895948789907
09:04:47 AM	XLON	13592	97.05	729895948789902
09:04:48 AM	XLON	6763	97.03	729895948789916
09:04:48 AM	XLON	7291	97.03	729895948789917
09:05:43 AM	XLON	11614	96.98	729895948789969
09:06:00 AM	XLON	3274	97.01	729895948790031
09:06:00 AM	XLON	4241	97.01	729895948790028
09:06:00 AM	XLON	4686	97.01	729895948790029
09:06:16 AM	XLON	680	96.98	729895948790110
09:06:16 AM	XLON	1363	96.98	729895948790109
09:06:21 AM	XLON	1755	96.98	729895948790122
09:06:21 AM	XLON	3722	96.98	729895948790123
09:07:20 AM	XLON	836	97.07	729895948790311
09:07:20 AM	XLON	4300	97.07	729895948790310
09:07:28 AM	XLON	6249	97.06	729895948790334
09:07:38 AM	XLON	101	97.06	729895948790347
09:07:38 AM	XLON	680	97.06	729895948790346
09:07:38 AM	XLON	1858	97.06	729895948790357
09:07:38 AM	XLON	3455	97.06	729895948790345
09:07:38 AM	XLON	4236	97.06	729895948790356
09:07:38 AM	XLON	7001	97.06	729895948790348
09:09:00 AM	XLON	5511	97.10	729895948790456

09:09:00 AM	XLON	9639	97.10	729895948790457
09:09:02 AM	XLON	1065	97.09	729895948790460
09:09:20 AM	XLON	3269	97.11	729895948790502
09:09:26 AM	XLON	14804	97.09	729895948790523
09:09:40 AM	XLON	3670	97.06	729895948790555
09:09:53 AM	XLON	5325	97.06	729895948790586
09:10:10 AM	XLON	3350	97.05	729895948790609
09:10:27 AM	XLON	663	97.05	729895948790631
09:10:27 AM	XLON	1326	97.05	729895948790635
09:10:27 AM	XLON	3575	97.05	729895948790632
09:10:27 AM	XLON	4300	97.05	729895948790634
09:11:02 AM	XLON	3436	97.00	729895948790753
09:11:02 AM	XLON	6814	97.00	729895948790754
09:11:23 AM	XLON	2345	97.00	729895948790819
09:11:23 AM	XLON	2494	97.00	729895948790820
09:11:23 AM	XLON	4663	97.00	729895948790816
09:11:47 AM	XLON	1270	96.97	729895948790902
09:11:47 AM	XLON	2665	96.97	729895948790901
09:11:55 AM	XLON	2074	96.97	729895948790915
09:11:55 AM	XLON	3666	96.97	729895948790914
09:12:18 AM	XLON	655	96.98	729895948790961
09:12:18 AM	XLON	2100	96.98	729895948790958
09:12:18 AM	XLON	3409	96.98	729895948790959
09:12:18 AM	XLON	3586	96.98	729895948790960
09:13:00 AM	XLON	3350	96.96	729895948791005
09:13:43 AM	XLON	4300	96.98	729895948791092
09:13:50 AM	XLON	4300	96.98	729895948791120
09:13:53 AM	XLON	14156	96.98	729895948791123
09:13:56 AM	XLON	10789	96.96	729895948791135
09:14:34 AM	XLON	4899	96.87	729895948791191
09:14:34 AM	XLON	10231	96.87	729895948791189
09:16:00 AM	XLON	4300	96.90	729895948791302

09:16:00 AM	XLON	4349	96.90	729895948791296
09:16:00 AM	XLON	4466	96.90	729895948791299
09:16:00 AM	XLON	8503	96.90	729895948791303
09:16:02 AM	XLON	680	96.89	729895948791312
09:16:02 AM	XLON	3245	96.89	729895948791310
09:16:02 AM	XLON	3429	96.89	729895948791313
09:16:02 AM	XLON	7012	96.89	729895948791311
09:17:19 AM	XLON	304	96.86	729895948791460
09:17:19 AM	XLON	3409	96.86	729895948791459
09:17:19 AM	XLON	3586	96.86	729895948791458
09:17:29 AM	XLON	5087	96.84	729895948791469
09:17:29 AM	XLON	9024	96.84	729895948791470
09:17:29 AM	XLON	431	96.86	729895948791472
09:17:29 AM	XLON	3586	96.86	729895948791471
09:18:21 AM	XLON	4806	96.85	729895948791600
09:18:21 AM	XLON	5005	96.85	729895948791603
09:18:21 AM	XLON	6740	96.85	729895948791599
09:18:32 AM	XLON	3134	96.84	729895948791624
09:19:05 AM	XLON	5945	96.84	729895948791721
09:19:51 AM	XLON	4300	96.85	729895948791793
09:19:51 AM	XLON	13839	96.85	729895948791791
09:20:10 AM	XLON	4320	96.85	729895948791841
09:20:10 AM	XLON	6421	96.85	729895948791844
09:21:01 AM	XLON	4620	96.82	729895948791899
09:21:33 AM	XLON	6008	96.82	729895948791922
09:21:38 AM	XLON	246	96.82	729895948791933
09:21:38 AM	XLON	2399	96.82	729895948791935
09:21:38 AM	XLON	2608	96.82	729895948791934
09:21:39 AM	XLON	4300	96.81	729895948791946
09:21:39 AM	XLON	4537	96.81	729895948791941
09:22:25 AM	XLON	2112	96.81	729895948792023
09:22:25 AM	XLON	5055	96.81	729895948792020

09:22:59 AM	XLON	902	96.76	729895948792101
09:22:59 AM	XLON	2268	96.76	729895948792100
09:22:59 AM	XLON	6168	96.76	729895948792099
09:22:59 AM	XLON	13673	96.76	729895948792097
09:23:26 AM	XLON	3264	96.70	729895948792172
09:23:32 AM	XLON	9013	96.66	729895948792197
09:23:51 AM	XLON	3681	96.65	729895948792223
09:24:05 AM	XLON	3127	96.64	729895948792244
09:24:05 AM	XLON	3214	96.64	729895948792247
09:24:24 AM	XLON	7363	96.66	729895948792299
09:24:52 AM	XLON	6670	96.58	729895948792354
09:25:02 AM	XLON	680	96.58	729895948792417
09:25:02 AM	XLON	2055	96.58	729895948792416
09:25:09 AM	XLON	1674	96.58	729895948792435
09:25:37 AM	XLON	3395	96.58	729895948792502
09:25:37 AM	XLON	9158	96.58	729895948792503
09:26:16 AM	XLON	2369	96.55	729895948792564
09:26:16 AM	XLON	2895	96.55	729895948792566
09:26:16 AM	XLON	4046	96.55	729895948792565
09:26:21 AM	XLON	4486	96.53	729895948792592
09:26:48 AM	XLON	7398	96.54	729895948792669
09:27:00 AM	XLON	4410	96.51	729895948792696
09:27:08 AM	XLON	3589	96.50	729895948792715
09:27:38 AM	XLON	3158	96.53	729895948792764
09:27:44 AM	XLON	7179	96.50	729895948792768
09:28:03 AM	XLON	3166	96.49	729895948792786
09:28:15 AM	XLON	680	96.51	729895948792817
09:28:15 AM	XLON	1679	96.51	729895948792816
09:28:15 AM	XLON	4532	96.51	729895948792818
09:28:30 AM	XLON	2075	96.49	729895948792851
09:28:30 AM	XLON	2665	96.49	729895948792850
09:28:49 AM	XLON	5585	96.53	729895948792881

09:29:02 AM	XLON	410	96.55	729895948792909
09:29:02 AM	XLON	4315	96.55	729895948792908
09:29:10 AM	XLON	4153	96.54	729895948792912
09:30:00 AM	XLON	14131	96.53	729895948793009
09:30:15 AM	XLON	61	96.45	729895948793038
09:30:15 AM	XLON	680	96.45	729895948793037
09:30:15 AM	XLON	4853	96.45	729895948793036
09:31:00 AM	XLON	3080	96.43	729895948793127
09:31:00 AM	XLON	5057	96.43	729895948793128
09:31:44 AM	XLON	13916	96.48	729895948793231
09:32:09 AM	XLON	11599	96.51	729895948793323
09:32:44 AM	XLON	4145	96.58	729895948793441
09:32:45 AM	XLON	7959	96.58	729895948793442
09:33:00 AM	XLON	5332	96.55	729895948793465
09:33:20 AM	XLON	2059	96.55	729895948793505
09:33:20 AM	XLON	3245	96.55	729895948793504
09:34:48 AM	XLON	988	96.60	729895948793625
09:34:48 AM	XLON	3409	96.60	729895948793624
09:34:48 AM	XLON	3586	96.60	729895948793623
09:34:48 AM	XLON	8884	96.60	729895948793621
09:35:03 AM	XLON	9915	96.59	729895948793697
09:35:27 AM	XLON	10401	96.62	729895948793743
09:35:48 AM	XLON	694	96.59	729895948793825
09:35:48 AM	XLON	4654	96.59	729895948793826
09:36:18 AM	XLON	1059	96.67	729895948793882
09:36:18 AM	XLON	2876	96.67	729895948793883
09:36:51 AM	XLON	2618	96.69	729895948793972
09:36:51 AM	XLON	5659	96.69	729895948793974
09:36:51 AM	XLON	7248	96.69	729895948793971
09:37:23 AM	XLON	626	96.70	729895948794013
09:37:39 AM	XLON	13074	96.70	729895948794040
09:37:44 AM	XLON	4284	96.69	729895948794063

09:38:24 AM	XLON	79	96.59	729895948794237
09:38:24 AM	XLON	766	96.59	729895948794239
09:38:24 AM	XLON	2406	96.59	729895948794238
09:40:09 AM	XLON	3409	96.65	729895948794448
09:40:09 AM	XLON	3586	96.65	729895948794447
09:40:09 AM	XLON	6190	96.65	729895948794449
09:40:10 AM	XLON	3497	96.63	729895948794451
09:40:10 AM	XLON	10688	96.63	729895948794450
09:40:10 AM	XLON	1480	96.64	729895948794453
09:40:10 AM	XLON	2452	96.65	729895948794454
09:40:16 AM	XLON	7427	96.61	729895948794464
09:40:39 AM	XLON	292	96.57	729895948794495
09:40:39 AM	XLON	680	96.57	729895948794494
09:40:39 AM	XLON	3285	96.57	729895948794493
09:40:57 AM	XLON	5845	96.56	729895948794528
09:41:52 AM	XLON	5021	96.58	729895948794654
09:42:14 AM	XLON	8279	96.56	729895948794724
09:42:14 AM	XLON	9774	96.56	729895948794723
09:42:38 AM	XLON	9609	96.54	729895948794790
09:43:10 AM	XLON	7794	96.42	729895948794866
09:44:31 AM	XLON	3177	96.48	729895948795012
09:44:36 AM	XLON	5203	96.47	729895948795017
09:45:09 AM	XLON	5214	96.50	729895948795050
09:45:57 AM	XLON	2159	96.55	729895948795156
09:46:02 AM	XLON	1626	96.55	729895948795161
09:46:02 AM	XLON	2877	96.55	729895948795160
09:46:02 AM	XLON	3409	96.55	729895948795162
09:46:02 AM	XLON	3586	96.55	729895948795163
09:46:05 AM	XLON	14872	96.52	729895948795172
09:46:21 AM	XLON	1960	96.54	729895948795189
09:46:21 AM	XLON	4176	96.54	729895948795188
09:46:31 AM	XLON	748	96.52	729895948795196

09:46:31 AM	XLON	3686	96.52	729895948795197
09:47:57 AM	XLON	1438	96.60	729895948795311
09:47:57 AM	XLON	8609	96.60	729895948795312
09:47:57 AM	XLON	14911	96.60	729895948795310
09:48:14 AM	XLON	6239	96.53	729895948795388
09:48:41 AM	XLON	6183	96.57	729895948795656
09:49:10 AM	XLON	4606	96.54	729895948795749
09:49:44 AM	XLON	3134	96.55	729895948795826
09:49:44 AM	XLON	12426	96.56	729895948795820
09:50:24 AM	XLON	1360	96.49	729895948795917
09:50:24 AM	XLON	1744	96.50	729895948795918
09:50:24 AM	XLON	3384	96.50	729895948795914
09:50:57 AM	XLON	11185	96.43	729895948795999
09:51:23 AM	XLON	3136	96.42	729895948796050
09:51:44 AM	XLON	6728	96.39	729895948796080
09:51:55 AM	XLON	3829	96.38	729895948796100
09:52:09 AM	XLON	3093	96.32	729895948796145
09:52:44 AM	XLON	6055	96.30	729895948796200
09:53:11 AM	XLON	3064	96.20	729895948796300
09:53:47 AM	XLON	1324	96.19	729895948796385
09:53:47 AM	XLON	1848	96.19	729895948796386
09:53:58 AM	XLON	1140	96.19	729895948796401
09:53:58 AM	XLON	1976	96.19	729895948796400
09:54:09 AM	XLON	14192	96.18	729895948796433
09:54:42 AM	XLON	3147	96.16	729895948796588
09:54:47 AM	XLON	3303	96.16	729895948796634
09:54:49 AM	XLON	3303	96.16	729895948796636
09:55:09 AM	XLON	6397	96.16	729895948796677
09:55:12 AM	XLON	3528	96.13	729895948796685
09:55:45 AM	XLON	3290	96.08	729895948796806
09:56:16 AM	XLON	3680	96.05	729895948796877
09:56:16 AM	XLON	6668	96.05	729895948796878

09:56:24 AM	XLON	3171	96.04	729895948796884
09:56:54 AM	XLON	3333	96.04	729895948796945
09:57:26 AM	XLON	7359	96.04	729895948797049
09:58:02 AM	XLON	7572	96.01	729895948797140
09:58:04 AM	XLON	4767	96.00	729895948797156
09:58:11 AM	XLON	3430	96.02	729895948797192
09:58:23 AM	XLON	3358	95.99	729895948797238
09:59:02 AM	XLON	3829	95.96	729895948797379
09:59:14 AM	XLON	3064	95.98	729895948797398
09:59:47 AM	XLON	3617	96.00	729895948797523
09:59:47 AM	XLON	5260	96.00	729895948797524
09:59:48 AM	XLON	3818	96.00	729895948797528
10:00:01 AM	XLON	3431	95.97	729895948797585
10:00:01 AM	XLON	3596	95.97	729895948797587
10:00:29 AM	XLON	669	95.93	729895948797681
10:00:29 AM	XLON	5367	95.93	729895948797680
10:01:00 AM	XLON	10836	95.96	729895948797778
10:01:46 AM	XLON	3781	95.97	729895948797901
10:02:34 AM	XLON	14543	95.99	729895948797973
10:02:35 AM	XLON	4186	95.98	729895948797976
10:03:24 AM	XLON	5835	95.96	729895948798086
10:03:24 AM	XLON	6313	95.96	729895948798087
10:03:30 AM	XLON	3513	95.94	729895948798134
10:04:13 AM	XLON	1336	95.93	729895948798212
10:04:13 AM	XLON	3409	95.93	729895948798211
10:04:26 AM	XLON	680	95.86	729895948798252
10:04:26 AM	XLON	892	95.86	729895948798254
10:04:26 AM	XLON	2665	95.86	729895948798253
10:04:26 AM	XLON	3150	95.86	729895948798251
10:04:43 AM	XLON	5974	95.80	729895948798282
10:04:58 AM	XLON	4941	95.83	729895948798320
10:05:14 AM	XLON	3320	95.82	729895948798339

10:05:43 AM	XLON	3345	95.82	729895948798368
10:05:51 AM	XLON	1220	95.80	729895948798398
10:05:51 AM	XLON	4087	95.80	729895948798391
10:05:51 AM	XLON	5818	95.80	729895948798399
10:07:33 AM	XLON	392	95.73	729895948798645
10:07:33 AM	XLON	746	95.73	729895948798644
10:08:23 AM	XLON	271	95.77	729895948798726
10:08:23 AM	XLON	435	95.77	729895948798724
10:08:23 AM	XLON	680	95.77	729895948798727
10:08:23 AM	XLON	11087	95.77	729895948798725
10:08:34 AM	XLON	2659	95.80	729895948798740
10:08:55 AM	XLON	861	95.80	729895948798768
10:08:55 AM	XLON	12175	95.80	729895948798769
10:08:55 AM	XLON	13903	95.80	729895948798770
10:08:58 AM	XLON	8326	95.79	729895948798774
10:09:13 AM	XLON	4998	95.70	729895948798847
10:09:28 AM	XLON	3309	95.66	729895948798925
10:09:38 AM	XLON	3241	95.62	729895948798953
10:10:00 AM	XLON	4648	95.61	729895948799033
10:10:36 AM	XLON	4199	95.57	729895948799124
10:10:36 AM	XLON	5020	95.57	729895948799123
10:10:51 AM	XLON	390	95.59	729895948799139
10:10:51 AM	XLON	2143	95.59	729895948799137
10:10:51 AM	XLON	3239	95.59	729895948799138
10:10:59 AM	XLON	3128	95.58	729895948799153
10:11:27 AM	XLON	3560	95.62	729895948799277
10:11:52 AM	XLON	3108	95.63	729895948799316
10:11:58 AM	XLON	1696	95.61	729895948799326
10:11:58 AM	XLON	5065	95.61	729895948799325
10:12:02 AM	XLON	7329	95.59	729895948799359
10:12:24 AM	XLON	755	95.53	729895948799443
10:12:24 AM	XLON	5846	95.53	729895948799442

10:12:36 AM	XLON	14	95.50	729895948799504
10:12:36 AM	XLON	4165	95.50	729895948799505
10:12:52 AM	XLON	5933	95.51	729895948799598
10:13:10 AM	XLON	4039	95.50	729895948799721
10:13:39 AM	XLON	347	95.58	729895948799828
10:13:39 AM	XLON	3699	95.58	729895948799829
10:13:43 AM	XLON	6570	95.58	729895948799881
10:13:45 AM	XLON	4400	95.59	729895948799884
10:13:48 AM	XLON	9937	95.58	729895948799897
10:13:49 AM	XLON	140	95.57	729895948799906
10:13:49 AM	XLON	1292	95.57	729895948799903
10:13:49 AM	XLON	6731	95.57	729895948799905
10:13:49 AM	XLON	11673	95.57	729895948799902
10:13:55 AM	XLON	1410	95.56	729895948799920
10:13:55 AM	XLON	4016	95.56	729895948799921
10:14:00 AM	XLON	6204	95.54	729895948799925
10:14:19 AM	XLON	3720	95.52	729895948799965
10:14:19 AM	XLON	5234	95.52	729895948799966
10:14:21 AM	XLON	4406	95.50	729895948799994
10:14:52 AM	XLON	4059	95.50	729895948800105
10:15:19 AM	XLON	4354	95.51	729895948800155
10:15:25 AM	XLON	6453	95.52	729895948800172
10:15:26 AM	XLON	5895	95.52	729895948800173
10:15:35 AM	XLON	3422	95.50	729895948800196
10:16:13 AM	XLON	3853	95.43	729895948800325
10:17:19 AM	XLON	5455	95.57	729895948800451
10:17:19 AM	XLON	6704	95.57	729895948800450
10:17:29 AM	XLON	232	95.56	729895948800475
10:17:29 AM	XLON	680	95.56	729895948800474
10:17:29 AM	XLON	2373	95.56	729895948800473
10:17:41 AM	XLON	3902	95.55	729895948800509
10:18:23 AM	XLON	3189	95.46	729895948800570

10:18:23 AM	XLON	3605	95.46	729895948800571
10:19:01 AM	XLON	2060	95.51	729895948800701
10:19:01 AM	XLON	5224	95.51	729895948800700
10:19:18 AM	XLON	4516	95.50	729895948800766
10:19:50 AM	XLON	4720	95.49	729895948800819
10:20:14 AM	XLON	4184	95.50	729895948800901
10:20:39 AM	XLON	3409	95.48	729895948800970
10:20:39 AM	XLON	3494	95.48	729895948800971
10:21:18 AM	XLON	5356	95.56	729895948801111
10:21:48 AM	XLON	4400	95.60	729895948801188
10:21:48 AM	XLON	755	95.61	729895948801189
10:21:48 AM	XLON	3753	95.61	729895948801185
10:21:48 AM	XLON	5682	95.61	729895948801186
10:22:06 AM	XLON	5475	95.58	729895948801250
10:22:06 AM	XLON	7847	95.59	729895948801246
10:23:07 AM	XLON	3245	95.42	729895948801545
10:23:18 AM	XLON	3961	95.44	729895948801576
10:23:30 AM	XLON	4091	95.41	729895948801647
10:24:05 AM	XLON	12511	95.41	729895948801764
10:24:41 AM	XLON	365	95.32	729895948801883
10:24:41 AM	XLON	3409	95.32	729895948801882
10:24:41 AM	XLON	3586	95.32	729895948801881
10:24:43 AM	XLON	3409	95.29	729895948801897
10:24:43 AM	XLON	3586	95.29	729895948801896
10:24:43 AM	XLON	3409	95.30	729895948801899
10:24:43 AM	XLON	3586	95.30	729895948801900
10:24:43 AM	XLON	9379	95.30	729895948801898
10:24:44 AM	XLON	2874	95.32	729895948801911
10:24:44 AM	XLON	3586	95.32	729895948801910
10:24:44 AM	XLON	6877	95.32	729895948801909
10:24:45 AM	XLON	10356	95.30	729895948801919
10:24:51 AM	XLON	7001	95.30	729895948801931

10:24:53 AM	XLON	7	95.30	729895948801936
10:24:55 AM	XLON	6	95.30	729895948801955
10:24:55 AM	XLON	7	95.30	729895948801954
10:24:55 AM	XLON	242	95.30	729895948801953
10:24:58 AM	XLON	3511	95.30	729895948801978
10:24:59 AM	XLON	4367	95.30	729895948801984
10:25:04 AM	XLON	1280	95.29	729895948802015
10:25:04 AM	XLON	2665	95.29	729895948802014
10:25:04 AM	XLON	4850	95.29	729895948802012
10:25:04 AM	XLON	5920	95.29	729895948802013
10:25:56 AM	XLON	4005	95.30	729895948802214
10:25:58 AM	XLON	7090	95.30	729895948802223
10:25:59 AM	XLON	10356	95.30	729895948802240
10:26:00 AM	XLON	6329	95.30	729895948802245
10:26:06 AM	XLON	4174	95.30	729895948802256
10:26:08 AM	XLON	786	95.29	729895948802260
10:26:08 AM	XLON	3055	95.29	729895948802261
10:26:50 AM	XLON	3409	95.32	729895948802401
10:26:50 AM	XLON	6871	95.32	729895948802400
10:26:50 AM	XLON	1944	95.33	729895948802403
10:26:50 AM	XLON	3409	95.33	729895948802402
10:26:51 AM	XLON	620	95.30	729895948802420
10:26:51 AM	XLON	2166	95.30	729895948802424
10:26:51 AM	XLON	5628	95.30	729895948802421
10:26:52 AM	XLON	7652	95.30	729895948802426
10:26:53 AM	XLON	3409	95.33	729895948802492
10:26:53 AM	XLON	3586	95.33	729895948802491
10:26:53 AM	XLON	6859	95.33	729895948802493
10:26:59 AM	XLON	2995	95.43	729895948802563
10:26:59 AM	XLON	9342	95.43	729895948802562
10:27:01 AM	XLON	3409	95.43	729895948802582
10:27:01 AM	XLON	3586	95.43	729895948802583

10:27:01 AM	XLON	3650	95.43	729895948802584
10:27:02 AM	XLON	10346	95.42	729895948802590
10:27:02 AM	XLON	11505	95.42	729895948802591
10:27:03 AM	XLON	888	95.42	729895948802593
10:27:03 AM	XLON	1744	95.42	729895948802594
10:27:49 AM	XLON	1898	95.44	729895948802709
10:27:49 AM	XLON	2676	95.44	729895948802710
10:27:53 AM	XLON	137	95.47	729895948802725
10:27:53 AM	XLON	1605	95.47	729895948802727
10:27:53 AM	XLON	3400	95.47	729895948802726
10:28:11 AM	XLON	902	95.48	729895948802800
10:28:11 AM	XLON	944	95.48	729895948802801
10:28:11 AM	XLON	3409	95.48	729895948802799
10:28:11 AM	XLON	13770	95.48	729895948802802
10:28:11 AM	XLON	3409	95.50	729895948802792
10:28:11 AM	XLON	3586	95.50	729895948802793
10:28:11 AM	XLON	6684	95.50	729895948802794
10:28:11 AM	XLON	1626	95.53	729895948802788
10:28:11 AM	XLON	2577	95.53	729895948802784
10:28:11 AM	XLON	3327	95.53	729895948802787
10:28:11 AM	XLON	3586	95.53	729895948802785
10:28:11 AM	XLON	4100	95.53	729895948802786
10:28:11 AM	XLON	5806	95.53	729895948802783
10:28:15 AM	XLON	1626	95.47	729895948802812
10:28:15 AM	XLON	3409	95.47	729895948802810
10:28:15 AM	XLON	3586	95.47	729895948802809
10:28:15 AM	XLON	6050	95.47	729895948802811
10:28:16 AM	XLON	1385	95.47	729895948802815
10:28:16 AM	XLON	3586	95.47	729895948802814
10:28:16 AM	XLON	6151	95.47	729895948802813
10:28:32 AM	XLON	1586	95.44	729895948802874
10:28:32 AM	XLON	3134	95.44	729895948802871

10:28:32 AM	XLON	3409	95.44	729895948802873
10:28:32 AM	XLON	3586	95.44	729895948802872
10:28:54 AM	XLON	1227	95.38	729895948802989
10:28:54 AM	XLON	1424	95.38	729895948802987
10:28:54 AM	XLON	2577	95.38	729895948802988
10:28:54 AM	XLON	12489	95.41	729895948802958
10:29:04 AM	XLON	4111	95.32	729895948803102
10:29:24 AM	XLON	4538	95.25	729895948803270
10:29:24 AM	XLON	10456	95.25	729895948803271
10:29:53 AM	XLON	2130	95.18	729895948803453
10:29:53 AM	XLON	1200	95.19	729895948803455
10:29:53 AM	XLON	3409	95.19	729895948803454
10:29:53 AM	XLON	1157	95.20	729895948803425
10:29:53 AM	XLON	1737	95.20	729895948803427
10:29:53 AM	XLON	3785	95.20	729895948803426
10:30:09 AM	XLON	6249	95.24	729895948803600
10:30:31 AM	XLON	917	95.26	729895948803731
10:30:31 AM	XLON	2221	95.27	729895948803732
10:30:46 AM	XLON	4265	95.26	729895948803793
10:30:46 AM	XLON	5413	95.26	729895948803794
10:31:02 AM	XLON	102	95.26	729895948803819
10:31:02 AM	XLON	5105	95.26	729895948803818
10:31:15 AM	XLON	3410	95.25	729895948803860
10:32:02 AM	XLON	7069	95.25	729895948804053
10:32:09 AM	XLON	1660	95.21	729895948804082
10:32:13 AM	XLON	2	95.23	729895948804148
10:32:22 AM	XLON	8160	95.20	729895948804221
10:32:22 AM	XLON	402	95.22	729895948804203
10:32:22 AM	XLON	4251	95.22	729895948804205
10:32:22 AM	XLON	8216	95.22	729895948804204
10:33:01 AM	XLON	13747	95.24	729895948804348
10:33:28 AM	XLON	3938	95.25	729895948804417

10:33:29 AM	XLON	433	95.25	729895948804432
10:34:33 AM	XLON	1222	95.47	729895948804670
10:35:17 AM	XLON	14386	95.45	729895948804744
10:35:54 AM	XLON	3909	95.51	729895948804847
10:35:54 AM	XLON	8783	95.51	729895948804839
10:35:58 AM	XLON	4165	95.50	729895948804891
10:36:58 AM	XLON	6556	95.48	729895948805124
10:36:59 AM	XLON	5330	95.47	729895948805139
10:37:02 AM	XLON	4029	95.45	729895948805189
10:37:52 AM	XLON	3971	95.37	729895948805376
10:37:52 AM	XLON	4170	95.37	729895948805375
10:38:06 AM	XLON	93	95.32	729895948805431
10:38:06 AM	XLON	680	95.32	729895948805432
10:38:37 AM	XLON	10218	95.32	729895948805492
10:39:17 AM	XLON	4188	95.40	729895948805618
10:39:17 AM	XLON	6402	95.40	729895948805607
10:40:05 AM	XLON	7471	95.43	729895948805697
10:40:22 AM	XLON	7575	95.41	729895948805735
10:41:01 AM	XLON	5251	95.35	729895948805804
10:41:53 AM	XLON	3855	95.37	729895948806017
10:42:23 AM	XLON	5604	95.41	729895948806144
10:42:23 AM	XLON	11230	95.41	729895948806142
10:42:24 AM	XLON	3511	95.40	729895948806161
10:42:25 AM	XLON	575	95.39	729895948806182
10:42:25 AM	XLON	3586	95.39	729895948806181
10:42:46 AM	XLON	3566	95.25	729895948806383
10:44:04 AM	XLON	3496	95.20	729895948806733
10:44:58 AM	XLON	5622	95.20	729895948806936
10:45:29 AM	XLON	8997	95.22	729895948807073
10:46:37 AM	XLON	11457	95.22	729895948807256
10:46:54 AM	XLON	5559	95.22	729895948807272
10:46:54 AM	XLON	5867	95.22	729895948807271

10:46:59 AM	XLON	3478	95.21	729895948807290
10:47:04 AM	XLON	5402	95.18	729895948807325
10:48:18 AM	XLON	8433	95.16	729895948807485
10:48:25 AM	XLON	4932	95.15	729895948807492
10:48:31 AM	XLON	4539	95.06	729895948807524
10:48:41 AM	XLON	5653	95.06	729895948807691
10:48:42 AM	XLON	1345	95.03	729895948807768
10:48:42 AM	XLON	3409	95.03	729895948807766
10:48:42 AM	XLON	3586	95.03	729895948807767
10:48:42 AM	XLON	2940	95.04	729895948807770
10:48:42 AM	XLON	3586	95.04	729895948807769
10:48:44 AM	XLON	16450	95.00	729895948807784
10:48:44 AM	XLON	16768	95.00	729895948807781
10:48:45 AM	XLON	1312	94.98	729895948807804
10:48:45 AM	XLON	411	94.99	729895948807808
10:48:45 AM	XLON	1313	94.99	729895948807806
10:48:45 AM	XLON	1321	94.99	729895948807800
10:48:45 AM	XLON	1675	94.99	729895948807788
10:48:45 AM	XLON	2577	94.99	729895948807802
10:48:45 AM	XLON	3500	94.99	729895948807807
10:48:45 AM	XLON	6395	94.99	729895948807805
10:48:45 AM	XLON	6548	94.99	729895948807801
10:48:45 AM	XLON	11668	94.99	729895948807789
10:49:03 AM	XLON	5863	95.00	729895948807946
10:49:05 AM	XLON	7638	95.00	729895948807959
10:49:06 AM	XLON	680	94.99	729895948807964
10:49:06 AM	XLON	1191	94.99	729895948807962
10:49:06 AM	XLON	1719	94.99	729895948807963
10:49:06 AM	XLON	3566	94.99	729895948807966
10:49:06 AM	XLON	7788	94.99	729895948807965
10:49:40 AM	XLON	3702	94.92	729895948808268
10:49:49 AM	XLON	3551	94.89	729895948808318

10:49:52 AM	XLON	2293	94.87	729895948808351
10:49:52 AM	XLON	4874	94.87	729895948808348
10:50:18 AM	XLON	5020	94.96	729895948808594
10:50:28 AM	XLON	10028	94.94	729895948808613
10:50:38 AM	XLON	680	94.96	729895948808655
10:50:38 AM	XLON	2364	94.96	729895948808656
10:50:38 AM	XLON	4055	94.96	729895948808654
10:50:45 AM	XLON	1137	94.95	729895948808676
10:50:45 AM	XLON	3104	94.96	729895948808674
10:51:52 AM	XLON	3337	94.93	729895948808870
10:51:55 AM	XLON	3519	94.91	729895948808899
10:52:18 AM	XLON	4004	94.83	729895948808980
10:53:15 AM	XLON	4375	94.75	729895948809135
10:54:09 AM	XLON	3207	94.77	729895948809393
10:54:09 AM	XLON	13841	94.77	729895948809392
10:54:38 AM	XLON	3213	94.80	729895948809467
10:55:14 AM	XLON	8935	94.88	729895948809568
10:55:29 AM	XLON	5151	94.89	729895948809634
10:55:29 AM	XLON	6440	94.89	729895948809635
10:55:30 AM	XLON	3222	94.86	729895948809650
10:55:30 AM	XLON	4400	94.86	729895948809649
10:55:30 AM	XLON	7443	94.86	729895948809651
10:55:30 AM	XLON	5605	94.87	729895948809646
10:55:42 AM	XLON	9095	94.83	729895948809682
10:56:05 AM	XLON	1373	94.90	729895948809764
10:56:05 AM	XLON	2059	94.90	729895948809765
10:56:38 AM	XLON	1411	94.97	729895948809805
10:56:41 AM	XLON	3900	94.98	729895948809808
10:56:43 AM	XLON	2276	94.97	729895948809812
10:56:43 AM	XLON	3800	94.97	729895948809811
10:56:57 AM	XLON	13244	94.94	729895948809868
10:57:07 AM	XLON	2196	94.95	729895948809914

10:57:07 AM	XLON	7617	94.95	729895948809915
10:57:26 AM	XLON	12255	95.00	729895948810018
10:57:27 AM	XLON	3378	95.00	729895948810030
10:57:27 AM	XLON	4258	95.00	729895948810025
10:57:29 AM	XLON	4910	95.00	729895948810037
10:57:30 AM	XLON	5555	95.00	729895948810054
10:57:31 AM	XLON	3324	95.00	729895948810060
10:57:32 AM	XLON	5024	95.00	729895948810070
10:57:32 AM	XLON	10124	95.00	729895948810082
10:57:33 AM	XLON	8304	95.00	729895948810090
10:57:34 AM	XLON	13764	95.00	729895948810117
10:57:36 AM	XLON	9993	95.00	729895948810142
10:57:38 AM	XLON	11716	95.00	729895948810165
10:57:40 AM	XLON	3650	95.00	729895948810171
10:57:40 AM	XLON	4661	95.00	729895948810175
10:57:42 AM	XLON	680	94.99	729895948810179
10:57:42 AM	XLON	957	94.99	729895948810177
10:57:42 AM	XLON	3350	94.99	729895948810180
10:57:42 AM	XLON	5159	94.99	729895948810178
10:57:54 AM	XLON	9006	94.98	729895948810214
10:57:57 AM	XLON	680	94.95	729895948810222
10:58:00 AM	XLON	3404	94.93	729895948810227
10:58:35 AM	XLON	4750	94.90	729895948810292
10:58:35 AM	XLON	4269	94.93	729895948810308
10:58:42 AM	XLON	6146	94.99	729895948810361
10:58:42 AM	XLON	3624	95.00	729895948810355
10:58:45 AM	XLON	10276	94.97	729895948810383
10:59:04 AM	XLON	6811	94.90	729895948810440
11:00:36 AM	XLON	7686	95.00	729895948810688
11:00:48 AM	XLON	2	95.00	729895948810747
11:00:48 AM	XLON	12244	95.00	729895948810748
11:00:49 AM	XLON	6350	95.00	729895948810766

11:00:50 AM	XLON	3087	95.00	729895948810774
11:00:53 AM	XLON	3211	94.99	729895948810787
11:00:53 AM	XLON	8850	94.99	729895948810784
11:01:06 AM	XLON	3099	95.00	729895948810835
11:01:09 AM	XLON	1626	95.02	729895948810857
11:01:09 AM	XLON	3409	95.02	729895948810856
11:01:09 AM	XLON	3586	95.02	729895948810855
11:01:20 AM	XLON	3203	95.08	729895948810940
11:01:20 AM	XLON	1626	95.09	729895948810945
11:01:20 AM	XLON	1880	95.09	729895948810941
11:01:20 AM	XLON	3178	95.09	729895948810944
11:01:20 AM	XLON	3409	95.09	729895948810943
11:01:20 AM	XLON	3586	95.09	729895948810942
11:01:21 AM	XLON	11185	95.05	729895948810961
11:01:23 AM	XLON	3182	95.05	729895948810975
11:01:23 AM	XLON	3947	95.05	729895948810973
11:01:23 AM	XLON	6285	95.05	729895948810974
11:01:24 AM	XLON	2265	95.04	729895948810978
11:01:24 AM	XLON	8230	95.04	729895948810979
11:03:01 AM	XLON	1675	95.25	729895948811234
11:03:01 AM	XLON	5154	95.25	729895948811233
11:03:01 AM	XLON	5784	95.25	729895948811232
11:03:34 AM	XLON	1626	95.38	729895948811311
11:03:34 AM	XLON	3300	95.38	729895948811312
11:04:04 AM	XLON	1626	95.38	729895948811365
11:04:04 AM	XLON	6383	95.38	729895948811364
11:04:04 AM	XLON	757	95.39	729895948811366
11:04:04 AM	XLON	11614	95.39	729895948811351
11:04:41 AM	XLON	1626	95.38	729895948811475
11:04:41 AM	XLON	7205	95.38	729895948811476
11:04:44 AM	XLON	4200	95.32	729895948811505
11:04:44 AM	XLON	7321	95.32	729895948811504

11:04:44 AM	XLON	3369	95.33	729895948811506
11:05:08 AM	XLON	3723	95.29	729895948811547
11:05:08 AM	XLON	3758	95.29	729895948811548
11:05:30 AM	XLON	3348	95.36	729895948811634
11:05:30 AM	XLON	8310	95.37	729895948811623
11:06:00 AM	XLON	4546	95.32	729895948811699
11:06:30 AM	XLON	680	95.32	729895948811812
11:06:30 AM	XLON	703	95.32	729895948811811
11:06:30 AM	XLON	3603	95.32	729895948811813
11:06:30 AM	XLON	6053	95.32	729895948811803
11:06:46 AM	XLON	5046	95.28	729895948811850
11:07:07 AM	XLON	2503	95.31	729895948811929
11:07:07 AM	XLON	3825	95.31	729895948811928
11:08:19 AM	XLON	5382	95.25	729895948812208
11:08:52 AM	XLON	4596	95.24	729895948812320
11:09:09 AM	XLON	4347	95.25	729895948812395
11:09:19 AM	XLON	1108	95.26	729895948812471
11:09:19 AM	XLON	7418	95.26	729895948812472
11:09:32 AM	XLON	5249	95.24	729895948812506
11:10:17 AM	XLON	5624	95.15	729895948812589
11:11:06 AM	XLON	5521	95.14	729895948812674
11:11:53 AM	XLON	3351	95.17	729895948812793
11:11:53 AM	XLON	7834	95.17	729895948812798
11:12:30 AM	XLON	4294	95.17	729895948812874
11:13:01 AM	XLON	9724	95.17	729895948812933
11:13:06 AM	XLON	5041	95.13	729895948812953
11:14:17 AM	XLON	2052	95.17	729895948813148
11:14:17 AM	XLON	3586	95.17	729895948813149
11:14:17 AM	XLON	3600	95.17	729895948813150
11:14:23 AM	XLON	13331	95.12	729895948813179
11:14:39 AM	XLON	2210	95.11	729895948813237
11:14:39 AM	XLON	2600	95.11	729895948813236

11:14:39 AM	XLON	3110	95.11	729895948813238
11:14:39 AM	XLON	7822	95.11	729895948813235
11:14:48 AM	XLON	7442	95.11	729895948813245
11:14:53 AM	XLON	4879	95.08	729895948813282
11:14:59 AM	XLON	3617	95.07	729895948813291
11:15:28 AM	XLON	8078	95.02	729895948813396
11:15:58 AM	XLON	6205	94.99	729895948813489
11:16:00 AM	XLON	1268	94.97	729895948813503
11:16:24 AM	XLON	4734	94.94	729895948813572
11:16:51 AM	XLON	1679	95.00	729895948813647
11:17:15 AM	XLON	1034	95.00	729895948813668
11:17:15 AM	XLON	2196	95.00	729895948813669
11:17:21 AM	XLON	243	95.00	729895948813680
11:17:21 AM	XLON	2122	95.00	729895948813681
11:17:22 AM	XLON	633	94.99	729895948813684
11:17:22 AM	XLON	9661	94.99	729895948813683
11:18:17 AM	XLON	2082	94.99	729895948813781
11:18:23 AM	XLON	1978	94.99	729895948813793
11:18:32 AM	XLON	1914	94.99	729895948813810
11:18:45 AM	XLON	1687	95.00	729895948813830
11:19:02 AM	XLON	914	95.00	729895948813884
11:19:03 AM	XLON	283	95.00	729895948813888
11:19:05 AM	XLON	200	95.00	729895948813889
11:19:13 AM	XLON	9497	94.99	729895948813909
11:19:40 AM	XLON	1314	95.00	729895948813957
11:19:40 AM	XLON	3586	95.00	729895948813958
11:19:57 AM	XLON	10	95.00	729895948813991
11:19:58 AM	XLON	1104	95.00	729895948813998
11:19:58 AM	XLON	1279	95.00	729895948813997
11:19:58 AM	XLON	1433	95.00	729895948813999
11:20:01 AM	XLON	4210	94.99	729895948814011
11:20:02 AM	XLON	354	94.99	729895948814016

11:20:02 AM	XLON	3275	94.99	729895948814017
11:20:06 AM	XLON	1396	94.97	729895948814067
11:20:06 AM	XLON	3136	94.97	729895948814065
11:20:09 AM	XLON	5590	94.96	729895948814091
11:20:17 AM	XLON	3221	94.94	729895948814118
11:21:04 AM	XLON	2968	94.92	729895948814182
11:21:04 AM	XLON	6447	94.92	729895948814181
11:22:08 AM	XLON	1050	94.96	729895948814279
11:22:08 AM	XLON	3500	94.96	729895948814280
11:23:12 AM	XLON	680	94.98	729895948814413
11:23:12 AM	XLON	4971	94.98	729895948814412
11:23:12 AM	XLON	9050	94.98	729895948814414
11:24:06 AM	XLON	4011	94.96	729895948814470
11:24:33 AM	XLON	8658	94.99	729895948814531
11:24:34 AM	XLON	5154	94.98	729895948814534
11:25:12 AM	XLON	3857	95.00	729895948814659
11:25:17 AM	XLON	8807	94.99	729895948814673
11:25:34 AM	XLON	9328	94.99	729895948814705
11:25:40 AM	XLON	3602	94.99	729895948814744
11:26:16 AM	XLON	7915	94.91	729895948814784
11:26:43 AM	XLON	2465	94.90	729895948814866
11:27:22 AM	XLON	3261	94.90	729895948814955
11:27:22 AM	XLON	9995	94.90	729895948814954
11:28:02 AM	XLON	3192	94.89	729895948815033
11:28:02 AM	XLON	4013	94.89	729895948815032
11:29:30 AM	XLON	4552	94.94	729895948815242
11:29:30 AM	XLON	7677	94.94	729895948815249
11:29:39 AM	XLON	680	94.92	729895948815263
11:29:39 AM	XLON	4447	94.92	729895948815262
11:30:14 AM	XLON	957	94.86	729895948815382
11:30:14 AM	XLON	3437	94.86	729895948815383
11:30:14 AM	XLON	5097	94.86	729895948815381

11:30:52 AM	XLON	1790	94.91	729895948815512
11:30:52 AM	XLON	3708	94.91	729895948815511
11:30:55 AM	XLON	3637	94.90	729895948815518
11:31:12 AM	XLON	5915	94.84	729895948815553
11:31:49 AM	XLON	6125	94.84	729895948815635
11:33:37 AM	XLON	4223	94.85	729895948815854
11:34:19 AM	XLON	4634	94.88	729895948815949
11:34:19 AM	XLON	4864	94.88	729895948815954
11:35:02 AM	XLON	1175	94.78	729895948816061
11:35:02 AM	XLON	4400	94.78	729895948816060
11:37:10 AM	XLON	5245	94.74	729895948816304
11:37:41 AM	XLON	3422	94.71	729895948816388
11:40:04 AM	XLON	1599	94.96	729895948816687
11:40:04 AM	XLON	2559	94.96	729895948816688
11:40:04 AM	XLON	7178	94.98	729895948816681
11:40:29 AM	XLON	4773	94.89	729895948816747
11:41:13 AM	XLON	993	94.89	729895948816814
11:41:13 AM	XLON	3478	94.89	729895948816813
11:41:59 AM	XLON	7071	94.93	729895948816897
11:42:56 AM	XLON	7047	94.90	729895948816951
11:43:01 AM	XLON	4420	94.90	729895948816995
11:43:17 AM	XLON	7053	94.87	729895948817022
11:45:27 AM	XLON	1541	94.89	729895948817228
11:45:27 AM	XLON	5530	94.89	729895948817229
11:46:10 AM	XLON	3357	94.88	729895948817314
11:46:16 AM	XLON	4464	94.87	729895948817327
11:46:43 AM	XLON	960	94.86	729895948817407
11:46:43 AM	XLON	2540	94.86	729895948817406
11:48:02 AM	XLON	2000	95.00	729895948817586
11:48:02 AM	XLON	3184	95.00	729895948817587
11:48:18 AM	XLON	4566	95.00	729895948817621
11:48:21 AM	XLON	6	95.00	729895948817625

11:48:21 AM	XLON	425	95.00	729895948817626
11:48:22 AM	XLON	9	95.00	729895948817627
11:48:23 AM	XLON	4235	94.99	729895948817633
11:48:23 AM	XLON	13576	94.99	729895948817630
11:48:23 AM	XLON	242	95.00	729895948817628
11:48:44 AM	XLON	3099	94.98	729895948817687
11:48:44 AM	XLON	4829	94.98	729895948817686
11:48:50 AM	XLON	1000	94.89	729895948817740
11:48:50 AM	XLON	3675	94.89	729895948817741
11:49:15 AM	XLON	6540	94.86	729895948817842
11:49:48 AM	XLON	10165	94.91	729895948817936
11:50:09 AM	XLON	4161	94.92	729895948818011
11:51:12 AM	XLON	6437	94.87	729895948818099
11:51:30 AM	XLON	6727	94.86	729895948818167
11:51:54 AM	XLON	5804	94.83	729895948818193
11:52:10 AM	XLON	4696	94.82	729895948818206
11:54:01 AM	XLON	6203	94.83	729895948818358
11:54:22 AM	XLON	4053	94.87	729895948818388
11:54:26 AM	XLON	4671	94.86	729895948818404
11:55:28 AM	XLON	4468	94.84	729895948818480
11:55:51 AM	XLON	5219	94.87	729895948818529
11:56:37 AM	XLON	5300	94.80	729895948818651
11:58:10 AM	XLON	680	94.81	729895948818782
11:58:10 AM	XLON	1677	94.81	729895948818781
11:58:10 AM	XLON	4873	94.81	729895948818783
11:59:58 AM	XLON	10002	94.89	729895948819018
11:59:59 AM	XLON	5801	94.88	729895948819025
12:00:05 PM	XLON	3488	94.87	729895948819037
12:00:40 PM	XLON	4608	94.84	729895948819084
12:00:40 PM	XLON	3122	94.85	729895948819076
12:01:46 PM	XLON	6002	94.77	729895948819269
12:02:24 PM	XLON	10051	94.75	729895948819360

12:04:14 PM	XLON	1000	94.80	729895948819535
12:04:17 PM	XLON	680	94.80	729895948819539
12:04:17 PM	XLON	2000	94.80	729895948819538
12:04:18 PM	XLON	8662	94.80	729895948819542
12:04:54 PM	XLON	5097	94.80	729895948819598
12:04:58 PM	XLON	3595	94.80	729895948819604
12:06:26 PM	XLON	680	94.85	729895948819729
12:06:26 PM	XLON	7813	94.85	729895948819728
12:06:27 PM	XLON	2981	94.85	729895948819731
12:06:44 PM	XLON	4708	94.82	729895948819757
12:07:34 PM	XLON	6118	94.84	729895948819829
12:08:44 PM	XLON	3305	94.93	729895948819963
12:09:06 PM	XLON	7638	94.91	729895948820027
12:10:42 PM	XLON	8246	94.94	729895948820157
12:11:30 PM	XLON	180	95.00	729895948820257
12:11:54 PM	XLON	10837	94.99	729895948820265
12:12:21 PM	XLON	3731	94.97	729895948820314
12:12:21 PM	XLON	6580	94.97	729895948820313
12:13:06 PM	XLON	3937	94.95	729895948820394
12:13:06 PM	XLON	4174	94.96	729895948820387
12:13:13 PM	XLON	4822	94.89	729895948820420
12:13:53 PM	XLON	3409	94.92	729895948820503
12:13:53 PM	XLON	3586	94.92	729895948820502
12:14:42 PM	XLON	2989	94.98	729895948820574
12:14:42 PM	XLON	6471	94.98	729895948820575
12:14:53 PM	XLON	4369	94.98	729895948820585
12:14:53 PM	XLON	4400	94.98	729895948820587
12:15:04 PM	XLON	3370	94.98	729895948820593
12:15:19 PM	XLON	5253	95.01	729895948820633
12:15:20 PM	XLON	3471	95.00	729895948820653
12:15:20 PM	XLON	3605	95.00	729895948820658
12:15:21 PM	XLON	1701	95.00	729895948820666

12:15:21 PM	XLON	3178	95.00	729895948820665
12:15:24 PM	XLON	1149	95.00	729895948820677
12:15:24 PM	XLON	3409	95.00	729895948820679
12:15:24 PM	XLON	3586	95.00	729895948820678
12:15:25 PM	XLON	518	95.00	729895948820682
12:15:25 PM	XLON	861	95.00	729895948820680
12:15:25 PM	XLON	3586	95.00	729895948820681
12:15:29 PM	XLON	3613	95.00	729895948820691
12:15:32 PM	XLON	6	94.99	729895948820694
12:15:33 PM	XLON	249	95.00	729895948820696
12:16:11 PM	XLON	1043	94.97	729895948820772
12:16:11 PM	XLON	2577	94.97	729895948820773
12:16:11 PM	XLON	2658	94.97	729895948820774
12:16:11 PM	XLON	6102	94.97	729895948820771
12:16:11 PM	XLON	5931	94.98	729895948820764
12:16:48 PM	XLON	1048	94.96	729895948820839
12:16:48 PM	XLON	3156	94.96	729895948820840
12:16:49 PM	XLON	1038	94.93	729895948820856
12:17:33 PM	XLON	3729	94.98	729895948820927
12:17:51 PM	XLON	876	94.99	729895948820933
12:17:51 PM	XLON	4400	94.99	729895948820932
12:18:01 PM	XLON	6845	94.97	729895948820990
12:18:51 PM	XLON	8220	94.98	729895948821216
12:18:51 PM	XLON	239	95.00	729895948821226
12:18:53 PM	XLON	7	95.00	729895948821227
12:18:54 PM	XLON	14691	94.99	729895948821248
12:18:54 PM	XLON	1359	95.00	729895948821228
12:18:55 PM	XLON	4275	94.99	729895948821249
12:19:23 PM	XLON	6670	94.98	729895948821304
12:19:33 PM	XLON	3991	94.97	729895948821366
12:19:40 PM	XLON	2838	94.97	729895948821399
12:19:40 PM	XLON	3573	94.97	729895948821400

12:20:34 PM	XLON	1	94.99	729895948821510
12:20:56 PM	XLON	9459	94.97	729895948821548
12:22:02 PM	XLON	4	95.00	729895948821676
12:22:06 PM	XLON	439	95.00	729895948821677
12:22:08 PM	XLON	343	95.00	729895948821680
12:22:12 PM	XLON	139	95.00	729895948821684
12:22:20 PM	XLON	3409	95.00	729895948821706
12:22:20 PM	XLON	3586	95.00	729895948821707
12:22:23 PM	XLON	102	94.99	729895948821712
12:22:23 PM	XLON	12803	94.99	729895948821713
12:22:25 PM	XLON	11580	94.96	729895948821724
12:23:11 PM	XLON	6829	94.95	729895948821802
12:23:22 PM	XLON	3287	94.94	729895948821837
12:23:22 PM	XLON	4400	94.94	729895948821836
12:23:30 PM	XLON	4400	94.93	729895948821855
12:23:51 PM	XLON	666	94.95	729895948821898
12:23:51 PM	XLON	1354	94.95	729895948821897
12:23:51 PM	XLON	1625	94.95	729895948821901
12:23:51 PM	XLON	2665	94.95	729895948821899
12:23:51 PM	XLON	2665	94.95	729895948821900
12:25:50 PM	XLON	5012	94.90	729895948822239
12:27:18 PM	XLON	6007	94.84	729895948822432
12:27:21 PM	XLON	4242	94.83	729895948822438
12:28:47 PM	XLON	4883	94.80	729895948822557
12:29:51 PM	XLON	5147	94.79	729895948822722
12:30:56 PM	XLON	1193	94.89	729895948823150
12:30:56 PM	XLON	3210	94.89	729895948823149
12:30:56 PM	XLON	4360	94.89	729895948823144
12:31:01 PM	XLON	376	94.85	729895948823180
12:31:01 PM	XLON	6318	94.85	729895948823179
12:32:03 PM	XLON	1131	94.87	729895948823369
12:32:03 PM	XLON	3575	94.87	729895948823368

12:32:50 PM	XLON	6637	94.84	729895948823537
12:34:02 PM	XLON	5432	94.77	729895948823768
12:34:11 PM	XLON	5063	94.74	729895948823791
12:34:56 PM	XLON	351	94.70	729895948823928
12:34:56 PM	XLON	3300	94.70	729895948823927
12:35:49 PM	XLON	957	94.67	729895948824076
12:35:49 PM	XLON	10745	94.67	729895948824075
12:36:17 PM	XLON	3182	94.65	729895948824151
12:39:01 PM	XLON	5317	94.59	729895948824589
12:39:27 PM	XLON	434	94.58	729895948824756
12:39:27 PM	XLON	8594	94.58	729895948824755
12:39:48 PM	XLON	5563	94.60	729895948824790
12:41:37 PM	XLON	4251	94.58	729895948825041
12:43:22 PM	XLON	8051	94.51	729895948825184
12:43:46 PM	XLON	4106	94.48	729895948825265
12:44:48 PM	XLON	6839	94.49	729895948825346
12:45:05 PM	XLON	3870	94.43	729895948825406
12:47:11 PM	XLON	3987	94.53	729895948825794
12:48:30 PM	XLON	7785	94.54	729895948825934
12:48:43 PM	XLON	3610	94.54	729895948825981
12:51:11 PM	XLON	3686	94.43	729895948826516
12:52:06 PM	XLON	4465	94.45	729895948826629
12:52:59 PM	XLON	3266	94.43	729895948826714
12:54:06 PM	XLON	4683	94.46	729895948826832
12:56:31 PM	XLON	5742	94.34	729895948827122
12:56:51 PM	XLON	4621	94.33	729895948827189
12:58:27 PM	XLON	8858	94.46	729895948827434
12:58:41 PM	XLON	1807	94.45	729895948827485
12:58:41 PM	XLON	2748	94.45	729895948827484
12:58:41 PM	XLON	4353	94.45	729895948827483
12:59:00 PM	XLON	4824	94.39	729895948827529
12:59:20 PM	XLON	5762	94.33	729895948827557

13:00:18 PM	XLON	1170	94.30	729895948827710
13:00:18 PM	XLON	4400	94.30	729895948827709
13:00:19 PM	XLON	3897	94.29	729895948827721
13:01:52 PM	XLON	3644	94.29	729895948827919
13:01:52 PM	XLON	4400	94.29	729895948827921
13:01:59 PM	XLON	5578	94.29	729895948827928
13:02:07 PM	XLON	3066	94.27	729895948827944
13:02:35 PM	XLON	1477	94.22	729895948828015
13:03:16 PM	XLON	7901	94.23	729895948828094
13:04:04 PM	XLON	7846	94.21	729895948828200
13:05:24 PM	XLON	5330	94.23	729895948828362
13:07:15 PM	XLON	7451	94.16	729895948828600
13:09:50 PM	XLON	760	94.24	729895948828787
13:09:50 PM	XLON	3859	94.24	729895948828786
13:10:13 PM	XLON	5372	94.25	729895948828811
13:12:29 PM	XLON	2577	94.29	729895948829127
13:12:29 PM	XLON	6376	94.29	729895948829126
13:12:29 PM	XLON	3070	94.30	729895948829128
13:12:29 PM	XLON	7861	94.32	729895948829086
13:15:51 PM	XLON	3779	94.29	729895948829483
13:21:24 PM	XLON	3287	94.18	729895948830066
13:26:23 PM	XLON	4119	94.19	729895948830525
13:28:27 PM	XLON	3630	94.14	729895948830696
13:31:25 PM	XLON	3537	94.36	729895948831437
13:39:05 PM	XLON	4474	94.48	729895948833870
13:43:02 PM	XLON	3513	94.82	729895948834718
13:46:59 PM	XLON	3575	94.76	729895948836000
13:51:24 PM	XLON	3594	94.76	729895948836681
13:53:45 PM	XLON	742	94.72	729895948837333
13:53:45 PM	XLON	3409	94.72	729895948837332
14:03:49 PM	XLON	3835	94.48	729895948839385
14:08:26 PM	XLON	4053	94.80	729895948840535

14:14:44 PM	XLON	3458	94.79	729895948841927
14:20:18 PM	XLON	3818	94.89	729895948843068
14:24:05 PM	XLON	4903	94.94	729895948843727
14:29:11 PM	XLON	3627	94.98	729895948844964
14:30:38 PM	XLON	4168	94.96	729895948845242
14:31:18 PM	XLON	4773	94.92	729895948845398
14:32:26 PM	XLON	4100	95.02	729895948845712
14:33:42 PM	XLON	3698	94.99	729895948846166
14:34:08 PM	XLON	3317	95.01	729895948846246
14:34:44 PM	XLON	3623	95.00	729895948846349
14:35:57 PM	XLON	4378	94.92	729895948846703
14:36:20 PM	XLON	3683	94.93	729895948846809
14:36:59 PM	XLON	6343	94.93	729895948846948
14:37:14 PM	XLON	3263	94.88	729895948846989
14:38:42 PM	XLON	3857	94.88	729895948847270
14:39:46 PM	XLON	5248	94.93	729895948847430
14:40:16 PM	XLON	5976	94.93	729895948847511
14:42:45 PM	XLON	3385	94.89	729895948848035
14:42:51 PM	XLON	4577	94.88	729895948848058
14:43:25 PM	XLON	1230	94.91	729895948848180
14:43:25 PM	XLON	6517	94.91	729895948848181
14:45:02 PM	XLON	6657	94.88	729895948848533
14:46:26 PM	XLON	1000	94.84	729895948848916
14:46:53 PM	XLON	6923	94.84	729895948849017
14:47:56 PM	XLON	5401	94.77	729895948849295
14:48:59 PM	XLON	3504	94.73	729895948849520
14:49:46 PM	XLON	400	94.68	729895948849984
14:49:46 PM	XLON	1170	94.68	729895948849985
14:49:46 PM	XLON	2906	94.68	729895948849986
14:50:52 PM	XLON	3618	94.70	729895948850253
14:52:37 PM	XLON	7553	94.65	729895948850690
14:53:40 PM	XLON	5335	94.67	729895948850937

14:54:45 PM	XLON	5186	94.74	729895948851247
14:55:28 PM	XLON	511	94.78	729895948851376
14:55:28 PM	XLON	2665	94.78	729895948851370
14:55:28 PM	XLON	2665	94.78	729895948851371
14:56:15 PM	XLON	5794	94.79	729895948851494
14:56:49 PM	XLON	3352	94.80	729895948851592
14:57:55 PM	XLON	4846	94.82	729895948851848
14:58:21 PM	XLON	2426	94.85	729895948851954
14:59:08 PM	XLON	374	94.88	729895948852108
14:59:08 PM	XLON	1779	94.88	729895948852111

This announcement will also be available on Vodafone's website at:
<https://investors.vodafone.com/reports-information/regulatory-news>

Enquiries to:

Investor relations: ir@vodafone.co.uk

Media: <https://www.vodafone.com/news-and-media/contact-us>

This information is provided by RNS, the news service of the London Stock Exchange. RNS is approved by the Financial Conduct Authority to act as a Primary Information Provider in the United Kingdom. Terms and conditions relating to the use and distribution of this information may apply. For further information, please contact rns@lseg.com or visit www.rns.com.

RNS may use your IP address to confirm compliance with the terms and conditions, to analyse how you engage with the information contained in this communication, and to share such analysis on an anonymised basis with others as part of our commercial services. For further information about how RNS and the London Stock Exchange use the personal data you provide us, please see our [Privacy Policy](#).

END

POSSFIFAIEDSELD